Cadet Hand library

** STUDENT REPORT COLLECTION TO 2022 ** In Reverse Chronological Order by Year With BML Library Catalog Numbers

USE COMMAND-F or CTRL-F TO FIND KEYWORD

Contact librarian at chlbml@ucdavis.edu for assistance

- $2022 \quad \textbf{Understanding cluster organization and benefits in the limpet Lottia digital is} \quad \#\,3470$
- Hang Tight, Surf's Up! Environment-driven variation in foot size and attachment strength in the intertidal snail Acanthinucella spirata #3471
- 2022 Ocean Acidification Effects on Predation by the Bat Star Patiria miniata # 3472
- 2022 The Great Escape: Responses to predators in the Brooding Sea Anemone, Epiactis prolifera # 3473
- 2022 The escape response of the anemone Epiactis prolifera exposed to the nudibranch Aeolidia loui and the sea star Dermasterias imbricata # 3474
- 2022 Battle of the Hermit Crabs: Interspecific and Intraspecific Aggression in Response to Shell Preference in Pagurus samuelis and Pagurus hirsutiusculus # 3475
- 2022 On the Rock Surface: The clustering behavior of limpet Lottia digitalis #3476
- 2022 The Northward Range Expansion of the Southern Sea Anemone, Anthopleura sola #3477
- Bigfoot comes to California: environment-dependent foot variation in the snail Acanthinucella spirata (Blainville 1832) and its implications for historic and current range expansion # 3478
- 2022 Interspecific and intraspecific aggression in response to shell preference in the hermit crabs Pagurus samuelis and Pagurus hirsutiusculus # 3479
- 2022 Nutrient pollution along our coastlines: The effects of agricultural runoff on the bryozoan Jellyella tuberculate #3480
- 2022 To beat an enemy, you must sea anemone: Monitoring the abundance of sea anemone Anthopleura sola in Northern California # 3481
- Now You Sense Me, Now You Don't: The Effects of Ocean Acidification on Predation Ability of the sea star Patiria miniata #3482
- 2022 The Effect of Varying Oceanic Temperatures on Aggressive Behavior in Nudibranchs (Hermissenda

crassicornis	and	Hermisse	nda o	nalescens)	# 3483

- 2022 Nutrient pollution along coastlines: The effects of agricultural runoff on the bryozoan Jelleyela tuberculata # 3484
- 2022 The effects of varying ocean temperatures on recently distinguished nudibranch species: Hermissenda opalescens and Hermissenda crassicornis # 3485
- 2021 HOW ROCK SIZE AFFECTS SEX RATIO, CRAB SIZE, AND CRAB ABUNDANCE IN PACHYGRAPSUS CRASSIPES # 3462
- 2021 Learning ability and chemoreception in the purple sea urchin, Strongylocentrotus purpuratus # 3463
- On the symbiotic relationship between the bat star Patiria miniata and its Hesinoid polychaete Ophiodromus pugettensis # 3464
- 2021 Territoriality in Pachygrapsus crassipes, the striped shore crab in Northern California #3465
- 2021 Learning capabilities and chemoreception of the purple sea urchin, Strongylocentrotus purpuratus # 3466
- 2021 Assessing the Facilitation Between the Bat Star Patiria miniata and the Polychaete Worm Ophiodromus pugettensis # 3467
- 2021 Acanthinucella spirata vs. Nucella ostrina: Analyzing Interactions Between Snails with Newly Overlapping Ranges # 3468
- 2021 Competition Does Not Explain Intertidal Separation of the Angular Unicorn (Acanthinucella spirata) and the Striped Dogwhelk (Nucella ostrina) # 3469
- 2019 TOXICITY OF NANO SILVER, NANO COPPER & NANO ZINC IN GREEN STRIPED SHORE CRAB LARVAE, PACHYGRAPSUS CRASSIPES #3428
- 2019 The effects of the nudibranch PHIDIANA HILTONI on resident nudibranch species along the Northern California coast # 3446
- 2019 Effects of predator cues and population density on the purple sea urchin Strongylocentrotus purpuratus # 3447
- 2019 $\,$ Effects of lowered pH on the chemosensory abilities of the Monterey sea lemon (Doris montereyensis) $\#\,3448$
- $2019 \quad \textbf{Effects of extreme mortality of California Mussels (Mytilus californianus) on mussel bed biodiversity and community structure in Bodega Bay $$\#3449$$
- 2019 Larval settlement preferences in an invasive bryozoan, BUGULA NERITINA: A study on tolerance to copper antifouling biocides #3450
- 2019 Effects of wave force on the morphology of the aggregating anemone (ANTHOPLEURA ELEGANTISSIMA) # 3451

- 2019 The effects of temperature and substrate particle size on the burrowing ability of mole crabs Emerita analoga # 3452
- 2019 Effects of different temperatures and sand grain sizes on the burrowing behavior of mole crabs EMERITA ANALOGA # 3453
- 2019 The effect of ocean acidification on the chemoreceptive abilities of the nudibranch, DORIS MONTEREYENSIS # 3454
- 2019 The implications of the introduction of the nudibranch PHIDIANA HILTONI on resident nudibranch species along the Northern California coast # 3455
- 2019 Effects of large-scale mortality of the mussel MYTILUS CALIFORNIANUS on rocky intertidal community structure #3456
- 2019 Morphological differences in the aggregating anemone ANTHOPLEURA ELEGANTISSIMA in wave and non-wave exposed environments #3457
- 2019 Effects of copper and competition on larval settlement of the bryozoan, BUGULA NERITINA # 3458
- 2019 Distances from home scars or aggregations affect movement and return rates in the limpets, LOTTIA SCABRA and LOTTIA DIGITALIS #3459
- 2019 Distance from limpet home scars or aggregations affect movement and homing behavior #3460
- 2019 Potential predator and higher population density not likely to decrease feeding rate of the purple sea urchin, STRONGYLOCENTROTUS PURPURATUS # 3461
- 2018 Oh My Stars: Recovery of Pisaster ochraceus from Sea Star Wasting Disease #3430
- 2018 The effect of invasive seaweed, Sargassum muticum, on invertebrate communities in Bodega Bay, California # 3431
- 2018 Variation in predator response and adaptive capability of different color morphs of the anemone Epiactis prolifera # 3432
- 2018 How are purple sea urchins, Strongylocentrotus purpuratus, doing in more acidic and wave-exposed habitats? #3433
- 2018 Snail vs Predator: Responses to Predator Cues in Two Populations of the Striped Dogwelk, #3434
- 2018 Associations of the invasive algae Sargassum muticum with intertidal invertebrates #3435
- 2018 $\,$ The effects of temperature on the reproductive strategies of checkered periwinkle snails, Littorina scutulata $\,$ # 3436
- 2018 The Effects of Temperature on the Reproductive Strategies of the Checkered Periwinkle Snail (Littorina scutulata) #3437
- 2018 The Effects of Mussel Beds (Mytilus californianus and Mytilus galloprovincialis) on Invasive and

Native Species in Marine	Docks and Eelgrass Beds	of Bodega Harbor, CA	# 3438

- 2018 Coloration and Predation Response in Populations of the Sea Anemone Epiactis prolifera in Bodega Bay # 3439
- 2018 Effects of Predator Cues on the Foraging Behavior of Two Populations of the Striped Dogwhelk, Nucella ostrina # 3440
- The effect of mussel beds (Mytilus californianus and Mytilus galloprovincialis) on species composition in the docks and eelgrass beds of Bodega Harbor, CA # 3441
- 2018 Microfiber presence in gooseneck barnacles Pollicipes polymerus and Lepas anatifera #3442
- 2018 Effects of Sea Star Wasting Disease on the Distribution and Foraging Abilities of Ochre Sea Stars (Pisaster ochraceus) in Intertidal Habitats # 3443
- 2018 Presence of microplastic in barnacles (Lepas anatifera and Pollicipes polymerus) from the intertidal zone and open ocean #3444
- 2018 pH & wave action effects on the skeleton of the sea urchin Strongylocentrotus purpuratus #3445
- 2017 Climate change leads to species geographical range shifts, causing interspecific competition between the snails, Acanthinucella spirata and Nucella ostrina #3408
- 2017 Effects of cosmetics on the purple sea urchin, Strongylocentrotus purpuratus # 3409
- 2017 A Comparison of Nano-Copper to Soluble Copper in the Carcinus maenas (Green Crab) #3410
- 2017 The effects of creosote water on the feeding rate and tube feet of the purple seastar, Pisaster ochraceus $\#\,3411$
- 2017 The comparative effects of nano copper on two different populations of the bay mussel, Mytilus galloprovincialis #~3412
- 2017 Urchins on Acid: The synergistic effect of ocean acidification and creosote on sea urchin embryos #3413
- 2017 Phenotypic plasticity in the tubes and feeding behavior of the Vermetid tube snail, Petaloconchus monterevensis due to changes in flow rates #3414
- 2017 Direct and indirect effects of two crab, Romaleon anternnarium and Carcinus maenas, on the snail, Nucella ostrina # 3415
- 2017 Stop, Drop and Writhe: A Study of Nudibranch Defensive Behavior and Intraspecific Interaction #3416
- 2017 Effect of Microplastic Ingestion on Algal Feeding in White Sea Urchin Pluteus Lytechinus Pictus #3417
- 2017 Physiological responses of Mytilus galloprovincialis, the Mediterranean mussel to polycyclic aromatic hydrocarbons (PAHs) #3418

- 2017 Alien Invasion: Symbiotic Interactions Between Two Invasive Species, the amphipod Caprella mutica and the bryozoan Bugula neritina
- . #3419
- Anemones or Enemies? Aggression and range shifts of two anemone species, Anthopleura sola and Anthopleura xanthogrammica in Horseshoe Cove # 3420
- Temperature and interspecific competition effects on the feeding rate and range limits of two whelks, Nucella ostrina and Acanthinucella spirata # 3421
- 2017 Biological interactions between invasive species: the amphipod Caprella mutica and a bryozoan Bugula neritina # 3422
- 2017 Shifting ranges and the role of aggressive behavior in competition between two species of sea anemone, Anthopleura sola and A. xanthogrammica #3423
- 2017 Effects of cerata loss on the aggressive behaviors of the nudibranch Hermissenda opalescens #3424
- 2017 Direct and indirect effects of crab predators, native Romaleon antennarium and invasive Carcinus maenas on the snail Nucella ostrina # 3425
- 2017 Phenotypic Plasticity in Petaloconchus montereyensis, Vermetid Tube # 3426
- 2017 COMBINED EFFECT OF 2,2',4,4'-TETRABROMODIPHEYLETHER (BDE-48) AND SOLUBLE COPPER ON PURPLE SEA URCHIN DEVELOPMENT # 3427
- 2017 Autotomy and Aggression in Hermissenda opalescens: A Study of the Effect of Cerata Removal on Aggressive Behaviors of Nudibranchs #3429
- 2016 Do foraging crabs rely on chemoreception? Effects of turbidity on chemical or visual predation in two nearshore Northern Californian crab species. # 3383
- 2016 Size structure, growth rings, and aggregations in a newly documented population of Bodega Harbor sand dollars (Dendraster excentricus) # 3384
- 2016 Bryozoan (Membranipora tuberculata) lophophore activity in response to particle concentrations and feeding differences between colonies # 3385
- 2016 Size structure, growth rings, and aggregations in a newly documented population of Bodega Harbor sand dollars (Dendraster excentricus) # 3386
- 2016 The effect of copper oxide nanoparticles on Pacific Oyster development, multidrug resistance, and chemosensitization $\#\,3387$
- 2016 The effects of copper oxide nanomaterials on mussel hemocytes! # 3388
- 2016 Strategic Retreat: Factors that Affect Autotomy in the porcelain crab, Petrolisthes cinctipes #3389
- 2016 Effects of predator chemical cues and algal diet on spine regeneration in the purple urchin Strongylocentrotus purpuratus #3390

- 2016 The effects of body size and group density on phytoplankton clearance rates of the mussel Mytilus californianus #3391
- 2016 The Effects of Temperature on Feeding Rates and Locomotion of the Nudibranchs, Okenia rosacea and Hermissenda crassicornis # 3392
- 2016 The Feeding Response of the Bryozoan, Membranipora tuburculata, to Different Particle Types and Concentrations #3393
- 2016 The effects of copper nanomaterials on the embryonic development and muntidrug resistence of Patiria Miniata (Bat Star) $\,$ # 3394
- 2016 Size, Sex and Number of Claws Impact Autotomy in Porcelain Crabs, Petrolisthes cinctipes #3395
- The effects of phthalates on the axis determination of purple sea urchin (Strongylocentrotus purpuratus) embryos #3396
- Two exposure routes of zinc oxide nanomaterial and the effect on feeding and bioaccumulation of zinc in White Sea Urchin (Lytechinus pictus) larvae # 3397
- 2016 How temperature affects the feeding rates and locomotion of the nudibranchs, Okenia rosacea and Hermissenda crassicornis $\#\,3398$
- 2016 Effects of size and organization on clearance rates in the mussel Mytilus californianus #3399
- 2016 Recovery Growth Rates in the Spines of the Purple Sea Urchin, Strongylocentrotus purpuratus under Restricted Diets and Predator Chemical Cues # 3400
- 2016 Multidrug resistance and the effects of silver on Zebrafish development #3401
- 2016 The Effect of Turbidity on the Foraging Behavior of Two Nearshore Crabs: Pachygrapsus crassipes and Pugettia producta. $\,\#\,3402$
- 2016 Assessment of Mytilus californianus as a bioindicator through comparison of pH, condition index, and shell area $\,\,$ $\#\,3404$
- 2016 withheld # 3405
- 2016 Geomorphology and Sediment Transport Processes at Sand Point, Tomales Bay, California #3406
- 2015 A cold-water plume in the California Russian River Estuary #3291
- $2015 \quad \text{The effects of antidepressants on the development of Purple Sea Urchins and Zebrafish embryos} \quad \# \\ 3294$
- Developmental effects of altered Photoperiods on Purple Sea Urchin (Strongylocentrotus Purpuratus) embryos exposed to the carcinogen methyl methanesulfonate # 3295
- 2015 Estradiol on developing embryos of Purple Sea Urchins (Strongylocentrotus purpuratus) and Bat Stars (Patiria miniata) # 3296

- 2015 Prey mediated-behavior and food preference of the nudibranch Hermissenda crassicornis #3297
- 2015 The effects of starvation on reactivity to light and chemical stimuli of the nudibranch Hermissenda crassicornis #3298
- 2015 The effects of ocean acidification on Sandcastle worm (Phragmatopoma californica) tube structure # 3299
- 2015 Immune system impacts of global climate change and ocean acidification in two ecologically critical Echinoderms #3300
- 2015 Morphological effects of bulk and nano zinc oxide sunscreens on developing Strongylocentrotus purpuratus embryos # 3301
- 2015 To eat or not to eat: Effects of the presence of the crab Cancer productus on feeding behaviors of the snail Nucella ostrina #3302
- 2015 Neurotoxic effects of silver nanoparticles on developing Zebrafish (Danio rerio) # 3303
- 2015 Effects of the non-steroidal anti-inflammatory drug, ibuprofen, on the early development of Purple Sea Urchins (Strongylocentrotus purpuratus) and Zebrafish (Danio rerio) # 3304
- 2015 The Effect of Asphalt Runoff Exposed to Sunlight on the Development of Purple Sea Urchins # 3305
- The Comparative Effects of BPS and BPF to BPA on the Embryological Development of the Purple Sea Urchin Strongylocentrotus Purpuratus and the White Sea Urchin Lytechinus Pictus #3306
- 2015 The effects of flow and predator cue gradient on the flight response of the black turban snail, Chlorostoma funebralis #3307
- 2015 Feeding preferences of the nudibranch Hermissenda crasscornis, and the effects on conspecific interactions due to prey choice # 3308
- 2015 Effects of ocean acidification on sandcastle worm (Phragmatopoma californica) tube structure # 3309
- 2015 The effects of food deprivation on the phototactic and chemotactic abilities of the nudibranch Hermissenda crassicornis #3310
- 2015 The Effects of Flow and Predator Cue Gradient on the Flight Response of the Black Turban Snail, Chlorostoma funebralis #3311
- 2015 Inducible defenses of the sandcastle worm Phragmatopoma californica in the presence of predator karimones # 3312
- 2015 The effects of food density and water velocity on the circal length of the barnacle Chthamalus dalli $\#\,3313$
- 2015 The Effects of TMHs from the crab, Cancer productus, on the prey choice of the Striped Dog Whelk, Nucella ostrina. #3314

2015 Predator-induced defenses: Effects of two predators on the larval stage of the sandcastle tubeworm Phragmatopoma californica. # 3315 2015 Effects of food and flow on cirral length of the barnacle Chthamalus dalli #3316 Assessment of biodiversity, viability, management capacity, and social equity of marine reserves 2015 using the GLORES criteria # 3317 2015 A Cold-Water Plume in the California Russian River Estuary #3318 **Bodega Harbor Pore Water and Sediment Composition:** Can Eelgrass Beds Provide Shelter from Ocean Acidification? # 3319 2015 Organic and Carbonate Analysis of Zostera marina Environments in the Bodega Harbor #3320 Assessment of Biodiversity, Viability, Management Capacity, and Social Equity of Marine Reserves Using the GLORES Criteria # 3321 2015 The effect of a no-take zone on the size and abundance of clams in the Bodega Harbor #3322 The Localized Effects of ENSO on the SST of Farallon Island and Pacific Grove # 3323 2015 Local Effects of ENSO events on SST of Farallon Islands and Pacific Grove #3324 Effects of abiotic factors on epiphytic algal composition in Bodega Harbor eelgrass meadows 2015 3325 2015 Effects of No Take Zones on the Size and Abundance of Burrowing Clams in Bodega Harbor 3326 The Effect of Zostera marina Seagrass on Sediment Size, Carbonate and Organic Composition, and Pore Water Alkalinity in Bodega Harbor # 3327 2015 The Extent of a Cold-Water Plume at Jenner Gulch and Potential Effects on Steelhead Populations # 3328 2015 The Localized Impacts of El Niño Based on Sea Surface Temperatures # 3329 2015 [report currently unavailable] # 3330 The effects of anthropogenic copper on the native marine mussel Mytilus californianus in Spud Point Marina, Bodega Bay, California #3194 2014 Calcium concentration effects on the molt cycle of Metacarcinus magister # 3249

The effects of UV radiation on the behavior and chromatophore size of Octopus rubescens # 3250

The effects of dissolved organic matter on the survival of red abalone (Haliotis rufescens) larvae and

2014

2014

postlarvae # 3251

- 2014 **on file** # 3252
- 2014 Anti-predator behavior of juvenile black rockfish, Sebastes melanops # 3253
- 2014 Effects of wrack composition, age, and cover on the spatial distribution of Fucellia rufitibia, talitrid amphipods, and an ephydrid fly # 3254
- 2014 Nematocyst discharge in response to various chemical cues in the aggregating anemone (Anthopleura elegantissima) # 3255
- 2014 Effects of Sea Urchin Strongylocentrotus purpuratus Excretions on Algal Growth #3262
- * Effects of Ocean Acidification and Increased Temperature on the Behavior of Juvenile Mussels, Mytilus californianus [DO NOT PUBLISH]* # 3263
- Examining the effects of ambient flow rates on the feeding response of the intertidal sea anemone Anthopleura xanthogrammica #3264
- 2014 The Effect of Ocean Acidification on the Regulation and Firing of nematocysts in the Giant Green Sea Anemone Anthopleura xanthogrammica $\#\,3265$
- 2014 Prey preference and growth rate of juvenile Ochre Sea Star, Pisaster ochraceus, in Bodega Bay, California # 3266
- 2014 Effects of desiccation on channeled dogwhelk (Nucella canaliculata) prey choice and consumption. # 3267
- 2014 The Effects of Temperature Rise on Prey Choice of The Lined Shore Crab (Pachygrapsus crassipes) # 3268
- 2014 Do mussels get air or drop acid? Effects of multilayer mussel beds on dissolved oxygen and pH in varying flows #3269
- 2014 Effect of Ocean Acidification on the Firing Rate of Nematocysts on the Giant Green Sea Anemone Anthopleura xanthogrammica # 3270
- The effects of temperature rise on prey choice and food consumption of the lined shore crab, Pachygrapsus crassipes # 3271
- 2014 Effects of Ocean Acidification and Increasing Temperatures on Juvenile Mussel Behavior (Mytilus californianus) *[DO NOT PUBLISH]* # 3272
- 2014 Do multilayer mussel beds reduce local pH and dissolved oxygen? # 3273
- 2014 Feeding preference and growth of juveniles in the sea star Pisaster ochraceus #3274
- 2014 The Effect of Sea Urchin Strongylocentrotus purpuratus Excretions on Algal Growth #3275
- 2014 Predator-induced phenotypic changes in the mussel Mytilus californianus # 3276
- 2014 Effects of desiccation on the channeled dogwhelk's (Nucella canaliculata) prey choice and

consumption	# 3277

- The effect of sea star, Pisaster ochraceus presence on mussel, Mytilus californianus feeding and morphology # 3278
- 2014 Prey preference and growth of juvenile sea star Pisaster ochraceus # 3279
- 2014 $\,$ Effects of water flow on the feeding behavior of sea anemones: Anthopleura xanthogrammica $\,$ # 3280
- 2014 Development of sea urchin embryos in relation to effects of antibiotic on bacteria flora #3281
- 2014 The Comparative Effects of β-Estradiol (E2) and 17a-Ethinylestradiol (EE2) on Embryonic Sea Urchin (Strongylocentrotus purpuratus) Development #3282
- 2014 The Combined Effects of Nano-CuO and Ocean Acidification on Purple Sea Urchin Embryonic Development #3283
- 2014 The Impacts of Polystyrene Plastic and Adsorption of Polycyclic Aromatic Hydrocarbons on the Development of Zebrafish (Danio rerio) # 3284
- 2014 The Toxic and Phototoxic Effects of COREXIT EC9500A and Alaskan North Slope Crude Oil on Hydrocarbon Degrading Microbes and Strongylocentrotus purpuratus Embryos # 3285
- 2014 Phototoxicity of titanium dioxide nanoparticles in the starlet anemone Nematostella vectensis # 3286
- 2014 Shampoo Effects on Heat Tolerance of the Pacific Oyster, Crassostrea Gigas # 3287
- 2014 Behavioral and cellular response to phototoxicity in low vs high algal symbiont morphs of the aggregating anemone Anthopleura elegantissima # 3288
- The comparative phototoxicities of methylparaben and triclosan at different stages of development in Zebrafish (Danio rerio) embryos # 3289
- 2014 Regulation of vertical migration in Strongylocentrotus purpuratus plutei #3331
- 2014 The Relationship between Phytoplankton Composition and Abiotic Forces in Bodega Bay #3332
- 2014 Deposition and decomposition of plastics on Salmon Creek Beach #3333
- 2014 Dinoflagellate concentrations and their effects on harmful algal blooms #3334
- 2014 The relationship between phytoplankton and abiotic forces in Bodega Bay #3335
- 2014 The fate of plastic debris found on Salmon Creek Beach # 3336
- 2014 Relative phytoplankton abundances in the rocky intertidal zone of Horseshoe Cove on the Bodega marine laboratory reserve $\#\,3337$
- 2014 Larvae of the purple sea urchin Strongylocentrotus purpuratus demonstrate depth preferences cued

by light # 3338
2014 Changing levels of dissolved oxygen in response to intermittent closures in Pescadero estuary and the effect on juvenile Oncorhynchus mykiss survivability # 3339
The buffering effects of Zostera marina seagrass against ocean acidification in Bodega Harbor # 3340
2014 Relative phytoplankton abundances in Horseshoe Cove, Bodega Bay, CA intertidal zone # 3341
2014 An analysis of copepod distribution in the surface waters of Bodega Bay, CA # 3342
$2014 \textbf{A paleoecological study on the predation of mollusks in the Santa Barbara Basin} \#\ 3343$
2014 Characterization of changing levels of dissolved oxygen in response to intermittent closures in a barbuilt estuary and the effect on Oncorhynchus mykiss: Pescadero, California $\#$ 3344
2014 A quantitative analysis of morphology change at a tidal inlet: Russian River Estuary, California # 3345
2014 The buffering capacity of seagrass beds (Zostera marina) against ocean acidification in Bodega Harbor # 3346
2014 Copepod Distribution in Bodega Bay, CA # 3347
2013 Is nitric oxide a regulator of immune response in the Green Crab, Carcinus maenas (Crustacea, Decapoda)? # 3193
2013 The effects of anthropogenic copper on the native marine mussel Mytilus californianus in Spud Point Marina, Bodega Bay, California # 3245
2013 Intraspecific competition of Pagurus samuelis on shell selection and recognition # 3246
2013 The effect of multidrug resistance transporter activity on mercury bioaccumulation in Strongylocentrutus purpuratus pluteus larvae from consuming contaminated Isochrysis galbana # 3247
2013 Apoptosis and necrosis of zooxanthellae preemptive to bleaching events # 3248
2013 Phytoplankton composition relating to upwelling seasonality in Bodega Bay # 3257
2013 $$ Tidal influences on freshwater distribution in the Walker Creek Estuary during a season of low freshwater flow $$ # 3258
2013 A comparison of benthic habitats at Salmon Creek Estuary # 3259
2013 Flow speed around a bed of Zostera marina in Tomales Bay, CA # 3260
2013 Temperature variations at a Bodega Harbor seagrass meadow # 3261

- 2013 Effect of Cosco Busan Oil on Pachygrapsus crassipes, Green Lined Shore Crab larvae #3348
- 2013 Are Synthetic Musks Chemosensitizers to Developing Sea Urchin Embryos? #3349
- 2013 Exposure to a dairy waste contaminant, 17β-estradiol, results in an induction of HSP90 in Zebrafish (Danio rerio) embryos #3350
- 2013 Effects of light on locomotion and righting behavior in the bat star Patiria miniata #3351
- 2013 Sola Searching: Differences in distribution of the sea anemone Anthopleura sola between opposing sides of Horseshoe Cove #3352
- Variation in avoidance responses to novel and familiar predator cues in separate populations of the striped dogwhelk (Nucella ostrina) # 3353
- 2013 Effects of temperature and air exposure on the performance of the chitons Mopalia muscosa and Nuttallina californica #3354
- 2013 Influences of competition and predation on shell selection in the hermit crab, Pagurus samuelis # 3355
- 2013 You know what they say about big feet:
 Intraspecific differences in adhesive ability of the striped dogwhelk Nucella ostrina # 3356
- 2013 Habitat utilization by juvenile copper rockfish Sebastes caurinus and its voracious predator lingcod Ophiodon elongatus # 3357
- 2013 Effects of predator cues on foraging strategies in the whelk Nucella ostrina #3358
- 2013 Contaminant effects on behavior of the rock crab, Cancer productus #3359
- 2013 Change of habitat preference in the presence of another species: a laboratory experiment with two intertidal sculpins #3360
- 2013 Experimental ocean acidification and temperature increase impact the feeding activity of Balanus glandula and Chthamalus dalli #3361
- 2013 The effects of ocean acidification on the ability of Pachygrapsus crassipes to respond to olfactory cues from food # 3362
- 2013 Temperature effects on feeding rates and symbiont density in the sea anemone, Anthopleura elegantissima # 3363
- 2013 Local scale phenotypic plasticity of barnacle cirri within mussel bed disturbance gaps #3364
- 2013 Effects of population density and food availability on cannibalism in juvenile dungeness crab (Cancer magister) #3365
- 2013 Intraspecific expression of bailout behavior in the limpet Lottia pelta between protected and wave-exposed populations #3403

- 2012 Effects of predatory fish on epiphytic algae growth in Zostera marina through indirect interactions # 3172
- 2012 Characterization of activity and transporter type associated with MDR transport in a hydroid, Obelia dichotomas: Relative activity at reference and impacted sites # 3173
- The effect of wave action on the behavior of the intertidal snail Chlorostoma (Tegula) funebralis # 3174
- 2012 Behavior modification: Pisaster's effect on Nucella #3175
- 2012 CO2 and salinity effect on Petrolisthes cinctipes' oxygen consumption #3176
- 2012 Competition or Coexistence? Feeding behaviors of the common acorn barnacles Balanus glandula and Chthamalus dalli #3195
- 2012 Effects of food availability on cannibalism and aggression in the nudibranch, Hermissenda crassicornis #3196
- 2012 Aquatic Hypoxia and Its Effect on Zinc Toxicity # 3198
- 2012 Rock type as a driving factor in determining species assemblages in rocky intertidal habitats along the Sonoma Coast #3199
- 2012 Phototoxicity of Naproxen and its Photoderivatives in Purple Sea Urchin (Stronglyocentrotus purpuratus) Embryos # 3200
- 2012 The effects of pH on the feeding rates of the intertidal snail, Nucella ostrina #3201
- 2012 Manipulation of Water Flow and Seed Structure of Surfgrass Phyllospadix scouleri to Determine Attachment to Red Algal Host #3202
- 2012 Phenotypic plasticity may be absent in the gooseneck barnacle Pollicipes polymerus # 3203
- 2012 Effect of mussel species (Mytilus californianus and Mytilus trossulus) and size on predation by the channeled dogwhelk (Nucella canaliculata) # 3204
- 2012 The Effect of Ocean Acidification on the Ability of Black Turban Snails (Tegula Funebralis) to Detect Olfactory Cues from a Predatory Sea Star # 3205
- The Effect of Black Oystercatcher (Haematopus bachmani) Densities on the Species Richness and Morphology of Limpets in the Rocky Intertidal Zone of Bodega Bay # 3206
- 2012 "Species specific aggregational behavior in the mussels Mytilus californianus and Mytilus Trossulus" # 3207
- 2012 Induced Phototoxicity Due to Chemosensitization of Pacific Oyster Embryos Exposed to an Antifungal Agent, Ketoconazole # 3208
- 2012 UV Radiation Effects on Sea Star Embryos: Are Metal Oxide Nanomaterials from Sunscreens

Protective	or Problematic?	# 3209
1101661176	OI I I ODICHIAUCA	$\pi J \Delta U J$

- 2012 Pavlovian conditioning of the Tegula funebralis with the association of a light stimulus and a Pisaster ochraceus predator stimulus # 3210
- 2012 Substrate Preference in the Larval Settlement of the Invasive Tunicate Botrylloides violaceus # 3211
- 2012 A Comparison of Species Diversity within Natural and Artificial Drift Macrophytes (Beach Wrack) on Horseshoe Cove Beach, Bodega Marine #3212
- The effects of decreased pH on behavior and symbiont density in the Giant Green Sea Anemone, Anthopleura xanthogrammica #3213
- 2012 The effects of aerial exposure levels on prey size preference of the ochre sea star Pisaster ochraceus # 3214
- 2012 Dynamics of Symbiotic Algal Assemblages in the Intertidal Anemone, Anthopleura Elegantissima # 3215
- 2012 Sand Crabs (Emerita analoga) and their relationship with the Thorny-Headed Worm (Phylum Acanthocephala, Profilicollis spp.) # 3216
- To Eat or Not to Eat: A study of trait-mediated indirect interactions among the red rock crab, Cancer productus, and the feeding rate of the striped dogwhelk, Nucella ostrina # 3217
- 2012 Performance after the loss of arms in the sea star Pisaster ochraceus #3218
- 2012 Friend or Anemone?
 A Study of Aggression Among Castes of the Aggregating Sea Anemone # 3219
- 2012 Invertebrate Fossil Correlation to Climate Trends in Sediment Core MD02-2504 from Santa Barbara Basin in the Past 25,000 Years # 3220
- 2012 Early-development Sulfide Tolerance of Purple Sea Urchin (Strongylocentrotus Purpuratus) and Fat Innkeeper Worm (Urechis Caupo) Used to Evaluate Sediment and Pore-Water Toxicity # 3221
- 2012 The ability of MDR proteins to protect sea urchins (Strongylocentrotus purpuratus) embryos from Aryl hydrocarbon agonists # 3222
- 2012 The effects of phytoplankton abundance and flow velocity on fouling community structure in Bodega Harbor $\#\,3223$
- The effects of ocean acidification on the community structure of sessile benthic invertebrates in the rocky intertidal zone in Bodega Bay, California # 3224
- 2012 Estuarine Sediment Size and its Effects on the Presence and Behavior of Western Sandpipers (Calidris mauri) on the Sonoma Coast #3225
- 2012 The size class distribution of Anthopleura xanthogrammica and tide pool seawater variability on Horseshoe Cove # 3226

- 2012 The effects of upwelling on the predation of mussels by whelks proxied by abundance # 3227
- 2012 Distribution and abundance of Eucyclogobius newberryi breeding burrows in the Salmon Creek estuary of Northern California during seasonal closure # 3228
- 2012 The shell morphology of the California mussel, Mytilus californianus, compared to patterns in pH and temperature along Bodega Bay, California # 3229
- 2012 Patterns of Ocean Pollution: A Temporal Study of Fecal Indicator Bacteria Concentrations at Campbell Cove and Horseshoe Cove # 3230
- 2012 Marine Debris on the Sonoma Coastline along Exposed and Protected Beaches # 3231
- 2012 Invertebrate fossil correlation to climate trends in sediment core MD02-2504 from Santa Barbara Basin in the past 25,000 Years # 3232
- 2012 Physical Correlates of Behavior in the Invasive European Green Crab (Carcinus maenas) # 3236
- 2012 Leaf Pubescence Deters Insect Herbivory in Seaside Buckwheat # 3237
- 2012 Tachinid Parasitoid Infection and Diet Preference Affect Host Weight and Mobility of Ranchman's Tiger Moth Larvae (Platyprepia viginalis) # 3238
- 2012 Impacts of the Interaction of Ammophila arenaria and Carpobrotus edulis on Native Coastal Dune Species in Northern California # 3239
- 2012 Lupine Shrubs Facilitate a Native Forb in the Bodega Marine Reserve # 3240
- 2012 Complex Positive Ant-plant Interactions in Lasthenia minor # 3241
- 2012 Factors Limiting C. edulis Invasion of a Salicornia-Dominated Salt Marsh #3242
- 2012 Competitive and Facilitative Interaction Effects on Hesperomecon linearis in a Dune Community # 3243
- 2012 The Effects of Ammophila arenaria on the Ant Communities of Bodega Bay, California #3244
- 2011 Plasticity of pigmentation in the marine copepod Tigriopus californicus #3148
- 2011 Spatial cognition and learning within the sculpin genus Oligocottus # 3149
- 2011 Chemoreceptive acuteness in three species of rockfish: Sebastes caurinus, Sebastes melanops, and Sebastes carnatus #3150
- 2011 Learning ability in the invasive green crab, Carcinus maenas #3151
- 2011 Examining the significance of the large spines of Petrolisthes cinctipes larvae as a defense #3152
- 2011 Examining locomotor behavior in Hermissenda crassicornis for endogenous circadian rhythms # 3153

- 2011 UVR-induced behavioral and physiological changes in endosymbiotic and aposymbiotic Anthopleura xanthogrammica #3154
- 2011 Effects of epibionts on eelgrass Zostera marina buoyancy #3155
- 2011 Diatom growth and morphospecies richness in simulated acidified ocean environments #3156
- 2011 Effects of temperature and aerial exposure on bleaching in the sea anemone Anthopleura elegantissima #3157
- 2011 The effects of light on locomotion rate and behavior of four California nudibranchs #3158
- 2011 Selective grain size usage and resulting variation in tube strength by the sandcastle worm, Phragmatopoma californica #3159
- 2011 Do changes in salinity affect the distribution of the sea star Pisaster ochraceus in Bodega Harbor? $\#\,3160$
- 2011 An intrabeach comparison of the effects of drift macrophyte (beach wrack) removal on macroinvertebrate species richness and diversity: north and south Horseshoe Cove Beach, Bodega Marine Reserve #3161
- 2011 Attachment strength reduction from arm loss of the ochre sea star Pisaster ochraceus #3162
- 2011 Settlement patterns of the invasive tunicate, Botrylloides violaceus, as affected by substrate type # 3163
- 2011 The effects of hydration on shell strength of the black turban snail Tegula funebralis and the striped dogwhelk Nucella ostrina $\,\#\,3164$
- The feather boa kelp (Egregia menziesii) facilitates blue mussels by serving as a refuge from predation #3165
- 2011 Shell size preference of females in the Blue-banded Hermit Crab, Pagurus samuelis #3166
- 2011 Effects of an eelgrass bed (Zostera marina) on seawater pH and alkalinity #3167
- 2011 Effects of temperature stress on consumption rates in nudibranch Hermissenda crassicornis #3168
- Testing the unknown: the distribution, size and abundance of intertidal Haliotis rufescens (red abalone) and Haliotis cracherodii (black abalone) within marine protected areas # 3169
- 2011 The effects of location and size on the competitive ability of the sponge Haliclona sp. #3170
- 2011 Algal growth on the limpet Lottia scutum and its effects on drag and temperature #3171
- 2011 How Wind and Herbivory Affect Plant Community Structure in a Coastal Sand Dune #3233
- 2011 Inflorescence Production in Salt Rush (Juncus Lesueurii) is not Decreased by Co-occurrence of Ice Plant (Carpobrotus Edulis) but is Influenced by Soul Moisture Levels # 3234

- 2011 Platyprepia viginalis Caterpillar Dispersion Patterns: Variability in Time and Space #3235
- 2011 Changes in pH and dissolved oxygen relative to algal cover in tide pools over a temporal scale that allows for minimal coastal seawater input # 3366
- 2011 Jetty abundance and inter-annual distribution in relation to environmental parameters, eckman transport and temperature fronts #3367
- 2011 Coastal shelf acidification: natural periodicity of pCO2 concentrations on diel, upwelling/relaxation, and seasonal timescales off Bodega Bay, CA # 3368
- 2011 Spatial and temporal variation of nitrogen and phosphorus in Tomales Bay, CA #3369
- 2011 A study of water flow and fauna habitation in surge channels and a nearby tide pool in Horseshoe Cove, Bodega Marine Reserve, CA # 3370
- 2011 pH and salinity relationships and variability in a Mediterranean estuary, Tomales Bay, CA #3371
- Abiotic stress influence on spatial orientation and intertidal positioning with population distributions of the sandcastle worm, Phragmatopoma californica #3372
- 2011 Chlorophyll concentration in response to wind, nutrient, salinity, sea surface temperature during coasted upwelling in Bodega Bay # 3373
- 2011 Variation in bottom current speed as indicated by grain size in Tomales Bay #3374
- 2011 Signal of upwelling and nitrate influx in the Russian River # 3375
- 2011 Salt wedge dynamics of Lagunitas Creek, Tomales, CA # 3376
- 2011 Temperature and salinity profiles of Tomales and South San Francisco Bay #3377
- 2011 Sediment grain size in Tomales Bay, California: Modern and past changes in source and distribution # 3378
- 2011 Biotic evidence of historic climate change events in the Santa Barbara Basin over the past 16,000 years # 3379
- 2011 A comparative analysis between the pH and alkalinity of an eelgrass bed (Zostera marina) and a salicornia dominant salt marsh #3380
- 2011 Pelvetiopsis limitata and Mastocarpus papillatus and their influence on barnacle settlement in high energy wave conditions # 3381
- 2011 The impact of natural variability # 3382
- 2010 Amphipod distribution through Salmon Creek Estuary # 3133
- 2010 Understanding rip current patterns through wave height at Salmon Creek Beach #3134

- 2010 A look into retention time in the shadow of Mussel Point and possible consequences to barnacle larvae abundances in the zooplankton $\#\,3135$
- 2010 Stratification and dissolved oxygen levels in Salmon Creek Estuary #3136
- 2010 Relation of wave height, beach slope, and sand grain size along Salmon Creek Beach #3137
- 2010 Rip currents at south Salmon Creek Beach: dynamics and flow characteristics #3138
- 2010 Plastic debris abundance and distribution on Salmon Creek Beach, California #3139
- 2010 Small-scale distribution analysis of the sand crab Emerita analoga on Salmon Creek Beach #3140
- 2010 Settlement patterns of two flatfish species in relation to coastal oceanography #314
- 2010 Morphological variations in estuarine and marine threespine stickleback, Gasterosteus aculeatus. # 3142
- 2010 The effects of thermal stress on Chlorostoma congeners, funebralis and brunnea, regulation of Hsp 70 and interactions with biofilms #3143
- 2010 The effects of heavy metal and heat shock on the embryogenesis of the purple sea urchin, Strongylocentrotus purpuratus #3144
- 2010 Predator avoidance behaviors of English sole and speckled sanddab on different sediment types # 3145
- 2010 A comparative study of shell fit in the hermit crabs Pagurus hirsutiusculus and P. samuelis at Coleman Beach and Horseshoe Cove $\#\,3147$
- 2010 Effects of Heterospecific Neighbor Removal on Resource Allocation in Meconella linearis at Bodega Marine Reserve #3177
- 2010 Rates of Decomposition in a Native-Dominated Dune System Vary by Litter Species and Other Biotic and Abiotic Factors #3178
- 2010 The Impacts of Wind and Vegetation Structure on a Spider Community #3179
- 2010 The Effect of Largus cinctus on Fruit Set of Wild Cucumber, Marah fabaceus #3180
- 2010 Effect of Carbon Addition on Invasive Plant Cover on the Bodega Marine Reserve #3181
- 2010 Effect of Flower Browsing on Sanicula Arctopoides and Raphanus #3182
- 2010 Mechanical Defoliation of Cow Parsnip and Oviposition Preference of a Leafminer #3183
- 2010 Aquatic Macroinvertebrate Colonization of Three Different Leaf Types in a Freshwater Stream in Owl Canyon $\#\,3184$
- 2010 Visualizing Avian Acoustic Landscape via Wavelet Analysis # 3185

- 2009 Toxicant exposure and corresponding developmental abnormalities in Petrolisthes cinctipes #3124
- 2009 Anthopleura elegantissima sand covering behavior used as protection from environmental parameters # 3125
- 2009 Get a meal or be a meal? Hunger and its implications for the risk allocation hypothesis. #3126
- 2009 The effects of salinity and other environmental stressors on embryo development of two distinct populations of Three–Spined Sticklebacks (Gasterosteus aculeatus) # 3127
- 2009 Development of Strongylocentrotus purpuratus in mercury contaminated water #3128
- 2009 The effects of copper on the embryonic development of Petrolisthes cinctipes (Decapoda, Anomura). # 3129
- 2009 Snail movement: Indication of a trait-mediated indirect interaction #3130
- 2009 Trait mediated direct guardian interactions: Possibility of a new model for mechanisms governing community structure #3131
- 2009 Commensals influence on the shell strength of the abalone, Haliotis rufescens. #3132
- 2009 Perennials Under Cover: Sheltering Effects of Shrub Facilitate Understory Plants in the Northern California Coastal Prairie Ecosystem #3186
- 2009 Can We Predict Biotic Homogenization From Field Data? # 3187
- 2009 Facilitation in a Sand Dune Community: Evidence for a Biological Soil Crust Supporting a Native Shrub # 3188
- 2009 The Invasive Succulent, Carpobrotus edulis, Becomes Less Common at Increasing Distances From the Border Between Coastal Dune and Grassland Communities in Bodega Bay, California #3189
- 2009 Scavenging by Vertebrates and Invertebrates #3190
- 2009 Inorganic Soil Nitrogen Concentrations are Indicative of Species Richness in Northern California # 3191
- 2009 Effects of Rodent Consumers on Abundance, Height and Canopy Cover of Bush Lupine #3192
- 2008 Nematocyst acquisition in response to potential predators in the aeolid nudibranch Hermissenda crassicornis #3049
- 2008 The effects of ocean acidification on development of the sea urchin (Lytechinus pictus), and pH trends in Tomales Bay, California #3050
- 2008 Settlement behavior and mechanisms of a porcelainid crab: Petrolisthes cinctipes #3051
- The influence of structure and medium: behavioral variation of coho salmon raised in conventional, artificially enriched, and naturally enriched hatchery environments # 3052

- 2008 Behavioral effects of encroaching hypoxia on sculpins in low, intermediate, and high areas of the intertidal zone #3053
- 2008 Long-term pinniped dynamics at the Russian River Estuary: anthropogenic, heterospecific, and environmental factors # 3097
- 2008 Chromatophore adaptations of porcelain crab, Petrolisthes cinctipes, to UV light #3098
- 2008 The interactions and distribution of three species of shore crabs in the cobble fields of Bodega Harbor # 3099
- 2008 Factors affecting population distribution and density of intertidal Anthopleura elegantissima in Horseshoe Cove $\#\,3100$
- 2008 Tidal cycle pH fluctuation and the distribution of articulated and crustose coralline algae in tide pools of Horseshoe Cove, Bodega # 3101
- 2008 Temporal and spatial analysis of Lagunitas Creek Estuary #3102
- 2008 Wind speed and wave height effects on Bodega Bay Pacific Harbor Seal (Phoca vitulina richardsi) population patterns. #3103
- 2008 Physical and morphological characteristics of sea foam formation in Horseshoe Cove #3104
- 2008 The effects of wave energy and sediment composition on beach profile #3105
- 2008 Ammophila arenaria, native vegetation and bare sand #3106
- 2008 Diatom distribution & upwelling effects: Tomales Bay # 3107
- 2008 Ocean processes and fecal indicator bacteria around Santa Monica Pier in 2005-2007 # 3108
- 2008 Distribution of wind blown, marine, and freshwater sediment in Tomales Bay, California #3109
- 2008 The longshore transport of sediment: Russian River to the Bodega Bay area #3110
- 2008 The effects of tide and habitat energy flow on foraging behavior of American White Pelicans, Pelecanus erythrorhynchos $\#\,3111$
- 2008 A summertime study of mixing between Walker Creek and Tomales Bay waters #3112
- 2008 $\,$ The behavior of invasive Batillaria attramentaria compared to the native horn snail and the impacts of the invader on Bodega Harbor $\,$ $\#\,3113$
- 2008 What coastal marsh sediments reveal about land use change; Bodega Bay, CA #3114
- 2008 The effect of ocean acidification on larval growth in the native oyster Ostrea lurida #3115
- 2008 Relationships between environmental factors and concentrations of fecal indicator bacteria at Campbell Cove Beach $\#\,3116$

- 2008 Alternatives to copper paint as herbivore deterrents # 3117
- 2008 Developing a paleo-phosphorus record of intermediate seawater using bamboo corals #3118
- 2008 Mechanisms of trophic cascades in a rocky intertidal zone: why predator removal is a "Pisaster disaster" for macroalgae #3119
- 2008 Grazing rates and preferences of two herbivores among eelgrass genotypes: a possible tradeoff between growth and defense $\#\,3120$
- 2008 U/Ca ratios in bamboo corals: testing the relationship with CO2 in seawater #3121
- 2008 $\,$ Ecdysteroid analog feedback regulation on the Y-organs in the European green crab, Carcinus maenas $\,$ $\#\,3122$
- 2008 Intertidal seaweed (Porphyra and Pelvetiopsis) responses to nutrient availability in the California upwelling system #3123
- 2007 $\,$ Priority effects on a fouling community: Changes on the community structure due to the first colonizer $\,$ $\#\,3026$
- 2007 Early growth of introduced and native grasses on lupine-enriched soil #3027
- 2007 Feedback regulation of Y-organ secretion in the European green crab, Carcinus maenas #3028
- 2007 Grazing reduction by Chlorostoma funebralis in the presence of a keystone predator, Pisaster ochraceus: evidence for trait-mediated indirect interactions # 3029
- 2007 Morphometrics, shell growth bands and oxygen isotopes of the marine gastropod Acanthinucella spirata # 3030
- 2007 Biotic resistance of Cancer spp. to the invasive European green crab, Carcinus maenas #3031
- 2007 Influence of consumers on two marine epifaunal communities with varying introduced species composition $\#\,3032$
- 2007 The effects of elevated atmospheric CO2 on Ostrea lurida larvae from Tomales Bay, California #3033
- 2007 The interaction of increasing water and air temperatures and its impact on an intertidal snail, Nucella canaliculata #3034
- Seaweeds in wave-swept environments: Effect of tide height and exposure on nitrogen content, adult size, and reproduction in Pelvetiopsis limitata $\#\,3035$
- 2007 $\,$ Effects of common intertidal environments on the applied tube foot ratio of the Ochre star, Pisaster ochraceus $\,$ $\#\,3036$
- 2007 The Effects of flow on the relationship between limpet species Lottia pelta and Lottia insessa, and their host Egregia menziesii in wave protected and wave exposed areas # 3037

2007	Effects of the algae Ulva lactuca on flow rates in Zosteraceae marina canopies #3038
2007	The functional significance of spines of Petrolisthes cinctipes larvae # 3039
2007 3040	Effects of Ultraviolet Radiation on the Behavior of the sea anemone Anthopleura elegantissima #
2007	Comparing recruitment patterns between Bodega Harbor and Tomales Bay # 3041
2007	Effects of Metals on Spicule Morphology in the Sea Urchin Lytechinus anamesus # 3042
2007 Lytech	The effects of mycosporine-like amino acids on apoptosis and development during UV exposure in inus anamesus embryos # 3043
2007 mussel	The Effects of substrate angle and location within the mussel bed on the attachment strength of the Mytilus californianus $\# 3044$
2007 mudsu	Parasites as bioindicators of ecosystem health: A comparative study of parasitism in the long-jawed cker (Gillichthys mirabilis) # 3045
2007	Effects of temperature on hair bundle repair process of anemone tentacles #3046
2007 hypo- o	Hsc70 expression in leopard sharks, Triakis semifasciata, exposed to smotic conditions # 3047
2007 Botryl	The impact of antifouling paints on the settlement and development of the colonial tunicate loides violaceus # 3048
2006	Perplexing plasticity: local and regional adaptations in Lottia digitalis, a limpet. #2950
2006 # 2951	Variation in byssal attachment strength in Mytilus californianus with location in the intertidal zone
2006	Comparisons of grasping ability of the isopod Idotea montereyensis in the rocky intertidal #2952
2006	Differing tube foot strengths between asteroid species of the West Coast #2953
2006	Effects of desiccation on material properties of the sea palm, Postelsia palmaeformis # 2954
2006 2955	The effects of selenomethionine on sea urchin (Lytechinus anamesus) embryonic development #
2006 the de v	The effects of barium and strontium with zinc supplementation on calcium uptake and formation in veloping skeletal tissue of zebrafish larvae # 2956
2006 in the	Mycosporine-like amino acid rich diets protect against UV radiation and fluoranthene phototoxicity pluteus larvae of the sea urchin Lytechinus anamesus # 2957

 $\,$ The protective effects of ascorbic acid on Brachydanio rerio exposed to UV-A and UV-B radiation $\#\,2958$

2006	Apoptosis levels in developing sea urchins after exposure to Phenanthrene # 2959
2006 # 2960	Stressed out: Characterizing the adaptive responses of Lottia digitalis exposed to multiple stressors
2006	Predator effects on the timing larval release of Pachygrapsus crassipes # 2961
2006	Functional consequences of realistic species losses in a marine ecosystem # 2962
2006 Pagurı	The scent of a predator: The effects of chemical threats on shell selection in the hermit crabs, as samuelis and Pagurus hirsutiusculus # 2963
2006 Estuar	Long-term residence and solar heating of deep water in stratified bar-built estuaries: Salmon Creek y, California # 2964
2006 2965	Benthic foraminifera in Bodega Harbor, California: Changes in species assemblage over 26 years #
2006 Califor	Effects of a putative floral pathogen on the reproductive fitness of native and introduced grasses on a mia coastal prairie # 2966
2006	How do invasive predators affect trophic cascades? # 2967
2006 Sphaer	Attempts to elucidate the early attachment and penetration of the Mesomycetezoan fish pathogen othecum destruens in an in vitro culture system # 2968
2006	Visualization of flow through and around simplified models of biological structures #2969
2006 addres 2970	The distribution of zooxanthellae and zoochlorellae in the tentacle of Anthoplura elegantissima, sing the behavioral responses to solar radiation and assessing damage to nuclei after exposure #
2006 2971	The effect of the invasive mussel Mytilus galloprovincialis on rocky intertidal trophic interactions #
2006	Density dependent feeding behavior of Pisaster ochraceus # 2972
2006 Anthop	The effect of inorganic nitrate on the growth rate and symbiotic algae of the aggregating anemone, bleura elegantissima # 2973
2006 stars	You can run but you can't hide: athe predatory effects of Pycnopodia helianthoides on intertidal sea # 2974
2006 2975	Effects of endolithic cyanobacterial infestation of Mytilus californianus on predation and fitness #
2006 Doran	Induced thermal tolerance in limpets (Lottia pelta and L. scabra) from Spud Point Marina and Beach # 2976
2006 2977	The influence of density mediated and trait mediated effects on fouling community recruitment #

2006	Multidrug resistance in the limpet Lottia pelta # 2978
2006 kisutch	The effect of rearing environment on plasma cortisol levels in juvenile coho salmon (Oncorhynchus) # 2979
2006	Comparison of sample and gel preparation methods in the detection of HSP 70 # 2980
2006	Cascading effects of mesograzers on the epiphyte communities of zostera marina #2981
2006	Olfactory response of the turkey vulture (Cathartes aura) to a carrion associated odorant #2982
2006	Sea anemone phototactic behavior and algal cell concentrations # 2983
2006	Intraclonal and interclonal feeding behavior of Anthopleura elegantissima # 2984
2006	The effects of egg production on the behavior of sand crabs (Emerita analoga) # 2985
2006	Brooding and aggregation in the mudflat clam Nutricola tantilla # 2986
2006	The relationship between length and orientation angle in California mussels #2987
2006	Substrate preference of bent-back shrimp, Heptarcarpus paludicola # 2988
2006	The effects of chemical and physical stimuli on the phoronid, Phoronopsis viridis #2989
2006 analoga	Physical and biological factors influencing the spatial distribution and burrowing ability of Emerita # 2990
2006	Refuge preference amongst purple sea urchins (Strongylocentrotus purpuratus) # 2991
2006	Attached particle size selection in Anthopleura elegantissima # 2992
2006	Spatial distribution patterns of the isopod Idotea resecata # 2993
2006	Intraclonal competition for food and space in sea anemones # 2994
2006	The effects of prey stimuli on sea star Pisaster ochraceus adhesive strength # 2995
2006	Shell preference between two hermit crab species, Pagurus samuelis and P. granosimanus # 2996
2006	Chemical defense in the colonial tunicate, Aplidium californicum # 2997
2006 # 2998	Effect of substrate composition and moisture on burrowing behavior of sand crab (Emerita analoga)
2006 Cymat	The effects of the ectoparasite isopod Elthusa californica on the respiration of the surfperch ogaster aggregata # 3054
2006 3055	Gastrointestinal Helminths of two eel-like fishes (Cebidichthys violaceus and Pholis ornata) #

- 2006 A study of effective collection and maintenance methods of the marine leech Malmiana buthi # 3056
- 2006 Length, weight, and gender comparisons of three local populations of $\,$ Syngnathus leptorhynchus $\#\,3057$
- 2006 Substrate color preference of the arrow goby, Clevelandia ios # 3058
- 2006 Geographical, taxonomical, temporal and host size comparisons of intestinal digenes in three species of sculpins # 3059
- 2006 The effects of different flow regimes on feeding rate of the threespine stickleback, (Gasterosteus aculeatus) $\,\#\,3060$
- 2006 Substrate and light condition preference of Pholis ornata # 3061
- 2006 A comparative study of color changing behavior of Citharichthys stigmaeus and Parophrys vetulus in response to background color and pattern # 3062
- 2006 Temperature preference of three representatives of order Gasterosteiformes: Aulorhynchus flavidus, Gasterosteus aculeatus, Syngnathus leptorhynchus # 3063
- 2006 Effects of decreased salinities on breathing rates of two tidepool sculpins (Oligocottus maculosus and Oligocottus snyderi) # 3064
- 2006 $\,$ The effects of the ectoparasitc isopod Elthusa californica on the respiration of the surfperch Cymatogaster aggregata $\,$ # 3065
- ${\color{red}\textbf{2005}} \quad \textbf{Covering behavior of Strongylocentrotus purpuratus in response to predator cue and sunlight} \quad \# \\ 2898$
- 2005 The effects of prey preferences of the keystone predators Pisaster ochraceus, Nucella ostrina and Cancer antennarius on intertidal community structure # 2899
- 2005 Color change in saddleback gunnels, Pholis ornata # 2900
- 2005 Predation and habitat selection of juvenile Pugettia producta: Life histories and the effects of cannibalism # 2901
- 2005 The effectiveness of Pycnopodia helianthoides' predator cue in creating trait mediated indirect interactions $\#\,2902$
- 2005 Effects of Phthalates on Zebrafish Embryos # 2923
- 2005 Metabolic Rates of American Lobster Homarus americanus Larvae Exposed to a drop in salinity from 33ppt to 20ppt $\,\,$ $\#\,2924$
- 2005 Effects of Roundup and Pure Glyphosate on Zebrafish Development # 2925
- 2005 Effects of Green Tea Catechins on B-catenin Pathway during Embryonic Development: a possible

chemo-preventative	mechanism	# 2926
--------------------	-----------	--------

- 2005 The Effects of Creosote Exposure on the Phototactic Response of Lytechinus anemesis Larvae # 2927
- 2005 Copper Exposure and Expression of Hsp70 in Native Oyster Larvae, Ostreola conchaphila, as an Indicator of Adaptation in Stressed Versus Unstressed Environments # 2928
- 2005 Salinity Tolerance and Patterns of Distribution of the Copepod Tigriopus californicus #2929
- 2005 Color Polymorphism in the Caridean Shrimp, Heptacarpus paludicola: Now You See Me, Now You Don't # 2930
- 2005 Optimal Foraging Theory, Prey Defensive Strategies, and Prey Preference in the Seastars Pycnopodia helianthoides and Dermasterias imbricata # 2931
- To Flee or Not to Flee: Defense Response by the Purple Urchin Strongylocentrotus purpuratus in Response to Physical Contact and Chemical Cues from a Predatory Sea Star Dermasterias imbricata # 2932
- 2005 Linking Aggression to Habitat Preference in Two Species of Shore Crabs # 2933
- 2005 Facilitation in Coastal Dunes # 2934
- 2005 $\,$ Revolutionary Science, or the Story of How I Learned to Love the Innkeeper Worm Urechis caupo $\#\,2935$
- 2005 Fight, Flee, or Mate? Effects of Population Density on Reproductive Fecundity in the Nudibranch Hermissenda crassicornis # 2936
- 2005 Eelgrass, Epiphyte, and Herbivore Interactions # 2937
- 2005 $\,$ Trade-Offs Between Growth, Reproduction, and Temperature Regulation in the Volcano Barnacle, Tetraclita rubescens $\,$ $\#\,2938$
- 2005 Effects of temperature on rates of herbivory and predation: Consequences for a trophic cascade? # 2939
- 2005 Material strength variation in the intertidal seaweed Mastocarpus papillatus #2941
- 2005 $\,$ Microscopic heterotrophs ameliorate nutrient limitation in the fast-growing seaweed, Cladophora columbiana $\,$ $\#\,2942$
- 2005 Effects of multiple leg and bilateral claw autotomy on molt cycle duration in stage IV larvae of the Maine lobster, Homarus americanus # 2943
- 2005 Floral pathogen attacks: Effects of floral pathogens on seed germination and seedling growth of native and introduced grasses in a Northern Californian coastal prairie # 2944
- 2005 Quantifying color polymorphisms of the asteroid Leptasterias spp. # 2945

- 2005 The importance of variation in intensity of ecosystem engineering by Nucella ostrina #2946
- 2005 Predisposed for success: Range extension and whelk predation escape in the barnacle Tetraclita rubescens # 2947
- 2005 Maintenance of zonation patterns between the non-native predatory whelk (Urosalpinx cinerea) and the native predatory whelk (Acanthinucella spirata) in Tomales Bay, California # 2948
- 2005 Effect of temperature and seaweed stress on the grazing intensity of Tegula funebralis #2949
- 2004 Defensive responses of Metridium senile in the presence of Dermasterias imbricata: Does Metridium senile have defenses? # 2883
- 2004 Spatial and Temporal Eelgrass Community Structure in Bodega Harbor # 2884
- 2004 # 2885
- 2004 The impact of chromatophore size on the predation of crab larvae by four species of planktivorous fishes in different light sources # 2886
- 2004 Morphological and behavioral plasticity in Littorina plena # 2887
- 2004 The effect of diet on growth of juvenile Hemigrapsus oregonensis # 2888
- 2004 HSP-70 AND CORTISOL LEVELS IN RESPONSE TO PHYSIOLOGICAL AND CELLULAR STRESSES IN JUVENILE CHINOOK SALMON (Oncorhynchus tshawytscha) # 2889
- 2004 The hydroid Velella velella: A contribution to their general knowledge and nutritional value to Anthopleura xanthogrammica and Anthopleura elegantissima #2890
- 2004 Population density and location variation of the bay pipefish, Syngnathus leptorhynchus in Bodega Harbor $\#\,2891$
- 2004 Trait-mediated indirect interactions: how predator evasion, alarm signaling, and predator threat assessment by a marine gastropod can influence community composition #2892
- 2004 Pre and post-settlement factors determining abundance and distribution of the invasive bryozoan Watersipora subtorquata, in Spud Point Marina, Bodega Bay, Ca # 2893
- 2004 Effects of predator presence on the feeding activities of the aeolid nudibranch Hermissenda crassicornis #2894
- 2004 HEAT-SHOCK CONGENERIC MUSSELS MYTILUS TROSSOLUS AND MYTILUS GALLOPROVINCIALIS RESONSE TO THE BACTERIAL PATHOGEN, VIBRIO ANGUILLARUM # 2895
- 2004 Transgenerational Hsp70 Upregulation in Zebrafish (Danio rerio): Physiological Consequence or Life History Strategy # 2896
- 2004 SMURFs: The Effects of Biological Fouling on the Standard Monitoring Unit for the Recruitment of Temperate Reef Fishes # 2897

- 2004 Effects of intraspecific competition by the green crab, Carcinus maenas, on the bivalves Nutricula spp. in the mudflat of Bodega Harbor, California # 2903
- 2004 Interactive effects of herbivory, desiccation, and wave action on the survival of Mazzaella flaccida # 2904
- Wave impact intensity influences on the filtration rates, length, dinsity and predation of Mytilus californianus $\#\,2905$
- 2004 Foraging of Pisaster ochraceus on Mytilus californianus in response to desiccation #2906
- 2004 Habitat Preferences of Pagurus hirsutiusculus among four (Mastocarpus papilliatus, Corallina, Pelvetiopsis, Phyllospadix) intertidal algae # 2907
- 2004 $\,$ Trophic interactions between the copepod, Tigriopus californicus, algae and the sculpin, Oligocottus snyderi $\,$ $\#\,2908$
- 2004 Eelgrass(Zostera marina) bed habitat mapping and stem density analysis in the seal bend portion of Elkhorn Slough $\#\,2909$
- 2004 Optimal foraging in the rocky intertidal zone: A study of intraspecific competition on the feeding behavior of Pagurus granosimanus $\#\,2910$
- Wave velocity and its effect on colony density and secondary habitat selection in the temperate sea anemone Anthopleura elegantissima #2911
- 2004 Relations between epizoic juvenile limpets, specifically, Lottia pelta, and their hosts the trochid gastropod Tegula funebralis # 2912
- 2004 Behavioral response of Pagurus samuelis to low dissolved oxygen levels: Is there a relationship between crab size and tolerance to hypoxic conditions? #2913
- 2004 Factors responsible for the sharing of territory seen between colonies of Anthopleura elgantissima and the ability of Anthopleura elegantissima to arrange themselves defensively when battling neighboring clones # 2914
- 2004 Habitat preference of the bay pipefish, Syngnathus leptorhynchus, in relation to real and artificial eelgrass: The feasibility of using artificial eelgrass to maintain the fish fauna of deteriorating eelgrass beds # 2915
- 2004 Species preferences of the parasitic isopod, Elthusa californica # 2916
- 2004 Morphometrics and physiological effects of tumors on Parophrys vetulus in Bodega Bay, California # 2917
- 2004 Parasites found on Hyperprosopon argenteum and Hyperprosopon ellipticum from Horseshoe Cove in Bodega Bay, California: A comparative study # 2918
- 2004 Prey choice in Sebastes sp. # 2919
- 2004 A comparative study of Helminth parasites of three species of intertidal fishes: Xiphister

atropurpureus, Xiph	nister mucousus and Ph	olis ornata #	2920
---------------------	------------------------	---------------	------

- 2004 A comparison of prevalence and mean intensity of the ectoparasite Elthusa californica in shiner surfperch (Cymatogaster aggregata) of Tomales and Bodega Bays # 2921
- 2004 Color adaptation in Oligocottus snyderi # 2922
- 2004 The rates of movement of brown smoothhounds, Mustelus henlei, using fine-scale ultrasonic telemetry in Tomales Bay, California # 3014
- 2004 The effect of predatory visual and chemical cues on juvenile Chinook salmon metabolic rates # 3015
- 2004 Hypoxic effects on feeding behavior in the Cottid species woolly sculpin (Clinocottus analis) # 3016
- 2004 Rates of movement of the brown smoothhound shark, Mustelus henlei, determined from coarse scale tracking in Tomales Bay # 3017
- 2004 Effect of avian predation and refuge size on habitat preference and feeding behavior of monkeyface prickleback (Cebidichthys violaceus) # 3018
- 2004 Diel and tidal influence on coarse-scale movement direction and spatial dynamics of brown smoothhound sharks (Mustelus henlei) in Tomales Bay, California # 3019
- 2004 California halibut (Paralichthys californicus) metabolism: boom or bust #3020
- 2004 Salinity preferences of juvenile Sacramento perch: a behavioral study #3021
- 2004 Juvenile Chinook salmon: Oxygen consumption rates in response to rapidly changing salinities # 3022
- Effects of turbidity on the foraging success of the threespine stickleback, Gasterosteus aculeaus # 3023
- 2004 Effects of food deprivation and temperature on stress protein induction in fluffy sculpin (Oligocottus snyderi) #3024
- 2004 Directionality of movement of the brown smoothhound shark (Mustelus henlei): a telemetry study in Tomales Bay, California # 3025
- 2004 Emergence behavior in the intertidal fish Clinocottus analis in varying degrees of oxygen-depleted systems # 3066
- 2004 Light Preferences of the Arros Goby, Clevelandia ios # 3067
- 2004 $\,$ Morphometrics and Physiological Effects of Tumors on Parophrys vetullus in Bodega Bay, California $\,$ $\#\,3068$
- 2004 The translucency and brightness of the flatfish Citharichthys stigmaeus: A look at standard length, thickness, and chromatophore quantity $\#\,3069$

- 2004 Salinity Effects on Fluffy Sculpins (Oligocottus snyderi) # 3070 2004 paper not available # 3071
- 2004 Light versus Substrate: Determinants of Habitat Selection by the Silver Surfperch, Hyperprosopon ellipticum $\#\,3072$
- 2004 Prey choice in Sebastes sp # 3073
- 2004 Substrate preferences of the Taylor's sea hare, Phyllaplysia taylori # 3074
- 2004 Preference for light and pigmentation sources of the sea hare Phyllaplysia taylori #3075
- 2004 Are differing alarm cues and two common chemical cleaning agents considered a threat to the phoronid, Phoronopsis viridis? # 3076
- 2004 Aggression and competition between an invasive crab species, Carcinus maenas, and two indigenous crab species, Cancer magister and Cancer antennarius # 3077
- 2004 Byssal thread characteristics of Mytilus californianus on different substrates: rock vs. wood #3078
- $2004 \quad \textbf{Anemone fighting behavior as an assay of relatedness and why anemones don't need Tupperware \\ \# 3079$
- 2004 Macrophyte preferences of the beach hopper Megalorchestia columbiana # 3080
- 2004 Substrate selection for egg laying in the nudibranch, Hermissenda crassicornis #3081
- On the surface: fidelity to home scars and the effects of slope on predatory susceptibility in the limpet Macclintockia scabra #3082
- 2004 Imbricatine, a chemical defense in the leather star, Dermisterias imbricata #3083
- 2004 The aggressive behavior of males in the presence of females in Caprella californica #3084
- 2004 Food choice and aggressive behavior of Hermissenda crassicornis #3085
- 2004 Light intensity influence on color expression of Heptacarpus carinatus # 3086
- 2004 $\,$ The effect of light color on resource utilization for decoration purposes in an intertidal majid crab, Pugettia richii $\,$ $\#\,3087$
- 2004 Feeding preferences of the purple sea urchin, Stongylocentrotus purpuratus #3088
- 2004 Shell preference of the hermit crab Pagurus samuelis # 3089
- 2004 Effects of ammonium and nitrate on sea anemone movement: Anthopleura elegantissima #3090
- 2004 Selection of seaweed by flies: (Diptera, Coelopidae and Dolichopodidae) at Horseshoe Cove #3091
- 2004 Variation in the agonistic behavior of the sea anemone Anthopleura elegantissima #3092

Bodega Harbor # 3093 2004 When life's a drag, sometimes you need a lift: Behavioral responses to flow in hermit crabs #3094 Afraid of the light? The effects of light, gravity, and experimental manipulation of weight on Tegula 2004 funebralis #3095 2004 Food choice between various local foods in Pagurus samuelis of Horseshoe Cove # 3096 2003 The effects of contaminants on the physiology of the pacific staghorn sculpin (Leptocottus Armatus) # 2785 2003 The effects of context conditioning on tegula's photonegative response # 2786 2003 Factors affecting community structure in a slatwater marsh in Tomales Bay, California #2787 2003 The effect of ocean circulation and location on timing and growth of rockfish recruitment #2788 2003 To run or hide: The behavior of Pagurus samuelis and P. hirsutiusculus in response to a predator # 2789 Factors effecting sub tidal community composition Bodega Bay harbor # 2790 2003 2003 The effects of lupine (Lupinus arboreus) on insect herbivory of miner's lettuce (Claytonia perfoliata) # 2791 2003 An examination of herbivore deterrence by Euphorbia lathyris: Exudate vs pressurized canals 2792

Competition for space and food between Pachygrapsus crassipes and Hemigrapsus oregonensis in

- 2003 Evidence of a gregarious, dipteran parasitoid spedific to coastal, shoulderbrand snails (Helminthoglypta sp.) and the effects of host size on superparasitism # 2793
- 2003 The significance of tides: Does a synchrony exist between the daily tides and the movement of mudflat inhabitants? $\#\ 2794$
- 2003 Associational susceptibility to Platprepia virginalis for plants within clones of the unpalatable Erigeron glaucus #~2795
- 2003 Does habitat structure affect the distribution of sheet web spiders in Owl Canyon? # 2796
- 2003 Two herbivores eating from the same plate: the affect of wooly bears on leaf miner survival #2797
- 2003 The role of mammal disturbance in plant facilitation and biodiversity: Pocket gophers (Triphysaria pusillus), and the California coastal grassland community # 2798
- 2003 Space invaders: The limitations of space for shore crabs in the rocky intertidal zone #2799
- 2003 Invasive plant species and soil composition: an analysis of soil alteration by invasive species #2999

- 2003 A behavioral analysis of aggregation in bay pipefish, Syngnathus leptorhynchus # 3000
- 2003 Vertical migratory behavior in Stage I zoeae of the lined shore crab, Pachygrapsus crassipes #

3001

- 2003 Herbivore preference and the intertidal gradient: a comparison of algal defense #3002
- 2003 Effects of moderate thermal variation on regeneration of the Platyhelminth, Notoplana acticola

3003

- 2003 Invasive plant species and soil composition: an analysis of soil alteration by invasive species #3004
- 2003 Comparison of HSP 70 expression in Mytilus californianus populations from the Bodega Bay coastline and Spud Point Marina floating docks #3005
- 2003 Mechanisms behind substrate color matching in the isopod Idotea wosnesenskii # 3006
- 2003 Genetic diversity of candidatus xenohaliotis californiensis, causative agent of Withering Syndrome (Haliotis spp) # 3007
- Variable filtration rates at different water temperatures as a possible mechanism for the distribution of Mytilus trossulus and Mytilus galloprovincialis $\#\,3008$
- 2003 Effects of rhizone length on growth rates of transplanted Zostera marina ramets #3009
- 2003 Dietary alterations of damaged or injured predators: disablement or limb loss in the crustacean Carcinus maenas # 3010
- 2003 Dietary restriction from nematocysts in the nudibranch Hermissenda crassicornis and resulting conspecific agonism $\#\,3011$
- 2003 The impact of two introduced species, Carcinus maenus and Philine auriformis, on the density of the benthic bivalves Nutricola spp. #3012
- 2003 Effects of thermal stress on escape response of Strongylocentrotus purpuratus #3013
- 2002 An investigation into the body patterning and learning of the Red Octopus (OCTOPUS RUBESCENS) $\,\#\,2725$
- 2002 Characterization of normal flora in the Red Abalone, HALIOTIS RUFESCENS: a study of stress conditions on changes in bacterial diversity # 2726
- 2002 $\,$ The photosynthetic productivity of sun and shade ANTHOPLEURA ELEGANTISSIMA algal symbionts at $\,$ varying light levels $\,$ # 2727 $\,$
- 2002 The role of chemoreception in the defense response of Strongylocentrotus purpuratus to predatory sea stars #2728
- 2002 Camouflage Behavior: Color and Sediment Preference of Juvenile English Sole, Pleuronectes vetulus, and Juvenile Speckled Sanddab, Citharichthys stigmaeus # 2729

- 2002 Effects of Varied Oxygen Concentrations on the Breathing and the Behavior of Oligocottus Sp. (Cottidae) from Horseshoe Cove Tidepools # 2730
- 2002 $\,$ The Effects of Temperatures and Salinity on the Breathing Rates of the Arrow Goby, Clevelandia ios $\#\,2731$
- 2002 Occurrence of Endoparasites in Sculpins from the Family Cottidae at three locations on the Sonoma Coast of California # 2732
- 2002 Light Preferences and Schooling Behavior of the Shiner Surfperch, Cymatogaster aggregata # 2733
- 2002 The Effects of Parasitism by Elthusa Californica on the Respiratory Rates of Cymatogaster aggregata in Varying Oxygen Conditions #2734
- 2002 The Oxygen Deprivation Tolerance of a Burrow-Dwelling Fish (Clevelandia ios) versus an Open Water Fish (Sebastes flavidus) # 2735
- 2002 Littorina plena: Refuge Selection and Preference # 2736
- 2002 Effects of Sediment Type on the Distribution of Nephtys caecoides # 2737
- 2002 Mechanisms of Habitats Recognition and Location in Eelgrass Shrimp, Heptacarpus palpator # 2738
- 2002 How Size Effects Intraspecific Aggressive Behaviour in the Caprellid Amphipod, Caprella californica $\#\,2739$
- 2002 Properties of Phoronid (Phoronopsis viridis) Escape Response in the Presence of a Nudibranch (Hermissenda crassicornis) Predator # 2740
- 2002 Algal Grazing Preferences of the Sea Urchin Strongylocentrotus purpuratus in the Rocky Intertidal # 2741
- 2002 The Effect of Size & Sex on Intraspecific Dominance in Kelp Crabs, Pugettia producta #2742
- 2002 Feeding Behavior of the Giant, Green Sea Anemone, Anthopleura xanthogrammica; Response to Prev Densities and Prev Exposure Time # 2743
- 2002 The Six-armed Seastar, Leptaserias hexactis: Light Sensitivity and Predator Avoidance in Whole and Divided Individuals $\,\#\,2744$
- 2002 Competition for Space Between Large and Small Seastars (Pisaster ochraceus) #2745
- 2002 Variation in Mussel (Mytilus californianus) Byssus Strength: Effects of Wave Exposure #2746
- An Investigation into the behaviour of Intertidal Nudibranchs in Varying Water, Land and Atmospheric Conditions, Mimicking those found in Tide Pools # 2747
- 2002 The Effects of Density on Aggressive Behavior in the Nudibranch, Hermissenda crassicornis # 2748

- 2002 Effects of Sea Slug (Phyllaplysia taylori) Mucus on Predatory Crabs (Cancer magister): Chemical Defense or Mom's Down-home Cookin'? # 2749
- 2002 Algal Feeding Selection and Colour Preferences of Amphipods Ericthonius spp. In Bodega Bay # 2750
- 2002 Covering Behavior of Strongylocentrotus purpuratus, the Purple Sea Urchin # 2751
- 2002 Feeding Preferences of Pugettia producta, the Northern Kelp Crab # 2752
- 2002 Feeding Preference and Color Polymorphism in Marine Isopods, Idotea stenops and Idotea resecata # 2753
- 2002 Effects of Salinity on Agnostic Behavior and Dominance Hierarchies in the Sea Anemone, Anthopleura elegantissima #2754
- 2002 Behavioral Responses of the Colonial Sea Anemone Anthopleura elegantissima to Chemical and Tactile Stimuli: The Mystery of the Anthopleurine Response # 2755
- 2002 $\,$ Feeding preferences of the introduced crab Carcinus maenas on the bivalves Nutrilcola confusa and Nutricola tantilla $\,$ $\#\,2756$
- 2002 The effects of creosote exposure on the feeding and burying behavior and avoidance response of Macoma secta $\#\,2757$
- 2002 Differential feeding success of the mysid Holmesimysis costata in the presence of diesel fuel contamination $\#\,2758$
- 2002 Behavioral effects of handling stress on leopard sharks (Triakas semifasciata) #2759
- 2002 Effectiveness of the live bait industry as a pathway for non-indigenous species introduction to northern California marine ecosystems $\#\,2760$
- 2002 The effect off the amphipod Caprella californica on the foraging behaviours and distributoin of the nudibranch Hermissenda crassicornis in the mudflats of Bodega Bay and the role of size differences in the interspecific competition for space $\#\,2761$
- 2002 Predation by the crab Pachygrapsus crassipes as a selective agent for shell repair in the whelk Nucella emarginata # 2762
- 2002 Distribution investigation of Luipinus arboreus and Lupinus variicolor at Mussel Point on the Bodega Marine Reserve $\#\,2763$
- 2002 Gopher disturbance in a California coastal grassland # 2764
- 2002 Effect of predation on density of Nutricola spp. by Cancer productus (Red Rock Crab) and Carcinus maenus (Green Crab) # 2765
- 2002 Foraging behaviour of Caspian Terns (Sterna caspia) and feeding interactions with Double-Crested Cormorants (Phalacrocorax auritus) # 2766

gooseneck barnacle Pollicipes polymerus community # 2767 2002 The roles of aggression and competitve superiority in maintaining seperation between clones of the aggregating seas anemone Anthopleura elegantissima residing in Bodega Bay, California #2768 2002 DOes the presence of water enhance the foraging efficiency of the peregrine (Falco peregrinus)? 2769 2002 The effects of wind and rainfall on ice plant in dune, coastal scrub and slat marsh communities 2770 2002 Along shore transport and retention of larval fish and invertebrates in Bodega Bay 2002 Vertical migration as a mechanism of invertebrates larval retention in Bodega Bay 2002 Home-burrow selection og juvenile longjaw mudsuckers (GILLICHTHYS MIRABILIS) #2773 Feeding habits and growth of juvenile cabezon (SCORPAENICHTHYS MARMORATUS) in the eelgrass beds of Bodega Harbor, California # 2774 2002 Blood sampling and Hsp70 in the blood cells of an elasmobranch, (MYLIOBATIS CALIFORNICA) # 2775 The effects of brackish salinity on oxygen consumption on the leopard shark (TRIAKIS 2002 SEMIFASCIATA) # 2776 The fouling communities of Bodega Harbor: Spatial distributions and settlement behaviour # 2002 2777 2002 Tryphasaria fitness and host host preference # 2810 2002 Vegetation responses to early season defoliation on a coastal California grassland #2811 Evidence of competition for space between two sessile rocky intertidal species, Mytilus californianus and Anthopleura elegantissima # 2812 2002 The effects of a specialist herbivore, Notoacmaea insessa, on the intertidak kel Egregia menziesii # 2813 2002 The striking absence of egg predation on a Geometrid moth #2814 Does group size facilitate grooming behavior? A study of group size, vigilance and grooming in black tailed deer # 2815 2002 Induction of HSP 69 in the larval stages of Ostrea Lurida, the native oyster # 2824

Predatory effects from the sea star Pisaster on the structure of the mussel Mytilus californianus and

 $2002 \quad \textbf{Characterization of HSP-69 induction, thermotolerance, and UV exposure in Ostrea lurida, the} \\$

Mytilus galloprovincialis # 2825

Variability in the activity and expression of the multixenobiotic resistance protein in the Bay mussel,

native	ovster	# 2826
HALIVE	UVSICI	TT 4040

- 2002 Effects on development of Lytechinus anamensus embryos after exposure to creosote water degraded by microbial communities from different sediments #2827
- 2001 HSP70 in field-acclimated marine snails, TEGULA FUNEBRALIS # 2778
- 2001 Predatory cues and shell selection in PAGURUS SAMUELIS # 2779
- 2001 An investigation of the correlation between chromatophore size and UVB resistance # 2780
- 2001 Feeding preferences and behaviours of porcelain crab, PETROLISTHES CINCTIPES, larvae # 2781
- 2001 Behavioral effects from dopaminergic grugs, chlorpromazine and apomorphine, on the three spine stickleback, GASTEROSTEUS ACULEATUS #2782
- 2001 Substrate preference of CANCER MAGISTER Megalope # 2783
- 2001 Habitat preference and site fidelity of wooly sculpin, CLINOCOTTUS ANALIS, in tide pools # 2784
- 2001 Edge effect in grassland and dune plant communities: An avain nest predation study #2800
- 2001 Habitat colonization by intertidal crabs in recently disturbed areas # 2801
- 2001 Aggregation and conspecific attraction in squash bugs (Coreidae: Anasa tristis) # 2802
- 2001 Juvenile monkeyface pricklebacks and large shore crabs: Life under a rock in the intertidal # 2803
- 2001 Induced resistance in Nemophila menziesii corollas # 2804
- 2001 Interspecific plant communication and induced resistance to herbivory #2805
- 2001 Preferences of wooly bear caterpillars for six plant species in relation to nitrogen content #2806
- 2001 Who copulates and for how long? A study of the mating dynamics of Largus cinctus #2807
- 2001 $\,$ The effects of notrogen manipulation on native and exotic palnts growing beneath nitrogen-fixing lupine bushes $\,$ $\#\,2808$
- 2001 The spatial partitioning of intertidal mudflats by two species of shore crabs # 2809
- 2000 Invasion of a salt marsh by the non-native succulent Carpobrotus edulis #2816
- 2000 Mechanisms of seed set reduction in nemophila menziesii (Hydrophyllaceae) caused by generalist crawling insects # 2817
- 2000 Factors affecting salt marsh plant zonation at Bodega Bay, California #2818

- 2000 The impact of ice paint (Carpobrotus edulis) on California poppy (Eschscholzia californica) # 2819
- $2000\,$ Plant foraging: Responses of a parasitic vine, Cuscuta salina, to changes in available host density $\#\,2820\,$
- 2000 Factors affecting fruit and seed set in Marah facaceus: The influence of mating system and pollon donor quality $\#\,2821$
- 2000 A study of orius spp. (Hemiptera: Anthocoridae) and lupine at Bodega Bay # 2822
- 2000 $\,$ An analysis of ghost moth Hepialus californicus oviposition on the bush lupin Lupinus arboreus $\,$ # 2823
- 2000 $\,$ Preferential use of objects for cover by the purple sea urchin, STRONGYLOCENTROTUS PURPURATUS $\,$ # 2871
- 2000 Responses to positive and negative chemical cues in PHORONOPSIS VIRIDIS # 2872
- 2000 The aggregative behavior of TEGULA FUNEBRALIS # 2873
- 2000 Light intensity preferences of the bay pipefish SYNGNATHUS LEPTORHYNCHUS # 2874
- 2000 Substrate preference of the juvenile speckled sanddab (CITHARICHTHYS STIGMAEUS) # 2875
- 2000 Impacts of habitat features and predation on distributions of mudflat clams #2876
- 2000 $\,$ A comparative study of digenetic trematodes in XIPHISTER ATROPURPUREUS and XIPHISTER MUCOSUS $\,$ # 2877
- 2000 Occurrence of GYRODACTYLUS PERFORATUS $\,$ on CLEVELANDIA IOS from Bodega Bay and Tomales Bay $\,$ $\#\,2878$
- 2000 $\,$ Fact or fiction: fluffy sculpins (OLIGOCOTTUS SNYDERI) change their color in response to the environment $\,$ $\#\,2879$
- 2000 Occurrence of endoparasites in the bay goby, LEPIDOGOBIUS LEPIDUS # 2880
- 2000 Zostera density preference of SYGNATHUS LEPTORHYNCHUS # 2881
- 2000 $\,$ The use of PIT tags on the rocky intertidal fish CEBIDICHTHYS VIOLACEUS towards the establishment of a long-term study $\,$ $\#\,2882$
- 1999 Resource sharing between ramets in Rumex acetosella # 2718
- 1999 How does spittle benefit the spittle bug, Philaenus spumarius # 2719
- 1999 $\,$ The influence of host treatment and host identity on the reproducive fitness of the plant parasite Triphysaria pucilla $\,$ # 2720
- 1999 The effects of leaf color variation on herbivore dietary preferences on three plant species: Rumex aceto[c]ella [sic], Clatonia [sic] perfoliata, and Salix lasiolepsis # 2721

- 1999 The effect of removing European beachgrass on the sand dune plant community # 2722
- 1999 Plant cemetery: the effect of flooding on lupine meadows at Bodega Bay, California #2723
- 1999 Fuzzy or non fuzzy? Plant hair density and herbivore preference # 2724
- 1999 Intraspecific Competition and Aggression for Shells in the Hermit Crab, Pagurus Samuelis #2840
- 1998 $\,$ First report of dissolved organic material assimilation by an arthropod DOM uptake in an arthropod $\#\,2670$
- How are heat shock protein amounts affected by developmental stage and heat shock treatments in sea urchin (Strongylocentrotus purpuratus) embryos? Hsp70 in sea urchin development # 2671
- 1998 Salinity preferences of juvenile speckled sanddab, Citharichthys stigmaeus, and English sole, Pleuronectes vetulus, of the Bodega Bay harbor Flatfish salinity preferences # 2672
- Expression of heat shock protein 70 at varying temperatures in the invasive green crab, Carcinus maenas Hsp70 in green crabs # 2673
- 1998 A search for multixenobiotic resistance proteins in Artemia fransiscana MXR protein in Artemia fransiscana # 2674
- 1998 Diatom recruitment and distribution in Bodega Bay Diatom recruitment # 2675
- 1998 Distribution and algal preferences of Lacuna marmarota in Horseshoe Cove (BMR) Herbivore food and habitat preference $\#\,2676$
- 1998 White muscle recruitment in juvenile Atherinops affinis at varying swimming speeds White muscle recruitment in Topsmelt $\#\,2677$
- 1998 Comparative glycine uptake in sea anemones # 2678
- 1998 Does density of Patiria miniata affect the number of commensal worms # 2679
- 1998 Effects of stress on glucose and CHH levels in Cancer productus and Carcinus maenas #2680
- 1998 Shelter preferences of juvenile Monkeyface Pricklebacks (Cebidichthys vioalceus) and their interactions with Pachygrapsus crassipes and Carcinus maenas Prickleback shelter selection # 2681
- 1998 Temperature effects on algal symbiont populations of the sea anemone Anthopleura xanthogrammica Algal symbiont population dynamics # 2682
- 1998 Effects of Diazepam on feeding response behaviors in Homarus americanus lobsters DZP and feeding in Homarus americanus $\#\,2683$
- 1998 Stylet penetration positions in Spartina spp. by Prokelesia marginata with respect to plant morphology $\#\,2684$
- 1998 The distribution of the invasive European shore crab, Carcinus maenas, and its coexistence with

- native crab species in Bodega Harbor Carcinus maenas in Bodega Harbor # 2685
- 1998 Possible predators of the introduced Philine spp. (Gastropoda: Opisthobranchia) in the Bodega Harbor Mudflats $\#\,2686$
- 1998 The effects of wave impact on species diversity along the rocky intertidal shore #2687
- 1998 Histochemical defenses, predator/prey interactions of the introduced Opisthobranch Philine in the Bodega Harbor $\#\,2688$
- 1998 Internal control of the temporal movement patterns of the mossy chiton, Mopalia muscosa #2689
- 1998 Prey preferences and consumption rates of two invasive Opisthobranchs, genus Philine, on the Bodega Harbor mudflats $\#\,2690$
- 1998 The effects of iron enrichment on two species of phytoplankton Isochrysis galbana and Duualiella [sic] tertiolecta and the oyster larvae of Crassostrea gigas # 2691
- 1998 Resource partitioning, prey preference, and dietary breadth in juvenile surfperch (family Embiotocidae) found in eelgrass beds #2692
- 1998 The effect of dissolved organics in Tomales Bay sea water and biologically degraded oil on the multixenobiotic resistance efflux activity of Pacific oyster Crassostrea gigas larvae # 2693
- 1998 The effect of tidal level and the time of day on the behavior of the Opisthobranchs Philine spp. in Bodega Harbor, California #2694
- 1998 The specific feeding habits of the white pelicans in Bodega Harbor, California # 2695
- Determining the competitive effects between the striped shore crab, Pachygrapsus crassipes, and the lined shore crab, Hemigrapsus nudus using survey-transplant-survey methods in Bodega Bay, California #2696
- 1998 Distribution, abundance and habitat preference of the invading marine Opisthobranch gastropods, Philine spp. in Bodega Harbor, California # 2697
- 1998 $\,$ The effects of temperature and salinity on the survival and reproduction of adults and on the development of the embryonic and larval stages of the two introduced Opisthobranchs Philine spp. in Bodega Bay, California $\,$ $\#\,2698$
- The effects of pressurixed latex on herbivory: a mechanism for invasion by an exotic euphorb? #2709
- 1998 Man-wade wounds and damaged sites associated with other organisms on bush lupine (Lupinus arboreus) attract March flies (Bibio necotus) differentially # 2710
- 1998 Reproductive compensation and the reproductive performance of early bloomers in Amsinckia spectabilis $\#\,2711$
- 1998 Is the lanate trichome on Anaphalis margaritacea effective structural defense against the meadow spittlebugs, Philaenus spumarius? # 2712

- 1998 Larval competition and facilitation in a leaf miner # 2713
- 1998 Effects of foraging strategies on differences in carrion feeder diversity between grassland and dune habitats in Bodega Bay, CA # 2714
- 1998 Direct effects of an interaction between a holoparasitic vine (Cuscuta salina) and its initial host plant (Plantago maritima l.) # 2715
- 1998 Footpaths and the intermediate disturbance hypothesis # 2716
- 1998 The effects of habitat type and patch size on arthropod diversity in a coastal ecosystem: Bodega Marine Reserves, ${\bf CA} = \#\,2717$
- 1998 Comparison of diurnal respiratory responses of CLINOCOTTUS ANALIS and CLINOCOTTUS GLOBICEPS under hypoxic conditions # 2841
- 1998 Background color selection of the bay pipefish, SYNGNATHUS LEPTORHYNCHUS #2842
- 1998 The comparative respiratory Response of OLIGOCOTTUS SNYDERI from different habitats to temperature change $\#\,2843$
- 1998 $\,$ Predator recognition and avoidance in the three-spined stickleback, GASTEROSTEUS ACULEATUS $\,$ # 2844
- 1998 Temperature effects on feeding behavior in SEBASTES AURICULATUS #2845
- 1998 THe effects of substratum hue on the mottling response of the speckled sanddab, CITHARICTHTHYS STIGMAEUS # 2846
- 1998 $\,$ Occfurrence of gastrointestinal parasites in the bay pipefish, SYNGNATHUS LEPTORHYNCHUS $\#\,2847$
- 1998 A comparative study of the digenetic trematodes in CLINOCOTTUS ANALIS $\,$ and CLINOCOTTUS GLOBICEPS $\,$ # 2848
- 1998 $\,$ The effects of LIRONECA CALIFORNICA, an isopod parasite, on the respiratory rate of CYMATOGASTER AGGREGATA $\,$ $\#\,2849$
- 1998 Rotenone recovery of CLINOCOTTUS ANALIS and CLINOCOTTUS GLOBICEPS # 2850
- 1998 The feeding and shoaling behavior in brown rockfish, SEBASTES AURICULATUS #2851
- 1998 Homing Behavior in the wooly sculpin, CLINOCOTTUS ANALIS # 2852
- 1998 The effect of human disturbance on PHORONOPSIS VIRIDIS # 2853
- 1998 BALANUS GLANDULA feeding response to flow velocity # 2854
- 1998 Habitat selection of CAPRELLA CALIFORNICA: behavioral and environmental influences on their algal preference # 2855

- 1998 Substrate preferences relatd to predatory behavior and evidence of POLINICES LEWISII # 2856
- 1998 Shell selectivity of the hermit crab PAGURUS SAMUELIS and PAGURUS HIRSUTIUSCULUS # 2857
- 1998 The dilation and contraction of melanophores of AMPHTOE VALIDA, a gammaridean amphipod on different colors of algal substrate #2858
- 1998 Opistobranch egg cases from the Bodega Bay mudflats: morphological and chemical defenses to predation $\#\,2859$
- 1998 Macroscopic epiphyte diversity on EGREGIA MENZIESII in protected and exposed sites of the rocky intertidal zone of Bodega Bay, California # 2860
- 1998 Morphological variation in exposed and protected site rocky intertidal mussel MYTILUS CALIFORNIANUS # 2861
- 1998 Dessication rates of ANTHOPLERUA ELEGANTISSIMA with respet to individual number, diameter, location, and colony surface ares # 2862
- 1998 The effects of damaged ANTHOPLEURA ELEGANTISSIMA, and therefore anthopleurine, on alarm response behavior: as dependent on body part 'source' and concentration of the exudate # 2863
- 1998 Particle selection in ANTHOPLEURA ELEGANTISSIMA with respect to location, colony and individual size within surge channels at Horseshoe Cove, Bodega Bay # 2864
- 1998 Fine scale chemoreception in the nudibranch HERMISSENDA CRASSICORNIS of its prey, PHORONOPSIS VIRIDIS # 2865
- 1998 The effects of haul-out behavior on intertidal communities by harbor seals #2866
- 1998 Alarm response of ANTHOPLEURA XANTHOGRAMMICA, aNTHOPLEURA SOLA, AND ANTHOPLEURA ELEGANTISSIMA due to predators of the rocky intertidal in the Bodega Bay region # 2867
- 1998 Ray pits and flow regime on the mudflats of Bodega Bay # 2868
- 1998 Chemosensory foraging in HEPTACARPUS PALUDICOLA # 2869
- 1998 Observations of feeding behavior in lined shore crabs: effects on terrestrial invertebrates #2870
- 1997 The consequences of a microbially degraded water soluble fraction of crude oil water on LYTECHINUS ANAMESUS and URECHIS CAUPO #2605
- 1997 Multixenobiotic resistance activity in the trochophore larvae of the echiuran worm, URECHIS CAUPO: effects of lowered salinity and transporter inhibitors # 2606
- 1997 $\,$ Hsp70 expression in the American lobster, HOMARUS AMERICANUS, and the Dungeness crab, CANCER MAGISTER $\,$ $\#\,2607$

- 1997 The effects of sublethal heat shock and cadmium exposure on the expression of the HSP70 family in CRASSOSTREA GIGAS #2608
- 1997 Restoring coho salmon habitat on Salmon Creek: a comparative study # 2609
- 1997 Cytochrom P450 activities in the bay mussel, MYTILUS GALLOPROVINCIALIS: a biomarker for unbleached pulp mill effluent and other marine pollutants #2610
- 1997 Heat shock protein 70 (HSP70) in the macroalgae, GIGARTINA PAPILLATA #2611
- 1997 The suppression of nematode populations by a predacious tardigrade MACROBIOTUS sp. #2612
- 1997 Variation in HSP70 expression within and among colonies of ANTHOPLEURA ELEGANTISSIMA: do warriors differ? $\#\,2613$
- 1997 Habituation of a defense response in the American lobster, HOMARUS AMERICANUS #2614
- 1997 $\,$ Fate of sperm mitochondria during early development of URECHIS CAUPO and CRASSOTREA GIGAS $\,$ # 2615
- 1997 Feeding behaior of the mosshead sculpin (CLINOCOTTUS GLOBICEPS) on ANTHOPLEURA ELEGANTISSIMA # 2616
- 1997 Effects of salinity on development in the euryhaline sea anemone, NEMATOSTELLA VECTENSIS # 2617
- 1997 Induction of toxin-producing cells in the nematophagous fungi, PLEUORTUS OSTREATUS # 2618
- 1997 The effects of lignosulfonic acid on early embryonic stages of the sand dollar DENDRASTER EXCENTRICUS $\#\,2619$
- 1997 The effects of predation by bacteriophagous nematodes on soil bacteria # 2620
- 1997 Facilitation and intraspecific competition of CLAYTONIA PERFOLIATA; phenotypic plasticity in a coastal dune environment # 2621
- 1997 Intraspecific competition and habitat heterogeneity mediating the structure of a perennial shrub population #2622
- 1997 Indirect effects of lupines on thistles: dealing with your neighbor's herbivores # 2623
- 1997 Size-class distribution of European beachgrass (AMMOPHILA ARENARIA) along an ecotone: evidence for an invasion in progress $\#\,2624$
- 1997 Effects of microhabitat variation on the perennial herb FRAGARIA CHILOENSIS # 2625
- 1997 Effects of ant distribution on a coastal dune plant community # 2626
- 1997 Rust never sleeops: patterns of position and frequency for the gall forming fungus PUCCINA EVADENS on coyote bush, BACCHARIS PILLULARIS # 2627

- 1997 Flower color and reproductive success in NEMOPHILA MENZIESII: an investigation of pollination syndromes $\#\,2628$
- 1997 Changes in the plant community in response to physical factors along a coastal bluff environment # 2629
- 1997 Distribution patterns and influence of the galling midge DASINEURA LUPINORUM on the bush lupine LUPINUS ARBOREUS $\#\,2630$
- 1997 Intraspecific competition and the consequences of different flower colors in NEMOPHILA MENZIESII # 2631
- 1997 Species area-relationships on rock outcrops in a coastal prairie # 2632
- 1997 Restoration ecology in vernal pools: the effects of raking and biomass removal on species richness and species composition # 2633
- 1997 Responses of old-growth coast redwood communities to environment gradients: implications for conservation #2634
- 1997 Alien invasion: a comparison of plant community structure in an oak savanna and an adjacent grove of EUCALYPTUS GLOBULUS #2635
- 1997 Indirect effects of mammalian herbivores on a galling midge of LUPINUS CHAMISSONIS # 2636
- 1997 Influence of an invasive exotic grass on a riparian ecosystem: effects of fire and successional stage $\#\,2637$
- 1997 Preliminary test for the trade-off hypothesis using two populations of the cordgrass SPARTINA ALTERNIFLORA: Willapa Bay, WA and San Francisco Bay, CA # 2638
- 1997 Spatial variation in soil characteristics: particle size, nitrogen availability, pH, and plant responses # 2639
- 1997 Consequences of biological invasions: the introduction of AMMOPHILA ARENARIA into a coastal dune habitat $\#\,2640$
- 1997 Impact of the invasive plant species CENTAUREA SOLSTITIALIS on a grassland community # 2641
- 1997 Effects of mule deer (ODOCOILEUS HEMIONUS) on juvenile coast live oaks (QUERCUS AGRIFOLIA) # 2642
- 1997 Dynamics of native herbivores and a non-native grass in a coastal sand dune habitat #2643
- 1997 Algal recovery: effects of experimental marine innertidal algal removal at Duxbury Reef, California $\#\,2644$
- 1997 Clinal variation in California poppy: influence of coastal proximity and elevation #2645

- 1997 Soil salinity and competition between LUPINUS ARBOREUS and AMMOPHILA ARENARIA # 2646
- 1997 Settlement strategies of the blue mussel, MYTILUS TROSSULUS, colonizing the Bodega Harbor mudflats # 2647
- 1997 Prey preference, distribution, and an examination of potential predators of the introduced opisthobranch PHILINE AURIFORMIS in the Bodega Harbor mudflats # 2648
- 1997 The distribution and aggregations of the sea cucumber, CUCUMARIA CURATA in MYTILUS CALIFORNIANUS beds # 2649
- 1997 The effects of environmental factors on the abundance and size distribution of the red alga, CONSTANTINEA SIMPLEX $\#\,2650$
- 1997 $\,$ Food and space as limiting factors on the distribution of the green crab, CARCINUS MAENAS, in Horseshoe Cove $\,$ $\#\,2651$
- 1997 Habitat preferences for electroperceptive foraging of the bat ray, MYLIOBATIS CALIFORNICA # 2652
- 1997 The effects of arm loss on the survival skills of PISASTER OCHRACEUS # 2653
- 1997 Defensive responses of the aggregating anemone ANTHOPLEURA ELEGANTISSIMA and the purple sea urchin STRONGYLOCENTROTUS PURPURATUS to the leather star DERMASTERIAS IMBRICATA # 2654
- 1997 $\,$ The effects of shell weight and predator presence on the hermit crab PAGURUS HIRSUTIUSCULUS $\#\,2655$
- 1997 A look at feeding preference in two willow leaf-eating beetles: PLAGIODERA CALIFORNICA and PLAGIODERA VERSICOLORA # 2656
- 1997 Visual stimuli on a female OCTOPUS DOFLENI # 2657
- 1997 Learning behavior in OCTOPUS DOFLENI: spatial orientation vs physical distinctions #2658
- 1997 $\,$ A comparison of the fish communities in the eelgrass beds of Bodega Harbor and Tomales Bay $\,$ # 2659
- 1997 $\,$ Two fouling environments in Bodega Harbor and their relation to the plumose anemone METRIDIUM SENILE $\,$ # 2660
- 1997 Ecology of an exotic invasive: Euphorbia Lathyrus # 2699
- 1997 Selective pressue on Bodega Marine Laboratory populations of Nemophila menziesii #2700
- Response of an annual legume, Lupinus nanus, and its nodule bacteria to varying levels of nodule damage: a case of conditional mutualism? #2701
- 1997 The distribution of beetles among the flowers of Carpobrotus edulis # 2702

- 1997 Is bigger better? An investigation of the effects of patch size on the reproductive strategies of an invasive plant, Carpobrotus edulis (Aizoaceae) # 2703
- 1997 Variation in the distribution and abundance of Gnorismoschema baccarisella galls and their parasitoids $\#\,2704$
- 1997 Effects of spittlebug presence on survivorships and flower number in Amsinckia menziesii plants at Bodega Head or Do spittlebugs effect nitrogen availability within a plant? # 2705
- 1997 Microhabitat preferences of the meadow spittlebug on cow parsnip # 2706
- 1997 Interactions between two insect herbivores on cow parsnip # 2707
- 1997 Factors affecting the distribution and mating behavior of the fly Biblio necotus: do they lek? # 2708
- 1997 The consequences of a microbially degraded water soluble fraction of crude oil water on Lytechinus anamesus and Urechis caupo $\#\,2835$
- 1997 Multixenobiotic resistance activity in the Trochophore larvae of the echiuran worm, Urechis caupo; Effects of lowered salinity and transporter inhibitors #2836
- 1997 Fate of sperm mitochondria during early development of Urechis caupo and Crassostrea gigas # 2837
- 1997 Effects of salinity on development in the euryhaline sea anemone Nematostella vectensis #2838
- 1997 The effects of Lingnosulfonic acid on early embryonic stages of the sand dollar Dendraster excentricus $\#\,2839$
- 1996 Effect of larval size and diet breadth on growth in the generalist herbivore PLATYPREPIA VIRGINALIS # 2542
- 1996 Ants as pollinators: a study of pollination in RANUNCULUS CALIFORNICUS (California buttercup) # 2543
- 1996 Does group size effect survivorship of green dock beetle (GASTROPHYSA VIRIDULA) larvae? # 2544
- 1996 Effect of herbivores on reproduction of Douglas iris (IRIS DOUGLASIANA) # 2545
- 1996 Flower heliotropism and pollinator visitation in the California buttercup (RANUNCULUS CALIFORNICUS) # 2546
- Density dependent mortality and oviposition behavior in a leaf miner, or, Why do flies love liquid paper? #2547
- 1996 Local and regional variation in seed set in AMSINCKIA SPECTABILIS #2548
- 1996 Facultative adjustment of gender in the wild cucumber MARAH FABACEUS, or, How does manroot show its feminine side? $\#\,2549$

- 1996 The twisted ways of DITYLENCHUS DIPSACI and APHELENCHOIDES sp : their infection of LUPINUS ARBOREUS $\,\#\,2550$
- Role of the centrosome during cleavage of the seastar embryo : an investigation using heterologous sperm # 2551
- 1996 The predator-prey habitat complexity relationship # 2552
- 1996 The effects of heat shock on the development of the Pacific oyster, CRASSOSTREA GIGAS # 2553
- 1996 Potential ecological impacts of the introduced European green crab, CARCINUS MAENAS #2554
- 1996 Resource and productivity as a structural component in a local community of soil dwelling nematodes #2555
- 1996 Hsp70 in intertidal and subtidal symbiotic sea anemones # 2556
- 1996 $\,$ Prey densitites and feeding aggregation of marbled godwit, LIMOSA FEDOA, on intertidal mudflats $\#\,2557$
- 1996 Effects of starvation on the nutritional condition of larval Pacific oysters, CRASSOSTREA GIGAS : two new methods for lipid analysis $\#\,2558$
- 1996 The stress response of chinook salmon, ONCORHYNCHUS TSHAWYTSCHA, as characterized by hsp70 induction caused by thermal stress # 2559
- 1996 Examination of expression of maternal and embryonic mRNA in URECHIS CAUPO #2560
- 1996 Effects of lignin-derived macromolecules on URECHIS CAUPO fertilization #2561
- 1996 Attempts to induce the stress protein p26 in the brine shrimp, ARTEMIA FRANCISCANA, by exposure to heat shock, anoxia and copper stresses # 2562
- 1996 Suppression of nematocyst firing by ophistobranch mollusc PHIDIANA CRASSICORNIS (=HERMISSENDA CRASSICORNIS) # 2563
- 1996 Density, sex, and size dependence of intraspecific agonistic behavior in the shore crab, CARCINUS MAENAS $\#\,2564$
- 1996 Does oyster sperm contain lysin? # 2565
- 1996 The importance of brooding in CAPRELLA CALIFORNICA # 2566
- 1996 A study of the reproduction, population structure, and range-limiting factors of the rare AGROSTIS BLASDALEI, a California endemic of the Poacaea # 2567
- 1996 $\,$ Effects of serotonin and octopamine on glucose and crustacean hyperglycemic hormone levels in juvenile HOMARUS AMERICANUS $\,$ # 2568
- 1996 Movement patterns of the leopard shark (TRIAKIS SEMIFASCIATA) in Tomales Bay, California:

an ultrasonic	telemetry	study	# 2569
---------------	-----------	-------	--------

- 1996 Effects of respirometer confinement on the oxygen consumption rates (VO2) of two intertidal sculpins, OLIGOCOTTUS SNYDERI and CLINOCOTTUS ANALIS # 2570
- 1996 Thermal preference of stichaeids # 2571
- 1996 Temperature effects on feeding rates of bay pipefish (SYNGNATHUS LEPTORHYNCHUS) # 2572
- 1996 Depth preference and intratidal distribution of two cottid species, CLINOCOTTUS ANALIS and CLINOCOTTUS GLOBICEPS $\#\,2573$
- 1996 Growth, distribution and diet patterns of hitch, LAVINIA EXILICAUDA, from Putah Creek # 2574
- 1996 The effets of exposure to copper chloride on the swimming performance of young of the year dwarf surfperch, MICROMETRUS MINIMUS $\#\,2575$
- 1996 Respiratory metabolism of shiner surfperch CYMATOGASTER AGGREGATA at ambient salinities of 20ppt, 30ppt, and 40ppt # 2576
- 1996 Gastric evacuation in staghorn sculpin (LEPTOCOTTUS ARMATUS) # 2577
- 1996 Short-term movement rates of leopard sharks (TRIAKIS SEMIFASCIATA) in Tomales Bay, California $\#\,2578$
- 1996 Thermal preference of threespine stickleback (GASTEROSTEUS ACULEATUS) under fed and starved conditions # 2579
- 1996 A hematological comparison of subtidal and intertidal sculpins (Cottidae) #2580
- 1996 The effects of copper as a pollutant on the metabolic rates of dwarf surfperch (MICROMETRUS MINIMUS) $\,\#\,2581$
- Aquatic respiration and aerial exposure of two intertidal fishes of California and the formation of an oxygen debt as a clue to aerial respiration abilities #2582
- 1996 Effects of temperature on the oxygen consumption of the bay pipefish, SYNGNATHUS LEPTORHYNCHUS # 2583
- 1996 Salinity effects on shiner surfperch (CYMATOGASTER AGGREGATA) swimming performance # 2584
- 1996 The effects of copper on the food consumption and growth of dwarf surfperch (MICROMETRUS MINIMUS) $\,\#\,2585$
- 1996 Enzyme variation in the fluffy sculpin, OLIGOCOTTUS SNYDERI # 2586
- 1996 Hematological changes associated with transport stress in two salinities on shiner surfperch (CYMATOGASTER AGGREGATA) and Pacific staghorn sculpin (LEPTOCOTTUS ARMATUS) # 2587

- 1996 Non-destructive diet analysis of the leopard shark, TRIAKIS SEMIFASCIATA, from two sites in Tomales Bay, California # 2588
- 1996 Behavior of the cottids CLINOCOTTUS ANALIS and CLINOCOTTUS GLOBICEPS in response to increasing environmental hypoxia # 2589
- 1996 Factors affecting coastal foraging strategies and efficiency of American white pelican (PELECANUS ERYTHRORHYNCHOS) # 2590
- 1996 PHYLLOSPADIX as a possible source of protection to the limpet NOTOACMEA PALEACEA from the seastar LEPTASTERIAS HEXACTIS # 2591
- 1996 Foraging behavior of the American osprey (PANDION HALIAETUS CAROLINENSIS) #2592
- 1996 The effects of bilge effluents on CARCINUS MAENAS as an indicator for CANCER MAGISTER # 2593
- 1996 A subtidal survey of the Bodega Marine Reserve : a correlation between depth and species diversity # 2594
- 1996 Evaluating water quality suitable for coho salmon: a comparison of the Salmon Creek and Lagunitas Creek stream systems # 2595
- 1996 The effects of intra and interspecific competition on the dietary preference of CLINOCOTTUS GLOBICEPS $\#\,2596$
- 1996 The infamous iceplant: a study of species diversity in three species of CARPOBROTUS #2597
- $1996 \quad \textbf{Impact of the recently introduced species, CARCINUS MAENAS, on the population distribution of HEMIGRAPSUS OREGONENSIS in the Bodega Harbor mudflats \\ \# 2598$
- 1996 Pinniped Point...it's not just another rock! : a characteristic study of a haul-out site used by harbor seals (PHOCA VITULINA RICHARDSI) # 2599
- 1996 Substrate diversity, morphology and population structure of POSTELSIA PALMAEFORMIS # 2600
- 1996 Chemosensory responses to different chemical stimuli by the purple sea urchin STRONGYLOCENTROTUS PURPURATUS # 2601
- 1996 Investigation of newly colonizing mussels from the genus MYTILUS # 2602
- 1996 Invasion of the Mediterranean mussel, MYTILUS GALLOPROVINCIALIS, to the shores of Bodega Bay, CA $\,\#\,2604$
- 1996 Role of the centrosome during cleavage of the seastar embryo: An investigation using heterologous sperm $\#\,2828$
- 1996 The effects of heat shock on the development of the Pacific oyster, Crassostrea gigas #2829
- 1996 Effects of starvation on the nutritional condition of larval Pacific oysters, Crassostrea gigas: Two

new	methods	for	linid	analysis	# 2830

- 1996 Examination of expression of maternal and embryonic mRNA in Urechis caupo # 2831
- 1996 Effects of Lignin-derived macromolecules on Urechis caupo fertilization #2832
- 1996 Does oyster sperm contain lysin? # 2833
- 1996 The importance of brooding in Caprella californica # 2834
- 1995 The ecology of spittlebugs on an annual lupine # 2500
- 1995 Insect motility as a mediator of host-plant isolation effects # 2501
- 1995 Effects of environmental conditions on questing behaivor of IXODES PACIFICUS vs DERMACENTOR OCCIDENTALIS at Bodega Marine Laboratory, Bodega Bay, California #2502
- 1995 Short- and long-term effects of daughter ramet destruction on phenolic levels in the beach strawberry, FRAGARIA CHILOENSIS $\#\,2503$
- 1995 The causes and effects of petal whitening in the buttercup, RANUNCULUS CALIFORNICUS # 2504
- 1995 Sexual selection in female LARGUS CINCTUS # 2505
- 1995 Temperature effects on respiration in two species of sculpins: LEPTOCOTTUS ARMATUS and OLIGOCOTTUS SNYDERI $\#\,2506$
- 1995 Magnetic detection in PORICHTHYS NOTATUS, the midshipman #2507
- 1995 Salinity preference and survival in abnormal salinities for COLLISELLA SCABRA, LITTORINA KEENAE, and PAGARUS SAMUELIS #2508
- 1995 The role of pHi (intracellar pH) in the activation of diapausing embryos (cysts) of ARTEMIA FRANCISCANA # 2509
- 1995 Shell selection and recognition by PAGURUS SAMUELIS: preferred shell morphology and possible use of chemical cues $\#\,2510$
- 1995 Heat shock response of high & low tide MYTILUS CALIFORNIANUS located at Horseshoe Cove # 2511
- 1995 Anoxic tolerance of FABIA SUBQUADRATA # 2512
- 1995 Family differences in susceptibility of subterranean caterpillars (HEPIALUS CALIFORNICUS) to the entomopathogenic nematode HETERORHABDITIS HEPIALUS # 2513
- 1995 A study of underground competition for the entomopathogen HETERORHABDITIS HEPIALUS by some species of nematophagus fungi $\#\,2514$
- 1995 Unearthing the mystery of subterranean food webs: do underground players in a terrestrial trophic

- cascade involving bush lupine affect this plant's fluctuation patterns above ground? #2515
- 1995 Regulative determination and unequal cleavage in DENDRASTER EXCENTRICUS #2516
- 1995 Larval pre-settlement behavior of URECHIS CAUPO # 2517
- 1995 Apoptosis during tail absorption in metamorphosing STEYLA CLAVA # 2518
- 1995 Factors affecting the size distribution of the mussel, MYTILUS CALIFORNIANUS # 2519
- 1995 A comparative look at evaporative water loss, and respiration in two common sea anemones, ANTHOPLEURA ELEGANTISSIMA and ANTHOPLEURA XANTHOGRAMMICA # 2520
- 1995 Effects of nitrogen and light exposure on growth of LEMNA MINOR # 2521
- 1995 Effect of predation on the activity levels of juvenile fluffy sculpin, OLIGOCOTTUS SNYDERI: an experimental study $\#\,2522$
- 1995 Influence of substrate choice on secondary habitat selection in the sea anemone ANTHOPLEURA ELEGANTISSIMA # 2523
- 1995 Distribution of TRANSENNELLA on the Bodega Harbor mudflat and the effects of predation by the moon snail, POLINICES LEWISII #2524
- 1995 Nickel bioconcentration and bioaccumulation in the oyster larva, CRASSOSTREA GIGAS #2525
- 1995 Testing the foraging patterns of two sea stars: PISASTER OCHRACEUS and PATIRIA MINIATA, based on the optimal foraging theory #2526
- 1995 Transmission of parasitic sabellid polychaete in red cultured abalone, HALIOTIS RUFESCENS # 2527
- 1995 HERMISSENDA CRASSICORNIS: lost in paradise (the possible trade-offs of living in an "optimal" habitat) # 2528
- 1995 Soil nitrogen levels in microhabitats of LUPINUS ARBOREUS and LUPINUS VARIICOLOR and the comparison of root nodule growth of LUPINUS ARBOREUS from coastal prairie and dune communities # 2529
- 1995 The question of territoriality in a terrestrial salamander, TARICHA TOROSA: effects of size and pheromones on behavior # 2530
- 1995 Sex raito survey of ocean caught ONCORHYNCHUS TSHAWYTSCHA # 2531
- 1995 A habitat sutdy of the intertidal spawning sites of the plainfin midshipman, PORICHTHYS NOTATUS Girard # 2532
- 1995 Influences of habitat composition on the diet and selectivity of the mossy chiton, MOPALIA MUSCOSA, in rocky interdial and floating dock environments # 2533
- 1995 Influence of wind on the abundance and distribution of galls on covote brush #2534

- 1995 Spatial distribution and morphological consequences of an apparent association between MARAH
- FABACEUS and LUPINUS ARBOREUS # 2536
- 1995 Patterns of coastal dune vegetation along a pronounced gradient #2537

Life after iceplant: recolonization of a coastal prairie # 2535

- 1995 Influence of slope on the abundance of LUPINUS ARBOREUS # 2538
- 1995 Spatial pattern analysis of LUPINUS ARBOREUS # 2539

1995

- 1995 Browing preference and patterns of MARAH FABACEUS in coastal dune scrub #2540
- 1995 Size and spatial distribution of miner's lettuce in relation to perennial shrubs #2541
- 1994 Geophilomorpha predation on the swift moth, HEPIALUS CALIFORNICUS # 2436
- 1994 Blood parameters and osmoregulation in a euryhaline elasmobranch, MYLIOBATIS CALIFORNICA $\#\,2437$
- 1994 Intersite differences and correlations between plant diversity and pocket gopher disturbance # 2438
- 1994 Possible discovery of millipedes as a host for an insectivorous nematode: increased complexity of the bush lupine food web # 2439
- 1994 Physiological responses of crab larvae (HEMIGRAPSUS OREGONENSIS) exposed to copper and anoxia # 2440
- 1994 Territorial rights: maintenance of interclonal borders in the sea anemone ANTHOPLEURA ELEGANTISSIMA # 2441
- 1994 Spawning cues of the purple sea urchin # 2442
- 1994 Foraging behavior of the great blue heron: the land-sea interface # 2443
- 1994 Interspecific fertilization events between two ascidian sister species: MOLGULA MANHATTENSIS and MOLGULA PROVISIONALIS # 2444
- 1994 A behavioral and physiological study on chinook salmon (ONCORHYNCHUS TSHAWYTSCHA) # 2445
- 1994 Protective particles on the aggregated sea anemone, ANTHOPLEURA ELEGANTISSIMA, related to substrate composition and tidal height # 2446
- 1994 Predation differentiation of the chiton NUTTALLINA CALIFORNICA to seastars PATIRIA, DERMASTERIAS, PISASTER, and PYCNOPODIA # 2447
- 1994 Haul-out access patterns of the Pacific harbor seal at Pinniped Point, Bodega Marine Laboratory, California # 2448

- 1994 Phototactic behavior of the starfish, PISASTER OCHRACEUS, PATIRIA MINIATA, DERMASTERIAS IMBRICATA, and PYCNOPODIA HELIANTHOIDES and the effects on intertidal distribution #2449
- 1994 Black-tailed deer (ODOCOILEUS HEMIONUS COLUMBIANUS) feces analysis in relation to seed viability and distribution of sea fig (CARPOBROTUS spp.), California poppy (ESCHSCHOLZIA CALIFORNICA), wild radish (RAPHANUS RAPHANISTRUM x SATIVAS) on Bodega Marine Reserve # 2450
- 1994 Pre-dispersal seed predation of the cobweb thistle: CIRSIUM OCCIDENTALE #2451
- 1994 Plant community dynamics in the Bodega sand dunes: is there a steady state? #2452
- 1994 Limpet size preference in relation to body size of lined shore crab, PACHYGRAPSUS CRASSIPES Randall # 2453
- 1994 Biotic and abiotic factors influencing the distribution of EPITONIUM TINCTUM # 2454
- 1994 Guana in tidepools: beneficial or detrimental? # 2455
- 1994 Water quality analysis in Schooner Bay at Point Reyes National Seashore #2456
- 1994 Hierarchy, intraspecific fighting behavior and assessment in the lined shore crab PACHYGRAPSUS CRASSIPES #2457
- 1994 $\,$ This tank ain't big enough for the both of us! $\,$ and other HERMISSENDA CRASSICORNIS tales $\#\,2458$
- 1994 Exploring the existence of predation on the green crab, CARCINUS MAENAS, on the Bodega Harbor mud flat $\#\,2459$
- 1994 $\,$ The distribution of the sand crab, EMERITA ANALOGA, among four microhabitats on Salmon Creek Beach $\,$ $\#\,2460$
- 1994 Habitat flexibility and movement patterns in the mossy chiton MOPALIA MUSCOSA #2461
- 1994 Spittlebug color morph distribution in three microhabitats in Bodega Bay # 2462
- 1994 The effects of low levels of dissolved oxygen: a comparison between an openwater fish, CYMATOGASTER AGGREGATA, and a tidepool fish, CLINOCOTTUS ANALIS # 2463
- 1994 The effects of pO2 and light intensity on the amphibious behavior of the monkeyface prickleback (CEBIDICHTHYS VIOLACEUS) $\#\,2464$
- 1994 The acute effects of dilute sea water environments on the swimming activity and breathing rate of the speckled sanddab, CITHARICHTHYS STIGMAEUS $\#\,2465$
- 1994 $\,$ The effects of acute hypoxia and temperature on the speckled sanddab, CITHARICHTHYS STIGMAEUS $\,$ $\#\,2466$

- 1994 The effects of sulfuric acid and hyposalinity on the speckled sanddab, CITHARICHTHYS STIGMAEUS # 2467
- 1994 Caloric intake of SEBASTES CAURINUS in relation to water temperature and body weight # 2468
- 1994 Sensory recognition and substrate choice in the woolly sculpin, CLINOCOTTUS ANALIS # 2469
- 1994 The effect of tidal level on the vigilance and feeding behaviors of the black turnstone, ARENARIA MELANOCEPHALA # 2470
- 1994 Differential foraging success of the ruddy turnstone # 2471
- 1994 Comparative foraging success of the great egret, CASMERODIUS ALBUS, and the snowy egret, EGRETTA THULA $\#\,2472$
- 1994 Effect of tidal cycles on foraging rate and success of the snowy egret, EGRETTA THULA # 2473
- 1994 Group size dynamics during foraging in American white pelicans #2474
- 1994 Dive duration and foraging success of pied-billed grebes, PODILYMBUS PODICEPS, at high and low tides #2475
- 1994 Prey handling and intraspecific interactions in western gulls (LARUS OCCIDENTALIS) # 2476
- 1994 A study of the coexistence of three shorebirds, the black oystercatcher, HAEMATOPUS BACHMANI, the whimbrel, NUMENIUS PHAEOPUS, and the surfbird, APHRIZA VIRGATA, on the rocky intertidal zone of Bodega Head # 2477
- 1994 Food preference based on visual stimulus of the western gull, LARUS OCCIDENTALIS # 2478
- 1994 Vigilance behavior in black oystercatchers # 2479
- 1994 Dive frequency, duration and food preference of the American coot, FULICA AMERICANA # 2480
- 1994 Comparative shorebird census of three Bodega Bay mudflats at low tide # 2481
- 1994 The differential foraging tactics of the willet (CATOPTROPHORUS SEMIPALMATUS) and the Western sandpiper (CALIDRIS MAURI) # 2482
- 1994 Foraging success of marbled godwits in relation to tidal levels # 2483
- 1994 Diurnal distributions of pelagic cormorants, PHALACROCORAX PELAGICUS, and double-crested cormorants, PHALACROCORAX AURITUS, near Mussel Point # 2484
- 1994 Diversity and abundance of bird species at a coastal freshwater pond # 2485
- 1994 Diurnal species diversity and abundance of three habitats along Salmon Creek # 2486
- 1994 Differences in scavenging techniques between the turkey vulture, CATHARTES AURA, and gulls

1994 Differential foraging success in mudflats and algal patches in marbled godwits # 2488
1994 Diurnal usage of wooden pole perches by seabirds in Bodega Harbor # 2489
1994 The drinking habits of the adult and juvenile gulls # 2490
1994 Foraging rates of Forster's tern at high and low tides # 2491
1994 A preliminary study on sculpin activity and response to disturbance #2492
1994 Predation on sea anemones (ANTHOPLEURA XANTHOGRAMMICA) by mosshead (CLINOCOTTUS GLOBICEPS) and bald (CLINOCOTTUS RECALVUS) sculpins # 2493
1994 Response of intertidal sculpins (Cottidae) to lowered water levels # 2494
1994 The effect of inhibition of acetylcholinesterase on early development in ASCIDIA CERATODES # 2495
1994 Inductive cell interactions in the formation of sensory pigment cells in ascidian embryos # 2496
1994 Tolerance of the California ghost shrimp (CALLIANASSA CALIFORNIENSIS) to transient levels o sulfide # 2497
1994 $$ Investigations of metabolism and gender in the bay pipefish, SYNGNATHUS LEPTORHYNCHUS, in Keys Creek $$ $#2498$
1994 The effects of aggression on the development of acrorhagi and nematocysts in ANTHOPLEURA ELEGANTISSIMA # 2499
1993 Fishery potential for the spot prawn, PANDALUS PLATYCEROS Brandt, in Sonoma County, California # 2373
1993 BRADYRHIZOBIUM ssp. variation in naturally-occurring LUPINUS NANUS and LUPINUS BICOLOR populations # 2374
1993 Role of undercanopy microclimate of LUPINUS ARBOREUS in influencing structure of coastal grassland plant community at Bodega Marine Reserve # 2375
1993 Effect of territory size and vegetation cover on polygyny in white-crowned sparrows (ZONOTRICHIA LEUCOPHRYS NUTTALLI) # 2376
1993 A study of the impact of herbicide-treated iceplant (CARPOBROTUS EDULIS) on soil pH and available nitrogen concentrations # 2377
Niche separation among spiders : a comparison of two orb-weaving spiders in Bodega Bay # 2378
1993 Patterns of movement and the distribution of PLATYPREPIA VIRGINALIS caterpillars # 2379
1993 Problems of scale and currency: measuring the effects of a leaf galler on its host plant #2380

- 1993 Effects of herbivory by a root and stem borer on LUPINUS ARBOREUS #2381
- 1993 Fine-scale numerical response by generalist predators to ORGYIA VETUSTA (Lepidoptera: Lymantriidae) outbreaks on bush lupine (LUPINUS ARBOREUS) #2382
- 1993 Glycine uptake by the sea anemone NEMATOSTELLA VECTENSIS #2383
- 1993 The incidence and infection of LUPINUS ARBOREUS by the plant pathogenic nematodes APHELENCHOIDES and DITYLENCHUS #2384
- 1993 Effects of the seed predator APION PROCLIVE on the reproduction of LUPINUS species #2385
- 1993 Habitat complexity and its effects on species diversity in MYTILUS CALIFORNIANUS mussel beds $\#\,2386$
- 1993 The effects of anoxia on the metabolic pathway of NEMATOSTELLA VECTENSIS #2387
- 1993 Defensive behavior by MYTILUS CALIFORNIANUS : NUCELLA EMARGINATA and byssal thread attachment #2388
- 1993 Pollination and seed set in yellow bush lupine LUPINUS ARBOREUS # 2389
- 1993 Effects of ouabain, valinomycin, and nigericin on the acrosomal reaction of SICYONIA INGENTIS # 2390
- 1993 A low-density reversible inhibitor of LDH activity isolated from lobster hepatopancreas #2391
- 1993 Tritrophic interactions of entomopathogenic nematodes (HETERORHABDITIDAE), root boring caterpillars (HEPIALUS CALIFORNICUS) and lupine bushes # 2392
- 1993 The occurrence and physiological significance of algae in the aeolid nudibranch, HERMISSENDA CRASSICORNIS #2393
- 1993 The role of the archenteron in the induction of the sea urchin nervous system # 2394
- 1993 Plant arthropod associations in variable habitats of LUPINUS ARBOREUS # 2395
- 1993 $\,$ Frequency and distribution of two barnacle species, CHTHAMALUS DALLI and BALANUS GLANDULA, in the mussel bed $\,$ $\#\,2396$
- 1993 Characteristics of LUPINUS ARBOREUS stems correlated with the abundance of stem-dwelling nematodes, DITYLENCHUS and APHELENCHOIDES # 2397
- 1993 The correlation between species diversity and depth in the mussel bed community #2398
- 1993 Explanations for reduction of nematode presence in the Bodega Bay area #2399
- 1993 Species richness increases with structural complexity on LUPINUS ARBOREUS #2400
- 1993 Effects of hunger on prey selection in the Shiner surfperch (CYMATOGASTER AGGREGATA) #

- 1993 The effects of insect herbivores on ERIGERON GLAUCUS (Seaside daisy) and LUPINUS VARIICOLOR: apparent competition # 2404
- 1993 Coastal parameters of foraging efficiency of the American white pelican (PELECANUS ERYTHRORHYNCHOS) # 2405
- 1993 Flight patterns of the turkey vulture (CATHARTES AURA) # 2406
- 1993 Bush lupine (LUPINUS ARBOREUS) and western tussock moth (ORGYIA VETUSTA): effects of folivory on plant and larval growth #2407
- 1993 Mechanisms of aggregation of the black turban snail, TEGULA FUNEBRALIS (A. Adams, 1855) # 2408
- 1993 Harbor seal grouping as a strategy to increase sleep # 2409
- 1993 $\,$ An evaluation of shelter function in the orb-weaving spiders of Pinnacle Gulch (METEPEIRA sp) $\#\,2410$
- 1993 The vertical distribution of meiofauna at Salmon Creek Beach # 2411
- 1993 The effects of tidal height on behavior and population size of the Pacific harbor seal, PHOCA VITULINA RICHARDSI, at rocky shore and flat beach haul-out sites #2412
- 1993 Distribution of deer mice (PEROMYSCUS MANICULATUS) in relation to the density of lupine # 2413
- 1993 Effects of ozonation byproducts on CRASSOSTREA GIGAS # 2414
- 1993 The effects of crabs and eels found in the nesting sites of plainfin midshipman (PORICHTHYS NOTATUS) $\,\#\,2415$
- 1993 The schooling behavior and vertical distribution of juvenile copper rockfish, SEBASTES CAURINUS, in the presence of two types of predators #2416
- 1993 A comparative study of righting responses in sea stars # 2417
- 1992 Density-dependence in TIGRIOPUS CALIFORNICUS # 2305
- 1992 Physiological adaptations of FABIA SUBQUADRATA to anoxia # 2306
- 1992 Utilization of major yolk components by pre-settlement larvae of red abalone, HALIOTIS RUFESCENS # 2307
- Role of the chorion and carotenoids in protection against ultraviolet radiation in embryos of the brine shrimp, ARTEMIA FRANCISCANA # 2308
- 1992 Differential galling by AYLAX HYPOCHOERIDIS on cat's ear: a model for studying plant resistance to herbivory # 2309

- 1992 Carotenoids functioning as antioxidants in algal symbiont-containing ANTHOPLEURA ELEGANTISSIMA #2310
- 1992 Survey of the presence of an intermediate filament-like protein in diverse ascidian species and other taxa # 2311
- 1992 Factors influencing the diurnal cycle of ANTHOPLEURA XANTHOGRAMMICA #2312
- 1992 Gall color changes and larval mortality of a new genus of Cecidomyiid (Diptera) in three LUPINUS species #2313
- 1992 Investigating localization of cytoskeletal proteins in eggs and embryos of ascidians and other animal phyla using antibody staining and immunofluorescent microscopy #2314
- 1992 Density dependence in recruitment of TIGRIOPUS CALIFORNICUS #2315
- 1992 Description of NUCELLA movement and feeding behavior #2316
- 1992 Food choice by ORGYIA VETUSTA # 2317
- 1992 The fate of male division centers incubated in germinal vesicle oocytes #2318
- 1992 Growth of two embiotocids along the California coast #2319
- 1992 Tetracycline marking and ring formation of steelhead (ONCORHYNCHUS MYKISS) otoliths in relation to growth and ageing $\#\,2320$
- 1992 Feeding, competition and diet of some rocky intertidal cottids # 2321
- 1992 Food habits of the brown smoothhound shark, MUSTELUS HENLEI, in Tomales Bay: the use of a novel, non-destructive technique #2322
- 1992 The effect of salinity on the growth of juvenile English sole, PLEURONECTES VETULUS # 2323
- 1992 Short-term movements of bat rays, MYLIOBATIS CALIFORNICA, within Tomales Bay, California : a telemetric study # 2324
- 1992 Allozyme comparison of bat ray (MYLIOBATIS CALIFORNICA) from San Francisco Bay and Tomales Bay # 2325
- 1992 The effects of hypersalinity on the respiration rates on the longjaw mudsucker GILLICHTHYS MIRABILIS #2326
- 1992 Blood and muscle characteristics in leopard sharks (TRIAKIS SEMIFASCIATA) and brown smoothhound sharks (MUSTELUS HENLEI) # 2327
- 1992 The effect of temperature and hypoxia on aquatic and aerial respiration in juvenile CEBIDICHTHYS VIOLACEUS, an intertidal eel-blenny of California # 2328
- 1992 Aerial rates of respiration and behavior in four intertidal species of the family Stichaeidae #2329

- 1992 Mussel bed depth and community diversity # 2330
- 1992 Contraction and expansion behavior of ANTHOPLEURA XANTHOGRAMMICA in light and dark # 2331
- 1992 The effects of the gill parasite LIRONECA CALIFORNICA on the respiratory rate of its host the juvenile staghorn sculpin LEPTOCOTTUS ARMATUS # 2332
- The effects of tidal cycles on the behavior of black oystercatchers, HAEMATOPUS BACHMANI # 2333
- 1992-A comprehensive study of the symbiotic relationship between PATIRIA MINIATA and PODARKE PUGETTENSIS $\#\,2334$
- 1992 Effects of spatial limitations on aggression: a study of PHOCA VITULINA RICHARDSI #2335
- 1992 The differential nematocyst density in ANTHOPLEURA ELEGANTISSIMA #2336
- 1992 $\,$ Effects of epifaunal algal growth on the tenacity and susceptibility to predation of the plate limpet, NOTOACMEA SCUTUM $\,$ $\#\,2337$
- 1992 $\,$ The effects of UV-A radiation on three species of diatom, a plankton tow, and an intertidal copepod $\#\,2338$
- 1992 Understanding the feeding ecology of pelagic cormorants (PHALACROCORAX PELAGICUS) # 2339
- 1992 An analysis of galling intensity on HYPOCHOERIS RADICATA (hairy cat's ear) #2340
- 1992 Some observations on the incidence of over-turned HERMISSENDA CRASSICORNIS nudibranchs on the mudflats of Bodega Harbor $\#\,2341$
- 1992 Competition or coexistence of cormorants: is their behavior any different #2342
- 1992 Polyplacophora the chiton MOPALIA MUSCOSA at the floating docks of Bodega Harbor, Sonoma Co., California # 2343
- 1992-A comparison in midge pupa success in galls formed on LUPINUS ARBOREUS and LUPINUS CHAMISSONIS on the Bodega Marine Reserve $\#\,2344$
- 1992 Meiofauna distribution on a sandy beach and effects of a known toxicant to the meiofauna community $\#\,2345$
- 1992 MACROCYSTIS PYRIFERA: a study in growth and recruitment of giant kelp (aka. shark bait) # 2346
- 1992 The effect of habitat type on interspecific competition between SYNGNATHUS LEPTORHYNCHUS and LEPTOCOTTUS ARMATUS $\#\,2347$
- 1992 Habitat selection of six species of intertidal crabs (HEMIGRAPSUS NUDUS, HEMIGRAPSUS

	GONENSIS, PACHYGRAPSUS CRASSIPES, C TTIA PRODUCTA) in Bodega Harbor, Sonom	· · · · · · · · · · · · · · · · · · ·	
1992	The desiccation and rehydration of sea algae	# 2349	

- 1992 Daily migration patterns of the blacktail deer (ODOCOILEUS HEMIONUS COLUMBIANUS) #
- 2350
- 1992 Effect of solar energy on zooxanthellate ANTHOPLEURA XANTHOGRAMMICA # 2351
- 1992 Sand analysis along the Bodega coastline # 2352
- 1992 The effect of galls on LUPINUS ARBOREUS # 2353
- 1992 A question of the existence of a unique seep environment in the area of Bodega Head #2354
- 1992~ A study on the relationship between soil content and population distribution of LUPINUS ARBOREUS $\#\,2355$
- 1992 The incidence of opercular parasites and digenetic trematodes in two species of surfperches: BRACHYISTIUS FRENATUS and MICROMETRUS MINIMUS # 2356
- 1992 The preference of the surfperches CYMATOGASTER AGGREGATA and MICROMETRUS MINIMUS for either ZOSTERA MARINA or GRACILARIA VERRUCOSA as plant cover # 2357
- 1992 The incidence of endoparasitism by digenetic trematodes in two species of pricklebacks: XIPHISTER ATROPURPUREUS and XIPHISTER (Family Stichaeidae) MUCOSUS # 2358
- 1992 The effects of aeration on the survival rates of tidepool fishes collected with rotenone #2359
- 1992 The effects of relative prey abundance on prey consumption by SCORPAENICHTHYS MARMORATUS and LEPTOCOTTUS ARMATUS # 2360
- 1992 Trematode parasitism in two species of OLIGOCOTTUS: OLIGOCOTTUS SNYDERI and OLIGOCOTTUS MACULOSUS from tidepool and eelgrass habitats # 2361
- 1992 Temporal and spatial diversity assessment: Campbell Cove comparison of 1986, 1990 and 1992: Campbell Cove during the 1992 collection period, and relative comparison of the Horseshoe Cove tidepool habitats with Campbell Cove #2362
- 1992 Homing behavior performance in XIPHISTER MUCOSUS and XIPHISTER ATROPURPUREUS # 2363
- 1992 Oxygen deprivation and emergence behaviors in CLINOCOTTUS ANALIS # 2364
- 1992 $\,$ The metabolic effects of increasing salinity on the estuarine fish GASTEROSTEUS ACULEATUS $\#\,2365$
- 1992 The effects of diesel on the critical thermal maximum in CITHARICHTHYS STIGMAEUS # 2366
- 1992 Acute and chronic responses to salinity changes in CYMATOGASTER AGGREGATA #2367

- 1992 The acute and chronic effects of cupric sulfate on the physiology and behavior of the bay goby, LEPIDOGOBIUS LEPIDUS # 2368
- 1992 The effect of increased temperature due to thermal pollution on the color adaptability of CITHARICHTHYS STIMGMAEUS #2369
- 1992 $\,$ A comparison of the chronic and acute effects of sodium nitrate on respiration in SEBASTES AURICULATUS $\,$ # 2370
- 1992 Substrate preference in the juvenile speckled sanddab, CITHARICHTHYS STIGMAEUS #2371
- 1992 The feeding habits of PISASTER OCHRACEUS # 2401
- 1991 $\,$ The effects of hormones and neurotransmitters on net water flux in the perfused midgut of HOMARUS AMERICANUS $\,$ # 2266
- 1991 The effect of trehalose on membrane fusion in a living model # 2267
- 1991 A preliminary study of the effects of cytochalasin D and colcimid on oyster oocytes (CRASSOSTREA GIGAS) # 2268
- 1991 Leakage of photosynthate by zooxanthellae symbiotic in ANTHOPLEURA ELEGANTISSIMA: an argument that leaks # 2269
- 1991 Sperm morphology and motility analysis of the plainfin midshipman, PORICHTHYS NOTATUS Girard # 2270
- 1991 Temperature-specific pyruvate kinase activity in the Alaskan king crab and the California mussel # 2271
- 1991 Oxygen binding in respiratory pigments of marine crabs: some possible adaptations for life under limited oxygen availability # 2272
- 1991 Lipid phase transition and permeability of MYTILUS CALIFORNIANUS cells # 2273
- 1991 Respiratory responses to hypoxic conditions in an intertidal fish, ANOPLARCHUS PURPURESCENS, with respect to the tidal cycle # 2274
- 1991 Species-specificity of radial nerve factor # 2275
- 1991 Shell selectivity in the settlement patterns of larval oysters of the genera OSTREA and CRASSOSTREA # 2276
- 1991 The relationship between male body size and the duration of copulation attempts in the darkling ground beetle TENEBRIO MOLITOR # 2277
- 1991 Adaptive strategies of the Pacific tree frog (HYLA REGILLA) in a fluctuating environment # 2278
- 1991 Plant species colonization of disturbed sites at Bodega Head # 2279

- 1991 Parasitoid load and lethality of a parasitoid fly (Tachinidae: THELAIRIA BRYANTI Curran) among woollybear caterpillars (Arctiidae: PLATYPREPIA VIRGINALIS Bdv) of different body masses # 2280
- 1991 The effect of damaged lupine (LUPINUS ARBOREUS) foliage on the growth of larvae Woollybear (PLATYPREPIA VIRGINALIS : Arctiidae) # 2281
- 1991 Pollination dynamics of coastal NEMOPHILA MENZIESII (Hydrophyllaceae) flowers: implications of variable roles for crawling insect visitors # 2282
- 1991 Conditioning for food resources in HELMINTHOGLYPTA ARROSA snails # 2283
- 1991 Role of male flowers of SANICULA ARCTOPOIDES in attracting pollinators # 2284
- 1991 Fecundity and other neat stuff among Bay pipefish, SYNGNATHUS GRISEOLINEATUS # 2285
- 1991 Distribution and movement of the sand crab EMERITA ANALOGA # 2286
- Bushes, birds, and caterpillars: a look at bush lupine seed pod production and the effects of white-crowned sparrow and song sparrow foraging behavior and the density of western tussock moth caterpillars # 2287
- 1991 Species zonation and the effect of competition for shells among three species of hermit crabs # 2288
- 1991 Aggressiveness as a factor in marbled godwit spacing behavior # 2289
- Field studies of the fat innkeeper worm, URECHIS CAUPO, and commensals with respect to sediment sulfide and other environmental parameters # 2290
- 1991 Successional species diversity in disturbed areas of coastal grassland #2291
- 1991 Desiccation and herbivory as reasons for spatial segregation of three intertidal algae: PELVETIOPSIS LIMITATA, GIGARTINA PAPILLATA, and PRIONITIS LANCEOLATA # 2292
- 1991 The effects of a vegetative gradient on MICROTUS and PEROMYSCUS distribution #2293
- $1991\quad$ A study of bioluminescence in Bodega Bay, California, or, Bioluminescence : you night up my light $\#\,2294$
- 1991 Effects of harvesting on age and density of SAXIDOMUS NUTTALLI and microfauna species richness #2295
- 1991 Spatial patterns in plant species composition in a coastal marsh with both salt and freshwater sources # 2296
- 1991 The distribution and foraging preferences of black-tailed deer (ODOCOILEUS HEMIONUS COLUMBIANUS) on Bodega Head # 2297
- 1991 Reproduction & development of marine invertebrates of the Bodega Bay, California, region: eggs, sperm, embryos and larvae $\#\,2265$

- 1990 A new method for examining the composition and structure of the blastocoelic extracellular matrix in STRONGYLOCENTROTUS PURPURATUS #2179
- 1990 A morphological description of the larval stages of NEMATOSTELLA VECTENSIS # 2180
- 1990 Osmoregulation in PALAEMON MACRODACTYLUS # 2181
- 1990 The effects of sea cucumber saponin on unilamellar liposomes # 2182
- 1990 A comparison of gravel attachment and evaporative water loss in two colonies of ANTHOPLEURA ELEGANTISSIMA # 2183
- 1990 Egg mass protection and the role of nematosomes in NEMATOSTELLA VECTENSIS #2184
- 1990 Respiration rates, glycogen utilization and lactate production of IN VITRO HOMARUS AMERICANUS, the American lobster #2185
- 1990 A new look at artificial parthenogenesis in URECHIS CAUPO: Albert Tyler revisited #2186
- 1990 Rock of the 70's and 80's # 2203
- 1990 LOTTIA DIGITALIS and LOTTIA SCABRA: patterns of movement and territoriality # 2204
- 1990 Local environments and floral communities of the dunes of Bodega Bay, Sonoma County # 2205
- 1990 Prey switching by the surfperch, CYMATOGASTER AGGREGATA # 2206
- 1990 Parental care strategies of CARPODACUS MEXICANUS, or, fun with finches # 2207
- 1990 Why'd the lichen cross the road? ('cause it was stapled to the chicken) # 2208
- 1990 The effects of kin and conspecifics on settlement of ASCIDIA CERATODES larvae #2209
- 1990 Foraging differences between the great egret (CASMERODIUS ALBUS) and the great blue heron (ARDEA HERODIAS) in Bodega Harbor #2210
- 1990 A behavioral study of locomotion in PYCNOPODIA HELIANTHOIDES #2211
- 1990 Habitat selection by the seastar LEPTASTERIAS # 2212
- 1990 The effect of PHORONOPSIS VIRIDIS on the vertical movement and burrowing rates of Lewis's moon snail, POLINICES LEWISH, or, On the trail of the elusive snail #2213
- 1990 Increases in soil nitrogen by LUPINUS ARBOREUS and the effects on thistle density #2214
- 1990 Morphological variation in LEPTASTERIAS: do variations in the morphology (color, size, and shape) of LEPTASTERIAS starfish in Horseshoe Cove, Bodega Bay, reflect microhabitat distribution and physiology? #2215
- 1990 Nesting behavior of sand wasps, BEMBIX AMERICANA COMATA, from coastal dunes, Bodega Bay, California # 2216

- 1990 A comparison of characteristics and their influence on the distribution of the chitons TONICELLA LINEATA, KATHARINA TUNICATA, and MOPALIA CILIATA, or, Chiton carnage # 2217
- 1990 Patterns in rock preference among PACHYGRAPSUS CRASSIPES # 2218
- 1990 Coastal landslides: disturbance and diversity of flowering plant communities # 2219
- 1990 Characterization of a substance, S-320, produced by the sea anemone ANTHOPLEURA ELEGANTISSIMA for protection of its symbiotic zooxanthellae # 2220
- 1990 Feeding deterrence of MYLIOBATIS CALIFORNICA through electric field use and its effect on CRASSOSTREA GIGAS # 2221
- 1990 The hierarchal feeding order of Scopopacidae birds on the mudflats of Bodega Bay Harbor # 2223
- 1990 Feeding activity and area preference of black oystercatchers HAEMATOPUS BACHMANI # 2224
- 1990 Tides and the feeding patterns of the American white pelican (PELECANUS ERYTHRORHYNCHOS) # 2225
- 1990 Environmental affects on the diving behavior and success rate of Forster's terns at Bodega Bay Harbor # 2226
- 1990 Surface diving rates of western grebes AECHMOPHORUS OCCIDENTALIS: a comparative analysis of group and solitary individuals as related to time of day and tide level # 2227
- 1990 Diurnal roosting of double-crested cormorants in Bodega Harbor # 2228
- 1990 Relative distribution of diurnal roosting pelagic and Brandt's cormorants # 2229
- 1990 Energetics of foraging behavior in sanderlings (CALIDRIS ALBA) # 2230
- 1990 The relationship between dive durations and surface intervals of PHALACROCORAX PELAGICUS and PHALACROCORAX PENICILLATUS with respect to the distance from shore # 2231
- 1990 Vigilance and how it affects the feeding rate of CHARADRIUS VOCIFERUS in different groups sizes # 2232
- 1990 The effects of lunar tidal cycles on the feeding and distribution patterns of four non-breeding species of Areidae #2233
- $1990 \quad \textbf{Tolerance ranges of CLADOPHORA COLUMBIANA in two different sized high intertidal tidepools} \\ \# 2234$
- 1990 Is the rate of photosynthetic resumption for GIGARTINA PAPILLATA and position in the tide zone related? # 2235
- 1990 The effects of phenolics on nitrogen reductase activity in PELVETIOPSIS LIMITATA # 2236
- 1990 The role of pneumatocysts as a buoyancy device in the brown kelp MACROCYSTIS

INTEGRIFOLIA # 2237

- 1990 Nitrogen uptake in IRIDAEA FLACCIDA # 2238
- 1990 Gas composition and nitrate uptake in the intertidal alga HALOSACCION GLANDIFORME (Gmelin) $\,\#\,2239$
- 1990 The effect of desiccation on nitrate uptake rate of ULVA TAENIATA # 2240
- 1990 An investigation of the internal gas composition in the pneumatocysts of MACROCYSTIS INTEGRIFOLIA #~2241
- 1990 Morphological adaptations of PELVETIOPSIS LIMITATA in different wave environments # 2242
- 1990 $\,$ The effects of different salinities on the photosynthetic rate and water flux in CLADOPHORA COLUMBIANA $\,$ $\#\,2243$
- 1990 Pigment adpatations to luminosity in PORPHYRA # 2244
- 1990 Distribution of trematodes in two coexisting cottids: OLIGOCOTTUS SNYDERI and CLINOCOTTUS ANALIS #2246
- 1990 The incidence of opercular parasites on EMBIOTOCA JACKSONI and CYMATOGASTER AGGREGATA from Tomales Bay and Campbell Cove # 2247
- 1990 Comparative analysis of the stomach contents of three common species of intertidal sculpins:
 OLIGOCOTTUS SNYDERI, ARTEDIUS LATERALIS, and SCORPAENICHTHYS MARMORATUS
 #2248
- 1990 The feeding preferences of the sculpins, SCORPAENICHTHYS MARMORATUS and LEPTOCOTTUS ARMATUS, between California coastal and bay shrimp, HEPTACARPUS PALUDICOLA and CRANGON FRANCISCORUM # 2249
- 1990 Preferences of CLINOCOTTUS ANALIS for colored substrates # 2250
- 1990 Substrate preference of the juvenile sole, ISOPSETTA ISOLEPIS # 2251
- 1990 $\,$ Comparison of the ichthyofauna found off Doran Beach at night during incoming and outgoing tides $\#\,2252$
- 1990 Light intensity as a factor in color change in the butter sole, ISOPSETTA ISOLEPIS # 2253
- 1990 Toxic effects of different concentrations of motor oil on AULORHYNCHUS FLAVIDUS # 2254
- 1990 The contribution of translucency in juvenile butter sole (ISOPSETTA ISOLEPIS) in color and speckle size on different backgrounds # 2255
- 1990 Light preference of light and dark acclimated SYNGNATHUS LEPTORHYNCHUS # 2256

2257	The effects of temperature on the rate of color change in the butter sole, ISOPSETTA ISOLEPIS
1990 fishes .	Observations of emergence behavior in response to depletion of dissolved oxygen in the tidepool APODICHTHYS FLAVIDUS and XIPHISTER ATROPURPUREUS # 2258
1990 ENOP	Resistance to low dissolved oxygen in two species of sculpins, CLINOCOTTUS ANALIS and HRYS BISON # 2259
1990 ISOLI	The effect of substrate and acute temperature change on melanophore dispersion of ISOPSETTA EPIS # 2260
1990	Plasticity of MONTIA PERFOLIATA in fertile and infertile habitats # 2261
1990	Male behavior in the fly BIBIO NECOTUS # 2262
1990 a salin	The ecology, physiology, morphology and anatomy of sand verbena (ABRONIA LATIFOLIA) along ity gradient # 2263
1990	Reproduction in a gynodioecious plant: implications of male sterility # 2264
1989	Competiton among aggregate sea anemones, ANTHOPLEURA ELEGANTISSIMA # 362
1989 GLOB	An investigation of the abundance, distribution, and activity of the tidepool sculpin CLINOCOTTUS SICEPS # 363
1989 PORT	Intertidal zonation of the shore crab HEMIGRAPSUS and the distribution of its parasite, UNION CONFORMIS # 364
1989 INGE I	The process of fertilization: a study of metabolic rates of the eggs and sperm of SICYONIA NTIS and STRONGYLOCENTROTUS PURPURATUS # 365
1989 # 366	Distribution of PAGURUS SAMUELIS and PAGURUS HIRSUTIUSCULUS and predation effects
1989	The effects of symbiotic zooxanthellae on respiration in sea anemones (ANTHOPLEURA) # 367
1989	Food preferences of the common kelp crab, PUGETTIA PRODUCTA # 368
1989	Habitat preference and patterns of aggregation of PETROLISTHES CINCTIPES # 369
1989	Water quality studies in Bodega Harbor and area tidepools #370
1989	The effect of prey distribution on PISASTER OCHRACEUS density # 371
1989	Adaptations of marine organisms to low salinity # 372
1989 iettv	Differences among sea anemones, algae, and barnacles due to wave exposure along the Bodega Head # 373

1989	Cliffhangers: a study of the sea bluff vegetation of Bodega Head, California # 374
1989	Filter feeding in turbid water and its possible effect on barnacle zonation # 375
1989	TV Dinners: the mechanisms of prey location in the Turkey Vulture CATHARTES AURA # 376
1989	Optimal foraging patterns of the species CANCER ANTENNARIUS # 377
1989	The schooling behavior of surfperch # 378
1989 the em	The effects of the surface microlayer of water at Spud Point, Porto Bodega, and Mason's Marina on bryonic development of the purple sea urchin, STRONGYLOCENTROTUS PURPURATUS # 379
1989	The distribution of fouling organisms within Spud Point Marina # 380
1989 # 381	Island biogeography theory versus intermediate disturbance hypothesis: species diversity in tidepools
1989 # 382	Photosynthetic rates in the Phaeophyta and Chlorophyta: a comparative study of accessory pigments
1989 Califor	Magnitude of defoliation of LUPINUS ARBOREUS by ORGYIA VETUSTA on Bodega Head, mia # 383
1989	Patterns of vegetation after lupine mortality at Mussel Point on Bodega Marine Reserve # 384
1989	Broadcast spawning and fertilization of STRONGYLOCENTROTUS PURPURATUS # 385
1989	The effects of temperature on fertilization of the penaeoid shrimp, SICYONIA INGENTIS # 386
1989 and an	Hatching variability and oxygen metabolism of hydrated ARTEMIA cysts prepared under aerobic aerobic conditions # 387
1989 # 388	Determinates of male reproductive success in the plainfin midshipman (PORICHTHYS NOTATUS)
1989 389	Shell resource utilization by hermit crabs: PAGURUS HIRSUTIUSCULUS and P. SAMUELIS #
1989	In search of early breeders: do small males winter farther north? # 886
1989 887	Patterns of movement in the woollybear caterpillar (Arctiidae: PLATYPREPIA VIRGINALIS #
1989 (MAR	Variations in gender due to variations in habitat quality: a test of theory with the wild cucumber AH FABACEUS) at Bodega Head, California #888
1989 NEMO	Spatial heterogeneity in morphological variation between sex morphs in Gynodioecious PHILA MENZIESII # 889
1989	Effects of morphometric traits on mating success in the bordered plant bug (LARGUS CINCTUS)

- 1989 Rodent foraging in mosaics of disturbed vegetation: are there patterns of activity? #891
- 1989 Effects of clonal variation, plant density, and spatial pattern on downy mildew of ERIGERON GLAUCUS #892
- 1989 $\,$ Foraging and predation risk for deer mice (PEROMYSCUS MANICULATUS) in a dune blowout $\#\,893$
- 1989 Development of proton nuclear magnetic resonance imaging techniques to find magnetite in tissues of elasmobranchs: brown smoothhound shark MUSTELUS HENLEI #917
- 1989 The effect of different levels of dissolved oxygen on the acute temperature preference of shiner surfperch (CYMATOGASTER AGGREGATA) #918
- 1989 Hematological effects of prolonged hypoxia on Pacific staghorn sculpin (LEPTOCOTTUS ARMATUS) #919
- 1989 A comparison of aerial versus aquatic respiration and muscle lactate levels of monkeyface pricklebacks CEBIDICHTHYS VIOLACEUS an intertidal fish of California #920
- 1989 Jacksmelt (ATHERINOPSIS CALIFORNIENSIS) sperm motility and activation at different salinity levels #921
- 1989 The effect of confinement and hypoxia on the levels of plasma vitellogenin in the staghorn sculpin, LEPTOCOTTUS ARMATUS # 922
- 1989 Thermal preference of juvenile English sole, PAROPHRYS VETULUS, in two different salinities # 923
- 1989 The effect of temperature on the growth and food consumption rate of juvenile dwarf perch, MICROMETRUS MINIMUS # 924
- 1988 Behavioral study of great egrets (CASMERODIUS ALBUS) and great blue herons (ARDEA HERODIAS) #347
- 1988 A study of ANTHOPLEURA XANTHOGRAMMICA and ANTHOPLEURA ELEGANTISSIMA upon Doran Rocks; population density and habitat utilization #348
- 1988 $\,$ The distribution of ERIOPHYLLUM STAECHADIFOLIUM LAG. in relation to salt spray exposure and soil salinity $\,$ $\#\,349$
- 1988 **Distribution of EMERITA ANALOGA** # 350
- 1988 Feeding preferences of three stichaeoid fishes #351
- 1988 Marine vs. terrestrial habitat selection in the lined shore crab, PACHYGRAPSUS CRASSIPES # 352
- 1988 $\,$ Studies on the grazing habits of the prosobranch limpet NOTOACMEA INSESSA on the kelp EGREGIA MENZIESII $\,$ # 353

1988 The effect of PHORONOPSIS VIRIDIS on the distribution of CALLIANASSA CALIFORNIENSIS in the Bodega Harbor mudflat, or, "A Tale of Shrimps'n Worms" 1988 Mussel bed communities # 355 1988 **Habitat selection by TIGRIOPUS CALIFORNICUS** # 356 1988 The effects of varying degrees of wave shock on groves of POSTELSIA PALMAEFORMIS Ruprecht # 357 1988 Distribution patterns of the flowers of PHYLLOSPADIX SCOULERI # 358 1988 Population density and distribution of BALANUS GLANDULA at Doran Rocks and Horseshoe Cove # 359 1988 A comparison in brood size between PACHYGRAPSUS CRASSIPES collected from the rocky shore of Horseshoe Cove and the Bodega Harbor mudflats # 360 1988 Microhabitat and shell resource segregation by hermit crabs (PAGURUS) # 361 1988 Oocyte activation in HALIOTIS RUFESCENS: the possibility of a calcium and magnesium dependent process. # 474 1988 The fine structure of PANDALUS DANAE sperm in relation to other decapod sperm structures. 475 1988 Does Hoechst 33342 perform well enough on karvotypes to be considered valuable for the screening of triploids? # 476 Reproductive behavior and sperm-egg interaction in the estaurine shrimp, PALAEMON MACRODACTYLUS. Herbivory by the California Tussock Moth, HEMEROCAMPA VETUSTA, and its effect on fitness in the California poppy, ESCHSCHOLZIA CALIFORNICA #881 1988 Morph ratio and seed set in a self-compatible heterostylous annual #882 1988 Leaf toughness and leaf water content as indices for prediction of differential densities of a folivorous thrips on various clonal morphs of its host plant #883 1988 Reactions of SANICULA ARCTOPOIDES to floral herbivory 1988 Reproductive compensation in AMSINCKIA SPECTABILIS var. SPECTABILIS #885 1988 A method to study homing techniques of ACMAEA SCABRA # 2187

Caprellid densisities on hydrozoans, bryozoans and tunicates # 2188

Investigating the food preference of HERMISSENDA CRASSICORNIS # 2189

1988

1988

- 1988 The effect of pollutants on the fertilization success of PATIRIA MINIATA #2190
- 1988 $\,$ Tube building behavior of the Terebellid, STREBLOSOMA CRASSIBRANCHIA : the importance of particle size $\,$ $\#\,2191$
- 1988 Substrate selection of EMERITA ANALOGA from Salmon Creek Beach #2192
- 1988 Investigation of a possible chemical defense of ACMAEA MITRA to PISASTER OCHRACEUS and PYCNOPODIA HELIANTHOIDES # 2193
- 1988 Digestion rates of the sea anemone ANTHOPLEURA ELEGANTISSIMA during emersion and submersion in a controlled and natural setting #2194
- 1988 The effects of density and height and width of the barnacle BALANUS GLANDULA #2195
- 1987 Feeding sites and movement patterns of MYLIOBATIS CALIFORNICA # 332
- 1987 The effects of behavior on the feeding success of the western gull (LARUS OCCIDENTALIS) #333
- 1987 Interactions among the lined chiton (TONICELLA LINEATA), the purple sea urchin (STRONGYLOCENTROTUS PURPURATUS), and coralline algae in a sample of tidepool communities of Bodega Bay, California #334
- 1987 Competition between a nudibranch (PRECUTHONA DIVAE) and a pycnogonid (PHOXICHILIDIUM FEMORATUS) for a colonial hydroid (HYDRACTINIA) # 335
- 1987 $\,$ The effects of digenetic trematodes on movement and dispersal in the intermediate host, LITTORINA $\,$ # 336
- 1987 The abundance, distribution, and behavior of the black-tailed deer (ODOCOILEUS HEMIONUS COLUMBIANUS) on Bodega Head $\#\,337$
- 1987 Locomotion and substrate preference of POLINICES on Bodega Harbor mudflats #338
- 1987 A look at intraspecific competition behavior in the striped shore crab (PACHYGRAPSUS CRASSIPES) # 339
- 1987 Mate selection, egg production, and aspects of escape behavior in PHYLLAPLYSIA TAYLORI # 340
- 1987 Density and dispersal estimates and shell resource utilization for hermit crabs (PAGURUS) #341
- 1987 A study on the color variation in batstars # 342
- 1987 Habitat preference in red-winged blackbirds # 343
- 1987 Shell utilization by PAGURUS SAMUELIS and PAGURUS HIRSUTIUS CULUS in Horseshoe Cove, Bodega Bay $\,\#\,344$
- 1987 Interspecific differences in foraging behavior: great blue herons and great egrets #345

- 1987 The effect of herbivory on bush lupine (LUPINUS ARBOREUS) by the western tussock moth caterpillar (ORGYIA VETUSTA) $\,$ $\#\,346$
- 1987 Shell utilization by PAGURUS SAMUELIS and PAGURUS HIRSUTIUS CULUS in Horseshoe Cove, Bodega Bay $\,\#\,515$
- 1987 The implications of floral sexual dimorphisms in attacting pollinators and pollen predators in a gynodioecious population of NEMOPHILA MENZIESII (Hydrophyllaceae) #874
- 1987 Herbivore effects on plant fitness: Do plants compensate? #875
- 1987 A study of the competition between iceplant and endemic flora at the Bodega Head #876
- 1987 Comparative study of grassland and dune populations of Miner's lettuce (MONTIA PERFOLIATA) $\#\,877$
- 1987 Competition between ice plant (CARPOBROTUS EDULIS) and two species of perennial lupine (LUPINUS spp.) #878
- 1987 Association of MARAH FABACEUS with perennial lupine at Bodega Bay #879
- An investigation of the effects of competition with rushes (JUNCUS spp.) on the distrubution of European beachgrass (AMMOPHILA ARENARIA) at Bodega Bay, California # 880
- 1987 $\,$ The effects of urea on the metabolic rates of shiner surfperch (CYMATOGASTER AGGREGATA) $\#\,908$
- 1987 A comparative hematological study of two intertidal marine fishes which exhibit bimodal respiration #909
- 1987 Temperature preference of shiner surfperch (CYMATOGASTER AGGREGATA): the effects of "opposite sex" steroid hormone injections #910
- 1987 The salinity preference, tolerances and metabolic rates at different salinities of the bay pipefish (SYNGNATHUS LEPTORHYNCHUS), in Tomales Bay California $\#\,911$
- 1987 Thermal effects on adult male shiners and possible consequences of thermal pollution #912
- 1987 Plant cover preferences of bay pipefish (SYNGNATHUS LEPTORHYNCHUS) #913
- 1987 Influence of group size on respiratory metabolic rate in juvenile shiner surfperch (CYMATOGASTER AGGREGATA) #914
- 1987 Respiratory response of juvenile shiner surfperch (CYMATOGASTER AGGREGATA) exposed to bleached kraft mill effluent # 915
- 1987 The effects of induced hypoxia on five species of temperate, coastal fishes #916
- 1987 The interaction of an undescribed symbiotic turbellarian (Platyhelminthes), and its host, the kelp crab PUGETTIA PRODUCTA (Randall, 1839), in the Bodega Bay region # 1268

- 1987 Photokinetic behaviour of three species of sea anemone # 1269
- 1987 The host specificity of nudibranch ROSTANGA PULCHRA Macfarland 1905 for three sponges, and regeneration pattern of AXOCIELITA ORIGINALIS de Laubenfels 1930 following grazing # 1270
- 1987 Behavior, morphology and preference of feeding and host location in PYCNOGONUM STEARNSI # 1271
- The relationship between the hydroid AGLAOPHENIA sp. (Nuttingi 1900), and the two nudibranchs DOTO KYA (Marcus, 1961) and DENDRONOTUS SUBRAMOSUS (MacFarland, 1966) # 1272
- 1987 Genetic and morphological variation in the limpet COLLISELLA DIGITALIS # 1273
- 1987 Microbial associations of eggs of CRANGON STYLIROSTRIS # 2169
- 1987 The effects of ANTHOPLEURA XANTHOGRAMMICA on the abundance and diversity of its surrounding macroscopical flora and fauna #2170
- 1987 The effects of temperature on gross embryology of LOLIGO OPALESCENS #2171
- 1987 A survey of invertebrates found in association with discarded containers, e.g. bottles and cans at the Campbell's and Doran jetties #2172
- 1987 ANTHOPLEURA XANTHOGRAMMICA diet: a comparison between individuals living under mussel beds and in a rocky tide pool #2173
- 1987 The effects of the permeability of different substrates on the aggregative and individual locomotory responses of COLLISELLA DIGITALIS $\#\,2174$
- 1987 The microgeography of the epifauna on CHTHAMALUS-dominated mussels and SPIRORBIS dominated mussels collected in crevices of rocky shore southwest of Bodega Marine Laboratory #2175
- 1987 Some intertidal insects and allies from Sonoma County # 2176
- 1987 A study of the epifauna inhabiting coralline algae as a function of tidal height #2177
- 1987 Factors affecting attachment of, and PISASTER OCHRACEUS predation upon, MYTILUS CALIFORNIANUS # 2178
- 1986 Factors influencing levels of aggression in gulls #317
- 1986 The effects of shell adequacy on the aggressive interactions of PAGURUS SAMUELIS #318
- 1986 Shell erosion in TEGULA FUNEBRALIS populations from selected Sonoma County beaches #319
- 1986 Factors controlling the distribution of PISASTER OCHRACEUS # 320
- 1986 The zonation pattern of SCIRPUS AMERICANUS and POTENTILLA PACIFICA at the south east corner of Horseshoe Cove, Bodega Bay, California #321
- 1986 Possible consequences of sewage outfall on Bodega Bay; water transport and toxicity to

STRONGYLOCENTROTUS PURPURATUS and MYTILUS CALIFORNIANUS # 322

- 1986 Factors influencing parasite (Digenea: Trematoda) infections of LITTORINA spp.: effects of parasites on the host # 323
- 1986 Interspecific competition in three species of shore crabs: HEMIGRAPSUS OREGONENSIS, HEMIGRAPSUS NUDUS, and PACHYGRAPSUS CRASSIPES # 324
- 1986 Locomotor behavior of tidepool sculpins # 325
- 1986 Faunal associations in microhabitats created by three intertidal plants # 326
- 1986 Environmental factors influencing harbor seal behavior # 327
- 1986 Dispersion patterns of TEGULA FUNEBRALIS # 328
- 1986 Estimates of population densities and size distributions of the California roach #329
- 1986 Habitat segregation by scrub and Stellar's jays # 330
- 1986 Population abundance and structure of the shore crab, HEMIGRAPSUS OREGONENSIS #331
- 1986 The effectiveness of various chemicals in the induction of tripoidy in the Pacific oyster. #471
- 1986 SEBASTES FLAVIDUS: A focus on the skin. # 472
- 1986 Histological examination of regeneration in the lobster. # 473
- 1986 Distribution, abundance, and impact of herbivores on the thistles CIRSIUM OCCIDENTALE and C. VULGARE (Compositae) at Bodega Bay #866
- 1986 Mating behavior of two species of bibionid flies #867
- 1986 The effect of lupine cover on habitat selection by the deer mouse (PEROMYSCUS MANICULATUS) at Bodega Bay #868
- 1986 Toughness: Can lupines measure up? # 869
- 1986 Sex ratios, sexual dimorphism, and mate choice in two stink beetle species #870
- 1986 The effect of height in food plant selection in woolybears (Arctiidae: PLATYPREPIA VIRGINALIS) # 871
- 1986 Feeding patterns of the woollybear caterpillar (Arctiidae: PLATYPREPIA VIRGINALIS), a generalist herbivore at Bodega Bay, California #872
- 1986 Predictors of insect species richness on buhes of the lupine LUPINUS ARBOREUS #873
- 1986 The incidence and degree of parasitism by a digenetic trematode on GASTEROSTEUS ACULEATUS #894

1986 The incidence of the cymothoid isopod, LIRONECA CALIFORNICA, on fishes in Bodega Harbor # 895 1986 Responses of CYMATOGASTER AGGREGATA to a predator and a non-predator #896 1986 Orientation in the bay pipefish SYNGNATHUS LEPTORHYNCHUS relative to current and light # 897 Does the coloration of the fluffy sculpin, OLIGOCOTTUS SNYDERI, protect it from the 1986 hexagrammid predators OPHIODON ELONGATUS and HEXAGRAMMOS DECAGRAMMUS? Interpopulation and intrapopulation variation of lateral plate number of the threespine stickleback, GASTEROSTEUS ACULEATUS, from Upper Salmon Creek and Big Austin Creek, Sonoma County, California #899 1986 Ichthyofaunal recruitment in Sonoma County tidepools # 900 1986 The salinity tolerances in two species of cottids COTTUS ASPER and OLIGOCOTTUS SNYDERI # 901 A study of the matching ability of the speckled sanddab, CITHARICHTHYS STIGMAEUS, from Bodega Bay, California # 902 1986 Responses of CYMATOGASTER AGGREGATA to chemical cues from conspecifics Effects of light intensity and temperature on the rate of color change by the speckled sanddab, CITHARICHTHYS STIGMAEUS 1986 Responses to decreased dissolved oxygen levels in CLINOCOTTUS ANALIS #905 1986 Substrate color preference in CLINOCOTTUS GLOBICEPS # 906 1986 Acclimation and critical thermal maxima in CLINOCOTTUS ANALIS, the wooly sculpin #907 1986 Effects of copper concentration in antifouling paint on algal growth patterns # 1257 1986 Particle size selection in the tube building activities of PHRAGMATOPOMA CALIFORNICA # 1258 1986 Effects of osmotic perturbation on water balance in the echiuran worm, URECHIS CAUPO # 1259 Osmotic stress and coelomic solute concentration in the echinoderm STRONGYLOCENTROTUS PURPURATUS # 1260 Feeding preference of mid-intertidal STRONGYLOCENTROTUS PURPURATUS and exploration of intraspecific variation in chemotactic behavior # 1261 Comparison of byssal thread production and detachment force between MYTILUS EDULIS and MYTILUS CALIFORNIANUS (Mollusca, Bivalvia) # 1262

1986

Movement patterns in TEGULA BRUNNEA # 1263

- 1986 The effects of spatial distribution on desiccation of TEGULA FUNEBRALIS # 1264
- 1986 Effects of prey density, particle size and phoronid tube density on feeding by dunlin (CALIDRIS ALPINA) # 1265
- 1986 Habitat selection by OCTOPUS DOFLEINI (Wulker) in an experimental situation # 1266
- 1986 The influence of conspecifics on the larval settlement of a colonial ascidian BOTRYLLOIDES # 1267
- 1986 The effect of varix removal on the vulnerability of CERATOSTOMA FOLIATUM to predation by CANCER ANTENNARIUS #2149
- 1986 Convergence and divergence with Osburn's 1952 observations of COSTAZIA ROBERTSONAE # 2150
- 1986 Survivorship and distribution of the amphipod POLYCHERIA OSBORNI on the ascidian DISTAPLIA OCCIDENTALIS as a function of submergence #2151
- 1986 Distribution of seastars in Horseshoe Cove # 2152
- 1986 The relationship between SYNDESMIS FRANCISCANA and its host, STRONGYLOCENTROTUS PURPURATUS: flatworm influences on urchin reproductive and structural fitness # 2153
- 1986 Substratum selection by CRANGON STYLIROSTRIS # 2154
- 1986 Avoidance responses to LEPTASTERIAS HEXACTIS with respect to size of TEGULA FUNEBRALIS # 2155
- 1986 Tenacity and some associated factors in NOTOACMEA FENESTRATA and COLLISELLA PELTA as a function of wave shock # 2156
- 1986 The effects of PORTUNION CONFORMIS on certain morphological characteristics of HEMIGRAPSUS NUDUS # 2157
- 1986 Behavioral responses of PYCNOPODIA HELIANTHOIDES and PAGURUS SAMUELIS to several species of nudibranchs $\#\,2158$
- 1986 Influences of shell volume, shell weight, and camouflage on shell selection by PAGURUS SAMUELIS # 2159
- 1986 Asymmetry in the cheliped of the ghost shrimp CALLIANASSA CALIFORNIENSIS from Bodega Bay, California $\,\#\,2160$
- 1986 Relationship between TRYPANOSYLLIS GEMMIPARA and COLLISELLA DIGITALIS # 2161
- 1986 Site specificity of the shore crab PACHYGRAPSUS CRASSIPES # 2162
- 1986 The behavioral responses to heat of PAGURUS GRANOSIMANUS, PAGURUS SAMUELIS, and PAGURUS HIRSUTIUSCULUS, with observations on shell length # 2163

- North-south distributional differences and desiccation as a possible factor #2164
- 1986 The distribution and percentage of parasitization of ARGEIA PUGETTENSIS in the populations of CRANGON NIGRICAUDA and CRANGON STYLIROSTRIS # 2165
- 1986 The effects of parasitism by ARGEIA PUGETTENSIS on the reproductive capabilities and secondary sex characteristics of CRANGON STYLIROSTRIS # 2166
- 1986 $\,$ The effects of temperature on the ctenidia of MYTILUS EDULIS and MYTILUS CALIFORNIANUS $\,$ $\#\,2167$
- 1986 $\,$ Variations in diversity at Doran Rocks considering two variables: $\,$ rock size and intertidal height $\#\,2168$
- 1985 Factors influencing species diversity in tidepools # 307
- 1985 Physical effects on the environment caused by exclusionary cages #308
- 1985 An investigation of resource partitioning between LITTORNIA PLENA and COLLISELLA DIGITALIS $\#\,309$
- 1985 Size and density distribution with depth of the red abalone HALIOTIS RUFESCENS with special emphasis on substrate slope # 310
- 1985 The foraging behaviors of the willet CATOPTROPHORUS SEMIPALMATUS and the marbled godwit LIMOSA FEDOA at the Bodega Harbor #311
- 1985 The effects of the predatory star PISASTER OCHRACEUS on the population distribution and structure of the gastropod TEGULA FUNEBRALIS #312
- $\begin{array}{ll} \textbf{1985} & \textbf{The distribution, movements, and intraspecific interactions of the limpet COLLISELLA SCABRA} \\ \#\,313 & \end{array}$
- 1985 A test of optimal foraging theory: the feeding behavior of octopus #314
- 1985 Local variations in intertidal distribution, population structure, and morphology of TEGULA FUNEBRALIS (Gastropoda: Prosobranchia) # 315
- 1985 Shorebird foraging behaviors: feeding by marbled godwits in Bodega Harbor #316
- 1985 The foraging behavior of the marbled godwit (LIMOSA FEDOA) at two different habitats in Bodega Bay # 390
- 1985 The effects of salinity changes on SICYONIA INGENTIS # 461
- 1985 Morphological examinations of the reproductive tracts of the starry flounder (PLATICHTHYS STELLATUS) and the California halibut (PARALICHTHYS CALIFORNICUS). #463

- 1985 $\,$ The use of epinephrine and L-DOPA to induce metamorphosis in the Pacific oyster, CRASSOSTREA GIGAS. $\,$ # 464
- 1985 Rearing cultchless oysters (CRASSOSTREA GIGAS) in an upwelling nursery designed for research and commercial use. # 465
- 1985 Pre-settlement developmental stage of HALIOTIS RUFESCENS Swainson. # 466
- 1985 Comparison of algal diets, and benefits of vitamin supplements to CRASSOSTREA GIGAS larvae. $\#\,467$
- 1985 Capacitation and maturation in the sperm of a penaeid prawn, SICYONIA INGENTIS # 468
- 1985 The routine oxygen consumption of starry flounder, PLATICHTHYS STELLATUS, in saltwater and during acclimation to freshwater. # 469
- ${\bf 1985} \quad {\bf Development\ of\ a\ bioassay\ for\ substances\ which\ induce\ spawning\ in\ CRASSOSTREA\ GIGAS} \quad \#$
- 1985 The influence of grazing on sow thistle (SONCHUS OLERACEUS) #862
- 1985 Food preference, growth, and parasitism of woollybears (Arctiidae: PLATYPREPIA VIRGINALIS) at Bodega Bay, California #863
- 1985 Influence of the air moisture on the development of the meadow spittlebug (PHILAENUS SPUMARIUS, L.) growing on ERIGERON GLAUCUS, L. and on STACHYS RIGIDA, NUTT. #864
- 1985 Interactions between grasses and coastal bush lupine (LUPINUS ARBOREUS) at Bodega Head, California #865
- 1985 The ingestion of small particles by PHORONOPSIS VIRIDIS # 1241
- 1985 The importance of selective herbivory in maintaining a downshore size gradient in TEGULA FUNEBRALIS. # 1242
- 1985 The distribution, movement and homing behavior of CEBIDICHTHYS VIOLACEUS, an intertidal blennioid fish. # 1243
- 1985 The development of a reproductive strategy in the nudibranch HERMISSENDA CRASSICORNIS (Fschscholtz, 1831) (Gastropoda:Opisthobranchia). # 1244
- 1985 The movement of the sea anemone ANTHOPLEURA ELEGANTISSIMA. # 1245
- 1985 Time-interval patterning and food-resource influence of the behavior of the annelids EUDISTYLIA POLYMORPHA and EUDISTYLIA VANCOUVERI # 1246
- Resource specialization in two local populations of AEOLIDIA PAPILLOSA--with notes on feeding and mate-searching behavior. # 1247
- 1985 Environmental effects on the metabolic enzyme phospho-glucose isomerase in the sea anemone

iozoa).	# 1248
10Z	oa).

- An examination of oocyte structure and an investigation of the effect of temperature on polyp growth in HYDRACTINIA MILLERI Torrey, 1902 (Cnidaria). # 1249
- 1985 The spatial distribution of brooding and non-brooding LEPTASTERIAS AEQUALIS (Asteroidea: Forcipulatida). # 1250
- 1985 $\,$ Orientation with special regard to endogenous rhythmicity in the isopod LIGIA OCCIDENTALIS. # 1251
- 1985 The effects of various amounts of attached pebbles and debris on the temperature and distribution of ANTHOPLEURA ELEGANTISSIMA (Cnidaria: Anthozoa). # 1252
- 1985 The effects of disturbance on the burrowing behavior of CALLIANASSA spp. and UPOGEBIA PUGETTENSIS, with notes on species interactions. # 1253
- 1985 The effect of water movement on the settling behavior of the mussel MYTILUS EDULIS. # 1254
- 1985 The effects of exposure and feeding time on the energy metabolism of the sea anemone ANTHOPLEURA ELEGANTISSIMA at the upper limits of its distribution. # 1255
- 1985 Local migratory patterns and distribution of marbled godwits (LIMOSA FEDOA) in Bodega Harbor. # 1256
- 1985 Prey selection differences and preferences of two distinct populations of PISASTER OCHRACEUS # 2126
- 1985 A comparative survey of the infauna of vertical and horizontal MYTILUS CALIFORNIANUS # 2127
- 1985 **Bodega Bay isopods** # 2128
- 1985 Survey of the fouling fauna of the Coast Guard docks # 2129
- 1985 Possible sub-macroscopic partitioning of the rocky intertidal habitat in four species of limpets # 2130
- 1985 An investigation of prey preference in LEPTASTERIAS HEXACTIS between four marine gastropods #2131
- 1985 The variety and distribution of sea anemones in the Bodega Head area # 2132
- 1985 Survey of polychaetes of Bodega Harbor mudflat #2133
- 1985 A comparative analysis of CHONIE MINUTA colonies occurring at Doran Beach, Bodega Bay, California, with reference to variation due to habitat differences #2134
- 1985 A comparison and contrast of radulae in species of nudibranchs #2135
- 1985 Observations of two high intertidal tidepools with regard to water access and with regard to their

intrancol	zonation	# 2136
HILL ADOOL	ZUHAUUH	# 4130

- 1985 Fauna of two tidepools differing in tidal height on Bodega Head #2137
- 1985 Fauna of Mason's Marina # 2138
- 1985 Habituation in five species of sea anemones of the Bodega Harbor area #2139
- 1985 A brief survey of the decapod crustacea of the Bodega Head area #2140
- ${f A}$ Comparison of chiton radulae between and within six genera, with reference to diet and feeding # 2141
- 1985 A survey and discussion of the ascidian fauna of the Bodega Bay jetties #2142
- 1985 Escape responses of gastropods to the starfish PISASTER OCHRACEUS #2143
- 1985 Components of various ANTHOPLEURA ELEGANTISSIMA communities in Bodega Bay and their implications $\#\,2144$
- 1985 A comparison of spionidae from the salt marsh and from the rocky intertidal area #2145
- 1985 $\,$ Study of an AXIOTHELLA RUBROCINCTA community: distribution, associated fauna and meiofauna $\,$ $\#\,2146$
- 1985 The effect of slope on species diversity with special reference to the lower intertidal zones at and near Schuster's rock # 2147
- 1985 The correlation between sand hoppers of the genus ORCHESTOIDEA and sand grain size #2148
- 1984 Dynamics of HALIOTIS RUFESCENS populations in human-exploited versus non-exploited areas of Northern California $\#\,300$
- 1984 Distributional patterns of zooplankton populations: a comparison of coastal communities #301
- 1984 The effects of environmental variables on the foraging behavior of LIMOSA FEDOA, the marbled godwit, on Spud Point, Bodega Bay, California # 302
- 1984 Patterns of foraging behaviors of marbled godwits (LIMOSA FEDOA) #303
- 1984 Species diversity in an intertidal boulder field # 304
- 1984 Spatial patterns in a population of coast redwoods (SEQUOIA SEMPERVIRENS) # 305
- 1984 A preliminary study of shorebird foraging behavior #306
- 1984 Nauplial through protozoeal development of the brown natantian ridgeback prawn, SICYONIA INGENTIS, reared in the laboratory. # 453
- 1984 Flow cytometric analysis of cytochalasin B treated MYTILUS CALIFORNIANUS embryos. # 454

- 1984 The effects of storage on setting of eyed oyster larvae (CRASSOSTREA GIGAS). # 455
- 1984 Some effects of shelter diversity on communally reared American lobsters (HOMARUS AMERICANUS) $\,\#\,456$
- 1984 The effects of glucose on survival and development of abalone larvae # 457
- 1984 The effects of dietary 2O-OH-ecdysone supplements on juvenile American lobsters, HOMARUS AMERICANUS # 458
- 1984 Investigation of water mediated growth inhibitor in MACROBRACHIUM ROSENBERGII # 459
- 1984 Effects of non-circadian light/dark cycles on the growth and survival of larval American lobsters (HOMARUS AMERICANUS) # 460
- 1984 The effect of temperature on larval growth rate in HALIOTIS RUFESCENS (Mollusca: Gastropoda) # 1216
- 1984 Morphological differences between the shells of two subpopulations of NUCELLA EMARGINATA and their adaptive significance. $\,\#\,1217$
- 1984 $\,$ The distribution of tube-dwelling diatoms in the marine environment and the effects of gastropod grazing. $\,$ # 1218
- 1984 Classical conditioning of OLIVELLA BIPLICATA (Mollusca: Gastropoda): two experiments. # 1219
- 1984 The effects of starvation and environmental conditions on shell repair in NUCELLA EMARGINATA. # 1220
- 1984 Trail following in TEGULA FUNEBRALIS # 1221
- 1984 Effects of various temperatures on the larval development of HOPKINSIA ROSACEA (Opisthobranchia, Gastropoda, Mollusca). # 1222
- 1984 The role of the home scar in minimizing desiccation in COLLISELLA SCABRA. # 1223
- 1984 Studies of the role of topographic memory in homing by the limpet COLLISELLA SCABRA (Mollusca: Gastropoda). # 1224
- 1984 Predator-prey interaction of the crab CANCER ANTENNARIUS and the Gastropod POLINICES LEWISII # 1225
- 1984 The effect of waveshock on the distribution of the gastropod NOTOACMEA INSESSA # 1226
- 1984 Gastropod species and size selection by shorebirds: the surfbird (APHRIZA VIRGATA) and black turnstone (ARENARIA MELANOCEPHALA). $\,\#\,1227$
- 1984 Shell size selection of TEGULA FUNEBRALIS (Gastropoda) by PISASTER OCHRACEUS (Asteroidea). # 1228

- 1984 Factors affecting the intertidal distribution of CREPIDULA ADUNCA (Mollusca: Gastropoda) in relation to its hosts. # 1229
- 1984 $\,$ Interactions of the nudibranch mollusks DENDRONOTUS SUBRAMOSUS and DOTO KYA on the hydroid AGLAOPHENIA LATIROSTRIS $\,$ # 1230
- 1984 Temperature and salinity tolerance among TEGULA FUNEBRALIS occupying its high and low distributional limits # 1231
- 1984 Trail following by the gastropod mollusc OLIVELLA BIPLICATA (Sowerby): sexual preference and potential chemical stimulus # 1232
- Desiccation as a factor controlling the size and clumping distribution of COLLISELLA DIGITALIS (Gastropoda) and factors affecting desiccation rates in COLLISELLA DIGITALIS # 1233
- 1984 Evidence of an endogenous solar day rhythm in TEGULA FUNEBRALIS # 1234
- 1984 Chemoreception in NUCELLA EMARGINATA (Mollusca; Gastropoda) # 1235
- Notes on the effects of the light/dark and tidal cycles on the behavior of NUCELLA EMARGINATA (Mollusca; Gastropoda) # 1236
- 1984 The function of the cerata and their stored nematocysts as found in the aeolid nudibranch HERMISSENDA CRASSICORNIS # 1237
- 1984 The effects of biogenic and abiogenic crevices on a population of LITTORINA PLENA (Gastropoda: Prosobranchia) # 1238
- 1984 Evaporative cooling in the limpet COLLISELLA DIGITALIS (Mollusca: Gastropoda) # 1239
- 1984 The form and function of the radula in two cephalaspidean Opisthobranchs, RICTAXIS PUNCTOCAELATUS (Carpenter, 1864) and the HAMINOEA VESICULA (Gould, 1855) and the correlation between radular form and dietary preference # 1240
- 1984 Activity patterns of two species of ORCHESTOIDEA at Bodega Bay, California #2111
- 1984 Distribution, relative abundance, species diversity and overgrowth of colonial and encrusting sponges, ascidians and bryozoans found on the undersides of boulders in the boulder field near Schuster's Rock at Doran Beach. #2112
- 1984 Comparison of float faunas of Mason's Marina and the Coast Guard docks. #2113
- 1984 Nestling communities in dead MYTILUS CALIFORNIANUS shells. #2114
- 1984 Survey of crab life at Doran Beach and Horseshoe Point. # 2115
- 1984 The response of the gastropod NUCELLA EMARGINATA to the predatory seastar PISASTER OCHRACEUS: chemosensitivity and sensory adaptation. # 2116
- 1984 Home site fidelity, activity patterns and resting orientation in NOTOACMAEA PERSONA in the Bodega Bay area. $\#\,2117$

- 1984 The chemosensitive responses of the purple sea urchin, STRONGYLOCENTROTUS PURPURATUS, to the predatory sea star, PYCNOPODIA HELIANTHOIDES. # 2118
- 1984 Community structure and physical attributes of CALLIANASSA CALIFORNIENSIS beds in Bodega Harbor. # 2119
- 1984 A comparison of the locomotion and morphology of the sand burrowing gastropods NEVERITA RECLUSIANUS and OLIVELLA BIPLICATA. #2120
- A survey of the in-fauna of PHYLLOSPADIX SCOULERI blades and holdfasts, with an emphasis on polychaetes, found on Bodega Head and Doran Beach, Bodega Bay, CA # 2121
- 1984 The distributional patterns of organisms in horizontal and vertical MYTILUS CALIFORNIANUS beds in Doran Rocks, Doran Beach, California, with other observations. # 2122
- 1984 Orientation of the barnacles BALANUS GLANDULA, BALANUS NUBILUS, and CHTHAMALUS DALLI in relation to water flow and light. # 2123
- 1984 Correlation of stored nematocysts in aeolid nudibranchs with those of their crustacean prey #2124
- 1983 Growth in SAROTHERODON MOSSAMBICA utilizing two different carbohydrate sources. #445
- $1983 \quad \text{The effects of container transparency and reflectivity on short-term metabolic activity in homarid lobsters} \quad \#\,446$
- 1983 Cryopreservation of HALIOTIS RUFESCENS spermatozoa with the disaccharide trehalose # 447
- 1983 The primary cell culture of early veliger and adult mantle tissue from the prosobranch HALIOTIS RUFESCENS # 448
- 1983 The effects of 3,5,3'-triiodo-L-thyronine on the seawater acclimation of non-anadromous rainbow trout (SALMO GAIRDNERI) # 449
- 1983 Effects of dietary variation on nutritional quality of ARTEMIA SALINA. #450
- 1983 Attempt to determine the optimal inositol level in MOINA MACROCOPA # 451
- 1983 Ammonia excretion of the white sturgeon (ACIPENSER TRANSMONTANUS) #452
- 1983 $\,$ Preferential predation by the shore crab PACHYGRAPSUS CRASSIPES on three species of LITTORINA $\,$ $\#\,1183$
- 1983 Predation by the flatworm FREEMANIA LITORICOLA on three species of LITTORINA #1184
- 1983 Feeding habits of TEGULA BRUNNEA found along the Sonoma County, California coast #1185
- 1983 $\,$ Predation on TEGULA BRUNNEA and its effect on the commensal gastropod CREPIDULA ADUNCA $\,$ # 1186
- 1983 The culture and karyology of isolated cephalic tentacles and testicular tissue from TEGULA BRUNNEA and TEGULA FUNEBRALIS (Prosobranchia) # 1187

- 1983 The role of the home scar of COLLISELLA SCABRA as a possible mechanism against predation # 1188
- 1983 Photoperiods and their effects on movement in the red abalone (HALIOTIS RUFESCENS) # 1189
- 1983 Spatial pattern, host specificity, and settlement behavior of CREPIDULA ADUNCA Sowerby (Gastropoda: Prosobranchia) # 1190
- 1983 Predator-prey interactions between the limpet ACMAEA MITRA and two seastars, PISASTER OCHRACEUS and PYCNOPODIA HELIANTHOIDES # 1191
- 1983 Avoidance and escape responses of the gastropod, NUCELLA EMARGINATA, to the predatory starfish, PISASTER OCHRACEUS # 1192
- 1983 The effect of larval density on development and survivorship of abalone veligers: HALIOTIS RUFESCENS # 1193
- 1983 A report on VIBRIO and its association with HALIOTIS RUFESCENS #1194
- 1983 Scour as a potential factor in determining the distribution of the limpet NOTOACMEA FENESTRATA # 1195
- 1983 Movement and home range studies of the naticid clam drill, POLINICES LEWISII #1196
- 1983 The effects of TEGULA FUNEBRALIS (Prosobranchia: Trochidae) on algal diversity in a rocky intertidal community # 1197
- 1983 Effects of carrion on the activity and distribution of OLIVELLA BIPLICATA # 1198
- 1983 Factors affecting the distribution and embryonic development of NUCELLA (Thais) EMARGINATA egg capsules # 1199
- 1983 Interactions between two limpet species, NOTOACMEA FENESTRATA and NOTOACMEA SCUTUM, and the effect on their distributions. # 1200
- 1983 The effects of temperature increase on the growth, tenacity, and escape responses of the limpets COLLISELLA PELTA and COLLISELLA LIMATULA # 1201
- 1983 The allelochemic effect of the brown alga ANALIPUS JAPONICUS on the gastropod grazer TEGULA FUNEBRALIS #1202
- 1983 Chemoreception and food location behavior in four species of nudibranchs # 1203
- 1983 The effect of tidal height, population density, and food availability on growth and movement of NOTOACMEA SCUTUM # 1204
- Behavioral responses to the factors of low salinity and the predator PISASTER OCHRACEUS Brandt by high and low intertidal TEGULA FUNEBRALIS Adams # 1205
- 1983 The effects of the predators PISASTER OCHRACEUS, PYCNOPODIA HELIANTHOIDES, and

- CANCER ANTENNARIUS on the colonization of prey, TEGULA FUNEBRALIS, in rocky intertidal pools # 1206
- 1983 Tenacity as a function of wave force in three species of acmaeid limpets # 1207
- 1983 The effects of wave impact on shore-level size gradients of intertidal gastropods # 1208
- 1983 Distribution and movement observations of a subpopulation of HALIOTIS RUFESCENS in Horseshoe Cove, Bodega Bay, Sonoma County, California # 1209
- 1983 The effects of predatory asteroid density on the diversity of prosobranch gastropods #1210
- 1983 The functional morphology of the labial spine of CERATOSTOMA FOLIATUM # 1211
- 1983 The effects of clumping on water-loss rates in COLLISELLA DIGITALIS # 1212
- 1983 Notes on the spawning and development of CALLIOSTOMA LIGATUM # 1213
- 1983 Predator prey relationships between CALLIOSTOMA LIGATUM and two sea anemones, ANTHOPLEURA ELEGANTISSIMA and ANTHOPLEURA XANTHOGRAMMICA # 1214
- 1983 The effects of host variation on resource utilization by populations of COLLISELLA INSTABILIS (Gould) Resource utilization by COLLISELLA INSTABILIS (Gould) # 1215
- 1983 A comparison of the general epifauna of MYTILUS CALIFORNIANUS and the possibilities of directional orientation of MYTILUS CALIFORNIANUS and its attached barnacles. # 2094
- 1983 Observations on the MYTILUS CALIFORNIANUS habitat and biology of porcellain crabs in the Bodega Bay area. $\#\,2095$
- 1983 The invertebrate community of ENDOCLADIA MURICATA (Rhodophyta). #2096
- 1983 PARAHALOCORYNE POLYZOPHILA n.g. n.sp. (Cnidaria, Hydrozoa, Halocorynidae?) a symbiotic hydroid from Central California # 2097
- 1983 Characterization of an AXIOTHELLA RUBROCINCTA community in the Bodega Bay Harbor mudflats # 2098
- 1983 Biology of grass shrimp of the ZOSTERA habitat in Bodega Harbor # 2099
- 1983 The association of three species of hermit crab PAGURUS with the sea anemone ANTHOPLEURA XANTHOGRAMMICA in central California # 2100
- 1983 Comparison of zonation on exposed and semi-exposed rock faces on Doran Beach and Salmon Creek Beach. # 2101
- 1983 Zonational studies of a large rock on Doran Beach. #2102
- 1983 The faunal zonation of a north-easterly facing vertical rock behind Schuster's Rock with a particular focus on the fauna of an ANTHOPLEURA ELEGANTISSIMA community #2103

- 1983 A survey of the invertebrate fauna of Mason's Marina, Bodega Bay, California, and the possible effects of freshwater influx due to heavy winter storms on the community # 2104
- 1983 Observations of two species of nudibranchs feeding on entoprocts and general survey of nudibranchs of the Bodega Bay area #2105
- 1983 Observations of the ORCHESTOIDEA (Crustacea: Amphipoda) of the Bodega Bay area of California # 2106
- 1983 A survey of the infauna of PHYLLOSPADIX SCOULERI holdfasts in the Bodega Bay region, California #2107
- 1983 Observations of physical features and species diversity in high intertidal pools #2108
- 1983 The infaunal invertebrate community of selected beds of MYTILUS CALIFORNIANUS found on the semi-protected rocks of Doran Beach #2109
- 1983 An analysis of the distribution, abundance and microhabitat of six species of ectoprocta at the north jetty, Bodega Bay, CA # 2110
- 1982 Crustacean cells in vitro # 436
- 1982 An investigation of chemical growth inhibition in MACROBRACHIUM ROSENBERGII # 437
- 1982 Some of the effects of the toxin, molinate on MACROBRACHIUM ROSENBERGII #438
- 1982 $\,$ The daily ammonia excretion of the crayfish PACIFASTACUS LENIUSCULUS, at various dietary protein levels. $\,$ # 439
- 1982 The effect of lecithin on ascorbic acid leaching in artificial diets # 440
- 1982 The effects of binders on nutrient leaching from prepared rations using tritiated leucine #441
- 1982 Determination of the incidence of bacterial kidney disease in several California Fish and Came coho stocks using fluorescent antibody techniques # 442
- 1982 $\,$ The protection offered by astaxanthin against UV-C radiation in the lobster HOMARUS AMERICANUS $\,$ # 443
- 1982 Induction of polyploidy in the red abalone, HALIOTIS RUFESCENS with cytochalasin B # 444
- 1982 Spatial arrangement of juvenile lobsters, (HOMARUS AMERICANUS) with respect to the presence of neighboring lobsters. #478
- 1982 Distribution, morphology and defensive behavior of two ecologically distinct populations of the marine snail MITRELLA CARINATA (Prosobranchia: Neogastropoda) # 1160
- 1982 Shell size and predator avoidance in two species of intertidal hermit crabs #1161
- 1982 Diversity and the effects of disturbance in a Northern California boulder field #1162

- 1982 Larval growth and development of STRONGYLOCENTROTUS PURPURATUS # 1163
- 1982 Juvenile substrate selection of STRONGYLOCENTROTUS PURPURATUS # 1164
- 1982 Habitat preference, activity patterns, and wrack colonization of the beetle CAFIUS CANESCENS on a Northern California sandy beach $\#\,1165$
- 1982 The effects of salinity and transplant techniques on growth of cultivated eelgrass (ZOSTERA MARINA L.) $\,\#\,1166$
- 1982 Food preferences and absorption efficiencies of the purple sea urchin, STRONGYLOCENTROTUS PURPURATUS (Echinodermata: Echinoidea) # 1167
- 1982 The prey of PYCNOPODIA HELIANTHOIDES # 1168
- 1982 Factors affecting the distribution of IDOTEA (Crustacea: Isopoda) in intertidal seagrass beds. # 1169
- 1982 Comparisons of amino acids at different levels in the water column and substrate and at different locations #~1170
- 1982 The orientation of NOTOACMEA PALEACEA (Archeogastropoda: Acmaeidae) on the surfgrass PHYLLOSPADIX # 1171
- 1982 The effects of salinity on PHYLLOSPADIX epiphytes # 1172
- 1982 $\,$ Application of the theory of island biogeography to the ZOSTERA MARINA (eel grass) community #~1173
- 1982 Laboratory comparisons of predation upon LACUNA MARMORATA (Mollusca: Gastropoda) from two habitats $\#\,1174$
- 1982 Predation on PHYLLAPLYSIA TAYLORI (Gastropoda, Opisthobranchia) #1175
- 1982 Effects of diet on the growth rates of PHYLLAPLYSIA TAYLORI Dall, 1900 (Gastropoda: Opisthobranchia). $\#\,1176$
- 1982 The larval development of PHYLLAPLYSIA TAYLORI (Opisthobranchia: Anaspidea) #1177
- 1982 The vertical distribution of the gastropods LIRULARIA FUNICULATA and MITRELLA CARINATA on the eelgrass ZOSTERA MARINA # 1178
- 1982 $\,$ The effects of physical conditions on the polychaete assemblages in the rhizomes of PHYLLOSPADIX SCOULERI $\,$ # 1179
- 1982 An examination of PHYLLOSPADIX SCOULERI tangles with emphasis on the amphipod PONTOGENEIA INTERMEDIA $\,\#\,1180$
- 1982 $\,$ The growth dynamics of ZOSTERA MARINA L. (eelgrass) at Bodega Bay, California, in response to cropping. $\,$ $\#\,1181$

- 1982 Intraspecific aggressive behavior and spatial pattern in CAPRELLA CALIFORNICA Stimpson, 1857 (Crustacea: Amphipoda: Caprellidae) # 1182
- 1982- A comparison of the migration of clonal ANTHOPLEURA ELEGANTISSIMA into periheral and central clearings $\#\,2079$
- 1982 Feeding preferences of STRONGYLOCENTROTUS PURPURATUS on three components of MACROCYSTIS PYRIFERA: the blade, the stipe and the holdfast # 2080
- 1982 The movement of the limpet COLLISELLA DIGITALIS in response to food deprivation # 2081
- 1982 A survey of the interactions of the intertidal anemone CORYNACTIS CALIFORNICA #2082
- 1982 A study of the algal preference in CRYPTOCHITON STELLERI # 2083
- 1982 The movement of two PAGURUS spp. in response to various environmental manipulations #2084
- 1982 Factors affecting recruitmment and fecundity of the small bivalve LASAEA CISTULA # 2085
- 1982 A comparative study of the distribution of the gastropod mollusk OLIVELLA BIPLICATA and sand grain size at Doran Beach, Sonoma County, California and Campbell's Cove, Sonoma County, California # 2086
- 1982 A comparative study on the escape responses of the two trochid gastropods TEGULA FUNEBRALIS and TEGULA BRUNNEA from the predatory asteroid PISASTER OCHRACEUS #2087
- 1982 Hermits on the half shell: A study of the types of shells selected for inhabitation by PAGURUS SAMUELIS and PAGURUS HIRSUTIUSCULUS $\#\,2088$
- 1982 The mechanisms of tube formation and differential grain size selection in two species of sedentary, intertidal polychaetes of Bodega Bay: NEOAMPHITRITE ROBUSTA and CHONE ECAUDATA # 2089
- 1982 A zonation study regarding a tide pool in the splash zone # 2090
- 1982 Bivalve selectivity by POLINICES LEWISII on the Bodega Harbor mudflats #2091
- 1982 Physical factors influencing the distribution of the barnacle BALANUS GLANDULA beneath the sand surface at Campbell's Cove, Bodega Bay # 2092
- 1982 Monochromatic black chromatophores and the color changes in the shrimp CRANGON STYLIROSTRIS of Doran Beach #2093
- Population dynamics and possible ecological relationships between two benthic grazers, the red abalone HALIOTIS RUFESCENS and the sea urchin STRONGYLOCENTROTUS spp. #2125
- 1981 Ascorbic acid: nutritional requirements of the freshwater prawn MACROBRACHIUM ROSENBERGII $\,\#\,423$
- ${\bf 1981 \quad Temperature, photoperiod \ and \ hormonal \ control \ of \ reproduction \ in \ the \ Pacific \ staghorn \ sculpin \ LEPTOCOTTUS \ ARMATUS \quad \#424}$

- 1981 Attempts in the utilization of fatty acid supplemented yeast diets as an alternative to algal diets in the culture of the rotifer BRACHIONUS PLICATILIS # 425
- ${\bf 1981 \quad A \ behavioral \ bio-assay \ of \ chemically-mediated \ growth \ inhibition \ in \ HOMARUS \ AMERICANUS \quad \#} \\ {\bf 426}$
- 1981 Developing a feeding regime for MYTILUS EDULIS larvae # 427
- 1981 The effect of temperature and salinity on the nutritional value of the early larval stages of the brine shrimp, ARTEMIA SALINA # 428
- 1981 The variability in the total lipid content of eggs of the oyster CRASSOSTREA GIGAS and its effect on larval survival rates # 429
- 1981 $\,$ Examination of the effects of six algal diets on the growth and survival rates of CRASSOSTREA GIGAS spat $\,$ # 430
- 1981 Polyploidy induced in the Pacific oyster, CRASSOSTREA GIGAS with cytochalasin B and cold shock techniques #431
- Wet storage parameters of the edible blue mussel, MYTILUS EDULIS in terms of byssucitation through variations in temperature and salinity # 432
- 1981 Growth of the Pacific oyster, CRASSOSTREA GIGAS, at various sites within Bodega Bay # 433
- 1981 Aspects of blood osmolarity of juvenile ACIPENSER TRANSMONTANUS as it relates to increasing salinites #434
- 1981 Polyamine synthesis rates in American lobsters (HOMARUS AMERICANUS) # 435
- 1981 Reproductive characteristics of HEPTACARPUS PALUDICOLA (Crustacea, Decapoda). #1131
- 1981 The effects of lead and chromium on the early larval development of two species of sea urchins, STRONGYLOCENTROTUS PURPURATUS and S. FRANCISCANUS. #1132
- 1981 Observations on the salinity range inhabited by ENTEROMORPHA INTESTINALIS # 1133
- 1981 Sex change and habitat preferences of CREPIDULA ADUNCA (Prosobranchia: Mesogastropoda). # 1134
- 1981 Reproduction in the viviparous brittlestar AMPHIPHOLIS SQUAMATA # 1135
- 1981 $\,$ The effects of abiotic stresses on egg capsules and embryological development of LITTORINA KEENAE and LITTORINA PLENA $\,$ # 1136
- 1981 Growth and reproduction responses to food availability and simulated predation in the hydroid OBELIA sp. in culture $\#\,1137$
- 1981 The effect of light on larval release of BOTRYLLOIDES sp. of Bodega Harbor, Bodega Bay, California. #1138

- 1981 A comparative study of the reproduction of three species of intertidal hermit crabs (PAGURUS spp.) in the Bodega Bay Area $\,\,$ $\#\,1139$
- 1981 Effects of siltation and algal overgrowth on early growth and mortality in BOTRYLLOIDES sp. (Ascidacea) #~1140
- 1981 Contributions to the natural history of the anthomedusae POLYORCHIS PENICILLATUS (Cnidaria: Hydrozoa). # 1141
- 1981 The spawning preference of LACUNA MARMORATA (Mollusca: Gastropoda) on intertidal algae at Bodega Bay, California # 1142
- Reproduction in the nudibranch PHIDIANA (= HERMISSENDA) CRASSICORNIS and how it is affected by cerus removal # 1143
- 1981 The settling behavior of SPIRORBIS sp. under various lighting conditions # 1144
- 1981 Growth and reproduction in the bryozoan CRISIA OCCIDENTALIS (Ectoprocta; Cyclostomata) # 1145
- 1981 Studies on NEBALIA PUGETTENSIS I. The natural history of NEBALIA PUGETTENSIS (Crustacea, Leptostraca) in Bodega Harbor, CA # 1146
- 1981 Studies on NEBALIA PUGETTENSIS II. Reproduction and brooding in Bodega Harbor, CA. # 1147
- 1981 The correlation between body weight and penis length and the electrophorectic resolution of parentage in BALANUS GLANDULA Darwin $\,\#\,1148$
- 1981 Regenerative ability of the sea star LEPTASTERIAS HEXACTIS and its effect on reproductive success $\#\,1149$
- An investigation into the feeding and reproduction of two species of Pycnogonids: AMMOTHEA HILGENDORFI and PYCNOGONUM STEARNSI, near Bodega Bay, California. # 1150
- 1981 Settlement preferences and metamorphosis of AGLAOPHENIA planulae (Cnidaria: Hydroida). # 1151
- 1981 Unknown III # 1152
- 1981 Sex ratio, sex reversal and fecundity of LEPTOCHELIA DUBIA (Peracarida, Tanaidacea) in Bodega Harbor, Sonoma County, California. # 1153
- 1981 Defense against predators of opisthobranch eggs # 1154
- 1981 The brooding behavior of the sea anemone EPIACTIS PROLIFERA # 1155
- 1981 Asexual reproduction and growth in the athecate hydroid EUDENDRIUM CALIFORNICUM # 1159
- 1981 Color change in the valviferan isopod IDOTEA WOSNESENSKII # 2064

- 1981 A survey and comparison of the fouling communities on the Porto Bodega and U.S. Coast Guard floating docks in Bodega Harbor, California # 2065
- 1981 A study of stolonization and budding in AURELIA Scyphistomae # 2066
- 1981 A qualitative and quantitative look at the Bodega Bay Harbor SALICORNIA marsh #2067
- 1981 Epifaunal organisms on MYTILUS CALIFORNIANUS from two sites near Bodega Bay, California # 2068
- 1981 A population study of two tidepools in relation to physical factors in Bodega Bay, California # 2069
- 1981 Only one lifestyle of the AEOLIDIA PAPILLOSA # 2070
- 1981 A comparison of the hermit crabs in the rocky intertidal and the rip-rap of the harbor #2071
- 1981 Population distributions of two species of TRANSENNELLA on the Bodega Harbor flat #2072
- 1981 A survey and comparison of fauna living on and associated with small boulders in Campbell Cove and Horseshoe Cove # 2073
- 1981 Comparison of three mussel beds at Bodega Head, California # 2074
- 1981 A comparison of the fouling communities of Westside Park boat launch and Mason's Marina, Bodega Bay, California # 2075
- Diversity of the macrofauna associated with a mussel bed in Horseshoe Cove, California #2076
- ${\bf A~comparison~of~zonal~patterns~on~the~rocky~shores~north~and~south~of~the~Campbell~Cove~jetty} \quad \# \\$
- 1981 Study of the function of catch tentacles of METRIDIUM SENILE FIMBRIATUM #2078
- 1980 $\,$ The effects of environmental salinity on the growth rate of juvenile white sturgeon ACIPENSER TRANSMONTANUS $\,$ # 411
- 1980 Survival and growth of larvae of MACROBRACHIUM ROSENBERGII fed a microencapsulated diet #412
- 1980 Parameters in the mass culture of the rotifer, BRACHIONUS PLICATILIS: ammonia tolerances and nutrition considerations $\#\,413$
- 1980 Relationships between salt concentration preferences and food conversion ratios in six-month old white sturgeon (ACIPENSER TRANSMONTANUS) #414
- 1980 The effect of photoperiod on consumption rates and conversion ratios (using an artificial diet, 79F) in post-larvae MACROBRACHIUM ROSENBERGII $\,\#\,415$
- 1980 Electrophoretic analysis of four California red abalone, HALIOTIS RUFESCENS, populations # 416

- 1980 Endogenous transport of cholesterol in the lobster, HOMARUS AMERICANUS: the effect of dietary phosphatidylcholine $\#\,417$
- 1980 Depuration rates of MOINA MACROCOPA after exposure to municipal sewage #418
- 1980 Growth, survival, and food conversion rates for PANDALUS DANAE at two temperatures #419
- 1980 The morphological effects of exogenously applied juvenile hormone III and 2O-hydroxy-ecdysone on the larval development of brine shrimp ARTEMIA SALINA # 420
- 1980 Preliminary investigation of the population dynamics of MOINA MACROCOPA in a culture situation. I: Optimal harvest strategies # 421
- 1980 Effect of temperature on growth rate and food conversion in juvenile white sturgeon (ACIPENSER TRANSMONTANUS) $\#\,422$
- 1980 A comparison of the feeding behavior of the six-rayed seastar, LEPTASTERIAS HEXACTIS, from two intertidal habitats $\#\,1097$
- 1980 The limpet-foraging behavior of the black oystercatcher (HAEMATOPUS BACHMANI) # 1098
- 1980 Correlating infestation rates of MYTILUS CALIFORNIANUS by the pea crab FABIA SUBQUADRATA with type and density of epizoic barnacles. # 1099
- 1980 Grazing on the lichen CALOPLACA CORALLOIDES # 1100
- 1980 Feeding preference and foraging behavior of the beach hopper, ORCHESTOIDEA CORNICULATA (Crustacea: Amphipoda). $\#\,1101$
- 1980 The feeding of the isopod IDOTEA RESECATA upon the eelgrass ZOSTERA MARINA: is there a correlation between grazing and the phenolic content of ZOSTERA? $\#\,1102$
- 1980 The influence of food availability on the intertidal distribution of NUCELLA EMARGINATA (Gastropoda: Prosobranchia). $\#\,1103$
- 1980 The non-repugnatory role of nematocysts in HERMISSENDA CRASSICORNIS (Eschscholtz, 1831) (Gastropoda: Opisthobranchia). # 1104
- 1980 Microbial food chain succession on eelgrass (ZOSTERA MARINA) detritus particles #1105
- $1980 \quad \text{The effects of habitat differences on the behavior of the limpet COLLISELLA DIGITALIS} \quad \#\,1106$
- 1980 $\,$ The distribution and foraging behaviors of two species of LEPTASTERIAS in the vicinity of Bodega Bay, California $\,$ $\#\,1107$
- 1980 The diet and foraging strategy of the gammaridean amphipod, HYALE FREQUENS #1108
- 1980 Do sculpins (Cottidae) eat sea anemones (ANTHOPLEURA XANTHOGRAMMICA and/or ANTHOPLEURA ELEGANTISSIMA)? # 1109
- 1980 Resource partitioning and selectivity of the limpet COLLISELLA DIGITALIS (Rathke 1833)

- resident on the stalked barnacle POLLICIPES POLYMERUS (Sowerby 1833). #1110
- 1980 The feeding behavior of the leather star, DERMASTERIAS IMBRICATA, at Bodega Bay, California. #1111
- 1980 A study of some feeding and attachment strategies of two unidentified leech species to OLIGOCOTTUS MACULOSUS and GIBBONSIA METZI # 1112
- 1980 Foraging behavior of the chiton NUTTALLINA CALIFORNICA as a function of the diurnal cycle and tidal height $\ \#\ 1113$
- 1980 Foraging differences between two sibling species of LITTORINA SCUTULATA, and factors influencing their foraging behavior #1114
- 1980 $\,$ Feeding of DIAULULA SANDIEGENSIS (Gastropoda: Nudibranchia) and its association with its preferred prev $\,$ $\#\,1115$
- 1980 Foraging strategies of the limpets NOTOACMEA SCUTUM (Rathke, 1833) and COLLISELLA LIMATULA (Carpenter, 1864) with respect to tidal and diurnal (light) fluctuations # 1116
- 1980 Feeding and natural history of the gastropod NASSARIUS FOSSATUS #1117
- 1980 Shell dropping behavior and its effect on optimal foraging of western gulls #1118
- 1980 Factors determining the success of predation upon limpets by the polyclads FREEMANIA LITORICOLA and NOTOPLANA ACTICOLA # 1119
- 1980 The tracking of the nudibranch CORYPHELLA TRILINEATA by its predator HERMISSENDA CRASSICORNIS # 1120
- 1980 Food preferences of two common intertidal sculpin OLIGOCOTTUS MACULOSUS and CLINOCOTTUS ANALIS (Pisces: Cottidae) #1121
- 1980 $\,$ The defensive role of calcareous spicules in the mantle of dorid nudibranchs (Gastropoda: Opisthobranchia) $\,$ $\#\,1122$
- 1980 The diet and foraging behavior of CRANGON NIGRICAUDA (Crustacea: Decapoda). # 1123
- 1980 Chemical and morphological factors influencing preferential grazing of the snail LITTORINA SCUTULATA on the red alga, GIGARTINA PAPILLATA. #1124
- 1980 The encrusting red alga PEYSSONELLIA MERIDIONALIS as a deterrent to predation on TEGULA BRUNNEA (Mollusca: Gastropoda). # 1125
- 1980 The effects of the oil dispersant BP 1100 WD on the feeding behavior of PISASTER OCHRACEUS (Echinodermata : Asteroidea). $\#\,1126$
- 1980 Detection and preference of prey by OCTOPUS DOFLEINI # 1127
- 1980 The role of nematocysts in defense by the nudibranch AEOLIDIA PAPILLOSA in response to the predaceous sunflower starfish PYCNOPODIA HELIANTHOIDES # 1128

- 1980 Morphological and behavioral adaptations in the lined chiton, TONICELLA LINEATA (Wood, 1815), to its preferred food, HYDROLITHON DECIPIENS. # 1129
- 1980 Effects of food and refuge availability upon tidepool selection by the monkeyface-eel, CEBIDICHTHYS VIOLACEUS # 1130
- 1980 Chemoreception and size selective feeding: some aspects of the feeding behavior of PYCNOPODIA HELIANTHOIDES (Echinodermata: Stelleroidea). # 1157
- 1980 The preferential feeding of LACUNA MARMORATA (Mollusca: Gastropoda) upon the marine angiosperm PHYLLOSPADIX SCOULERI and the red alga IRIDAEA FLACCIDA # 1158
- 1980 Eek, gads, it's the organics: a study of factors which may control the distribution and abundance of the Foraminifera of the SALICORNIA DISTYCLUS marsh area of Bodega Bay, Sonoma County, California # 1499
- 1980 $\,$ Functional morphology and the morphological distribution of limpets in the rocky intertidal of Bodega Marine Reserve $\,$ $\#\,1500$
- 1980 Ever eat barnacles? An inquisitive glance at dietary preferences and foraging behavior of the Bodega Coast Miwoks #1501
- 1980 Epibiont diversity as a tool for better interpretation of ancient environments # 1502
- 1980 A paleoenvironmental analysis of the Pliocene marine sediments at Moss Beach #1503
- 1980 Quantitative molluscan paleoecology of the upper Pleistocene of the Santa Cruz-Ano Nuevo region of California #1504
- 1980 Pleistocene paleoenvironmental reconstruction utilizing fossil Foraminifera from Ano Nuevo and Santa Cruz, California # 1505
- 1980 The reconstructed paleoenvironment of the Merced Formation of South San Francisco # 1506
- 1980 The influence of sediment type on the distribution of ophiuroids in the Bodega Bay area # 2042
- 1980 A comparative analysis of the faunal composition of PHYLLOSPADIX SCOULERI # 2043
- 1980 Observations on the scyphistoma of AURELIA AURITA (Linnaeus, 1758) # 2044
- 1980 Distribution of four species of anomuran crabs in the Bodega Bay area #2045
- 1980 A comparative study of rock face fauna in selected areas on Bodega Head #2046
- 1980 The movements of the black chiton, KATHARINA TUNICATA # 2047
- 1980 A comparative study of the faunal composition of the roots of ZOSTERA MARINA # 2048
- 1980 Feeding patterns of LEPTASTERIAS HEXACTIS and LEPTASTERIAS AEQUALIS (Forcipulata: Asteriidae) # 2049

- 1980 The distribution and feeding of two small sea stars, LEPTASTERIAS HEXACTIS (Stimpson, 1862) and HENRICIA LEVIUSCULA (Stimpson, 1857), in the low intertidal zone of the Bodega Bay area, Sonoma County, California # 2050
- 1980 Color morphology and color change in HIPPOLYTE CALIFORNIENSIS # 2051
- 1980 A comparison of digestive tracts in brachyuran crabs of different diet; CANCER ANTENNARIUS (Cancridae) a carnivore, PUGETTIA PRODUCTA (Majidae) a herbivore, and PACHYGRAPSUS CRASSIPES (Grapsidae) a general feeder # 2052
- 1980 Faunal zonation of a large, isolated rock on Doran Beach # 2053
- 1980 An analysis of the macro-infauna associated with POLLICIPES POLYMERUS (Cirripedia) and MYTILUS CALIFORNIANUS (Bivalvia) # 2054
- 1980 A comparative study of the movements of COLLISELLA LIMATULA (Carpenter, 1864) and NOTOACMEA PERSONA (Rathke, 1833) in the boulder rip rap of Bodega Harbor. # 2055
- 1980 $\,$ The study of the fauna in the sediment near boulders and of the fauna a distance away from boulders $\#\,2056$
- 1980 Preferential selection of particles in three species of terebellid polychaetes # 2057
- 1980 $\,$ The community structure, tube formation, and feeding behavior of CHONE MINUTA (Polychaeta: Sabellidae) $\,$ $\#\,2058$
- 1980 Distribution and osmotic tolerance of the shrimp CRANGON NIGRICAUDA and CRANGON STYLIROSTRIS of the Bodega Harbor and Bay $\,\#\,2059$
- 1980 A survey of pycnogonids in the Bodega Bay region # 2060
- 1980 The distribution of polyclad flatworms in the Bodega Bay vicinity and observations on egg morphology #2061
- 1980 The distribution of RICTAXIS PUNCTOCAELATUS (Gastropoda, Opisthobranchia) in Bodega Harbor flat, with a note on feeding and development. # 2062
- 1980 Macro-infauna of the subtidal sediments in Horseshoe Cove # 2063
- 1980 Age, growth and diet of Tahoe suckers from two streams, a reservoir and a lake #2298
- 1980 Hematological characteristics of some surfperch: Embiotocidae # 2299
- 1980 The food habits of the shiner and white surfperch related to their body size and location in Tomales Bay, California #2300
- 1980 Influence of temperature and body size on shiner surfperch respiratory metabolism #2301
- 1980 Comparative feeding apparatus morphology of CYMATOGASTER AGGREGATA and PHANERODON FURCATUS in relation to food habits and possible competitive superiority in certain habitats #2302

1980	Growth studies on juvenile shiner surfperch CYMATOGASTER AGGREGATA # 2304
1979 MACR	Proposal for yield comparisons of MACROBRACHIUM ROSENBERGII (de Man) vs. ROBRACHIUM TENELLUM #391
1979 392	A determination of heritability for the Anuenue strain of MACROBRACHIUM ROSENBERGII #
1979	The development of technology for a prototype pandalid shrimp hatchery #393
1979 AURE .	Productivity of different stocking densities in MACROBRACHIUM ROSENBERGII/TILAPIA A polyculture # 394
1979 MAC R	Determination of the mechanism of ecdysone incorporation in the developing embryo of COBRACHIUM ROSENBERGII # 395
1979 RUFE S	The essential amino acids for the growth and survival of the larvae of red abalone HALIOTIS SCENS # 396
1979	Time of capacitation in SICYONIA INGENTIS # 397
1979	Aspects of salinity adaptations in MACROBRACHIUM ROSENBERGII (de Man) # 398
1979	Studies of crayfish ecology and culture # 399
1979 closed	Broodstock maintenance and larval rearing of MACROBRACHIUM ROSENBERGII (de Man) in a system. #400
1979	The effects of two green flagellates on the growth and survival of ARTEMIA SALINA (L.) # 401
1979	Axenic growth of ARTEMIA SALINA fed a rice bran diet # 402
1979	A study of photoperiod on the productivity of MOINA cultured axenically in a defined media $$ $\#403$
1979 prawn ,	A qualitative evaluation of the molting hormone, ecdysone, in the adult and embryonic freshwater, MACROBRACHIUM ROSENBERGII (de Man) # 404
1979	Uptake of amino acids by red abalone HALIOTIS RUFESCENS larvae # 405
1979 in the f	Study of the mating behavior of SICYONIA INGENTIS and an examination of the deposited sperm Female # 406
1979	Iron concentrations among different populations in the cysts of ARTEMIA $$ # 407
1979	The culture of ARTEMIA SALINA - (a utilization of Sorgeloos' techniques) # 408
1979 MACR	Effects of algal filtrates and other factors on the feeding rates of the cladoceran, MOINA ACCOPA # 409

Age, growth and fecundity of two surfperches (Embiotocidae) from Tomales Bay, California #

- 1979 The effects of cadmium on the ingestion rates and reproduction of MOINA MACROCOPA #410
- 1979 The differential distribution of LITTORINA SCUTULATA and LITTORINA KEENAE in relation to substrate conditions # 1070
- 1979 $\,$ The distribution and movement of TEGULA FUNEBRALIS in the intertidal region of Bodega Bay, California $\,$ $\#\,1071$
- The role of food in the color change in the marine isopod IDOTEA STENOPS (Benedict, 1898) # 1072
- 1979 Factors affecting the movement and attraction of the commensal limpet, COLLISELLA ASMI, to its host, TEGULA FUNEBRALIS (Mollusca, Gastropoda) # 1073
- 1979 Preferential grazing and distribution of LACUNA MARMORATA on IRIDAEA FLACCIDA # 1074
- 1979 Comparisons among individuals of a clone, and between two clones of ANTHOPLEURA ELEGANTISSIMA (Brandt 1835) near Bodega Bay, California # 1075
- 1979 The effects of diatoms on the growth rates of ZOSTERA MARINA with respect to the grazing activities of PHYLLAPLYSIA TAYLORI (Gastropoda: Opisthobranchia) in Bodega Harbor, Bodega Bay, California # 1076
- 1979 Dietary habits and food preferences of PUGETTIA PRODUCTA from the U.S. Coast Guard Wharf and the south jetty of the Bodega Harbor, Bodega Bay, California # 1077
- 1979 The growth of the bryozoan MEMBRANIPORA MEMBRANACEA on MACROCYSTIS INTEGRIFOLIA # 1078
- 1979 The association between the epizoic diatom LICMOPHORA FLABELATTA and the hydroid OBELIA LONGISSIMA # 1079
- 1979 A study of feeding and homing behavior in the limpet, COLLISELLA SCABRA # 1080
- 1979 $\,$ The distribution of the bryozoan HIPPOTHOA HYALINA on the red alga CONSTANTINEA SIMPLEX $\,$ $\#\,1081$
- 1979 Distribution of CAPRELLA CALIFORNICA on ZOSTERA MARINA in Bodega Harbor # 1082
- 1979 Possible factors determining the zonation of ENDOCLADIA MURICATA # 1083
- 1979 The relationship of the limpet COLLISELLA INSTABILIS (Gastropoda Prosobranchia) and two species of brown algae, LAMINARIA DENTIGERA and PTERYGOPHORA CALIFORNICA # 1084
- 1979 $\,$ Algal preference for decoration in the common kelp crab, PUGETTIA PRODUCTA (Randall, 1839) $\#\,1085$
- 1979 $\,$ The effect of naturally synthesized halogenated compounds on grazing by TEGULA FUNEBRALIS 19-Oct-1997 $\,$ $\#\,1086$

- 1979 The ectoproct ALCYONIDIUM POLYOUM as it affects its host CODIUM FRAGILE # 1087
- 1979 Preference study and effects of different colored substrata, on the pigmentation of the AMPITHOE LACERTOSA Bate, 1958 # 1088
- 1979 Feeding, habitat, and distribution patterns of TYPOSYLLIS FASCIATA (Polychaeta: Syllidae) living on CLADOPHORA COLUMBIANA (Chlorophyta) # 1089
- 1979 $\,$ The behavioral responses of the sea anemones ANTHOPLEURA ELEGANTISSIMA and ANTHOPLEURA XANTHOGRAMMICA from Bodega Bay with regard to light and dark, filtered light, phototaxis, and heat $\,$ $\#\,1090$
- 1979 Development, larval settlement, and population ecology of KATHARINA TUNICATA (Wood, 1815) (Mollusca: Polyplacophora) # 1091
- 1979 Organismal succession within the thallus of HALOSACCION GLANDIFORME # 1092
- 1979 Algae epizoic on the limpet NOTOACMEA SCUTUM # 1093
- 1979 Chemical control of feeding behavior in ANTHOPLEURA XANTHOGRAMMICA # 1094
- $\begin{array}{ll} 1979 & \textbf{The effects of environmental coloration on the chromatophores of sculpins (Pisces: Cottidae)} & \# \\ 1095 & \end{array}$
- 1979 Factors that affect the distribution and grazing behavior of LACUNA MARMORATA on EGREGIA MENZIESII # 1096
- 1979 The specificity of ALDERIA MODESTA on VAUCHERIA sp. # 1156
- 1979 A tidal-inlet facies model for the Santa Margarita Formation (Miocene) of the Santa Cruz Mountains, California. # 1492
- 1979 The lower most Pleistocene marine terrace deposits of the Stump Beach Cove area of Northern California. # 1493
- 1979 An approach to functional analysis: the morphology of six brachyuran crab chelae. # 1494
- 1979 $\,$ Functional morphology : approaches and applications in ecology and paleoecology with reference to Brachyuran crabs $\,$ $\#\,1495$
- 1979 A model and paleoecological interpretation of missing size classes in the family Naticidae (moon shells). $\#\,1496$
- 1979 Late Pliocene marine paleoecology and zoogeography of terebratuloid brachiopods in Northwest-Central California. # 1497
- 1979 Siliceous microfossil stratigraphy and paleoecology of the Purisima diatomite (Lower Pliocene), Santa Cruz, California. # 1498
- 1979 Color patterns in the seastar LEPTASTERIAS # 2018

1979 2019	The distribution of commensals on TEGULA FUNEBRALIS in the tidepools of Bodega Head #
1979 2020	Endogenous tidal rhythm in the purple sea urchin STRONGYLOCENTROTUS PURPURATUS #
1979	Movement of COLLISELLA SCABRA in relation in tidal fluctuations # 2021
1979 OCHR	Defense responses of seven species of intertidal limpets to the predatory starfish PISASTER ACEUS # 2022
1979 Califor	Feeding behavior of DERMASTERIAS IMBRICATA on common sea anemones at Bodega Bay, rnia # 2023
1979	Movement of KATHARINA TUNICATA on exposed low interdial rocky surfaces # 2024
1979 SINCI	A comparison of the holdfast communities of LAMINARIA DENTIGERA and LAMINARIA AIRII # 2025
1979	Feeding differences in large and small PISASTER OCHRACEUS # 2026
1979	Intercolonial and interspecific agressive behavior in ANTHOPLEURA # 2027
1979	Feeding preference of ANTHOPLEURA XANTHOGRAMMICA # 2028
1979	A survey of the motile macrofauna found in MYTILUS CALIFORNIANUS beds # 2029
1979	A survey of TIGRIOPUS CALIFORNICUS distribution at Bodega Bay, California #2030
1979	Analysis and comparison of MACROCYSTIS INTEGRIFOLIA holdfast communities # 2031
1979	Trailing behavior of the gastropod mollusk, OLIVELLA BIPLICATA in Campbell Cove # 2032
1979	Escape responses displayed by asteroids in the presence of SOLASTER DAWSONI # 2033
	A predator-prey relationship: an experimental look at PISASTER OCHRACEUS predation on LUS CALIFORNIANUS # 2034
1979	Some notes on Estero Americano: invertebrate fauna of a stressful estuarine system # 2035
1979 study (A comparative faunal survey of certain tidepools containing the red algae, PRIONITIS sp. and a of the effects of PRIONITIS sp. on grazers and tidepools #2036
1979	The association of copepods with ANTHOPLEURA spp. # 2037
1979	Survey of sea anemone species found at Campbell Cove jetty # 2038
1979 species	The escape responses of TEGULA FUNEBRALIS and TEGULA BRUNNEA to various asteroida and to different-sized PISASTER OCHRACEUS # 2039

1979 A survey of the effects of clam-digging on bivalve distribution in the Bodega Harbor #2040

- 1979 A survey of under-bolder macrofauna in the Schuster's Rock area # 2041
- 1978? HAPLOSCOLOPLOS ELONGATUS # 2222
- 1978 Behavioral and morphological differences in LITTORINA SCUTULATA Gould, 1849, from different habitats #968
- 1978 Numerical analysis of zonation on a sandy beach # 969
- 1978 Predation of the crab CANCER ANTENNARIUS on mussels with and without epizoic barnacles # 970
- 1978 Variations in the infestation of the sandy beach amphipod ORCHESTOIDEA CALIFORNIANA by the mite GAMMARIDACARUS ORCHESTOIDEAE (Acari: Laelaptidae) #971
- 1978 Migration of EMERITA ANALOGA on Doran Beach, California # 972
- 1978 Abundance, movements, and demography of HERMISSENDA CRASSICORNIS (Gastropoda, Nudibranchia) in Bodega Harbor, California. # 973
- 1978 The distribution and abundance of two species of roraminifera in a salt marsh #974
- 1978 Prey switching in the pipefish, SYNGNATHUS LEPTORHYNCUS (Ayres). # 1046
- 1978 Prey preferences of juvenile CALLIOSTOMA during spring, 1978 # 1047
- 1978 The predatory behavior of kelp crabs, PUGETTIA PRODUCTA (Randall, 1839), and its relationship to their distribution on the Coast Guard wharf at Bodega Harbor. # 1048
- 1978 Predation and prey preference of DERMASTERIAS IMBRICATA (Echinodermata; Asteroidea) on sea anemones at Bodega Bay, California. # 1049
- 1978 Synergistic effects of salinity and temperature on the prey behavior of STRONGYLOCENTROTUS PURPURATUS. # 1050
- 1978 Alarmed limpets DIODORA ASPERA (Rathke, 1833) and NOTOACMEA SCUTUM (Rathke, 1833): intraspecific effects. # 1051
- 1978 Prey and size preference of the CANCER ANTENNARIUS Stimpson, 1856 (Crustacea: Decapoda) upon the mussel, MYTILUS CALIFORNIANUS Conrad, 1837 (Mollusca: Bivalve) and the intertidal snail, TEGULA FUNEBRALIS (A. Adams, 1855) (Mollusca: Gastropoda). # 1052
- 1978 Observations on the feeding habits of CERATOSTOMA FOLIATUM at the Doran Jetty, Bodega Harbor, California # 1053
- 1978 Escape response in juvenile HINNITES GIGANTEUS # 1054
- 1978 Feeding biology of NAVANAX INERMIS (Gastropoda: Opisthobranchia) # 1055
- 1978 Diurnal cyclic activity in the phoronid PHORONOPSIS VIRIDIS Hilton, 1930 and its relation to

- predation by HERMISSENDA CRASSICORNIS (Eschscholtz, 1831). # 1056
- 1978 The relationship between nematocysts found in HERMISSENDA CRASSICORNIS (Eschscholtz, 1831) (Gastropoda: Nudibranchia) and those found in its cnidarian prey. # 1057
- 1978 PYCNOPODIA HELIANTHOIDES (Brandt, 1835) (Echinodermata: Asteroidea) and its detection and prey preference for two species of STRONGYLOCENTROTUS (Echinodermata: Echinoidea) # 1058
- 1978 The use of chemoreception by AEOLIDIA PAPILLOSA (Linneaus, 1761) (Mollusca: Nudibranchia) to locate its prey, ANTHOPLEURA ELEGANTISSIMA # 1059
- 1978 $\,$ Feeding habits and intertidal arrangements of juvenile PISASTER OCHRACEUS (Brandt, 1835). $\#\ 1060$
- 1978 The feeding biology of OLIVELLA BIPLICATA (Mollusca: Neogastropoda) # 1061
- 1978 Predation by POLINICES LEWISII (Mollusca: Mesogastropoda) on the bivalves in Bodega Harbor. # 1062
- 1978 Predation biology of OCENEBRA LURIDA (Mollusca: Neogastropoda). # 1063
- 1978 Pedicellariae structure, distribution and function in sea stars # 1064
- 1978 The predatory behavior of NUCELLA EMARGINATA (Mollusca: Neogastropoda). # 1065
- 1978 The speed and direction of the escape response of TEGULA FUNEBRALIS (Adams, 1855) from PISASTER OCHRACEUS (Brandt, 1835). # 1066
- 1978 Prey preferences of two nudibranchs, ARCHIDORIS MONTEREYENSIS (Cooper, 1862) and DORIOPSILLA ALBOPUNCTATA (Cooper, 1863) # 1067
- 1978 Feeding habits of the black oystercatcher (HAEMATOPUS BACHMANI) # 1068
- 1978 Directed movement of covering materials in STRONGYLOCENTROTUS PURPURATUS (Stimpson, 1857) (Echinodermata: Echinoidea). # 1069
- 1978 Morphometric analysis of THAIS LAMELLOSA and its environmental implications when correlating fossil communities. # 1476
- 1978 Sedimentary structure and paleoenvironment of the Paleocene Locatelli Formation, Santa Cruz County, California. # 1477
- 1978 The morphology, paleo-environment and speculations on the ecology of a fossil asteroid from the Purisima Formation, Ano Nuevo, California. #1478
- 1978 Grain size and burrowing animals. # 1479
- 1978 Biogenic structures as related to zonation and grain size. # 1480
- 1978 Lithofacies and ichnofacies interpretation of turbidite deposits. # 1481

1978 Picnic at the Purisima: trophic analysis of a marine paleo-community. # 1482 1978 Trophic relationship of some benthic and planktonic organisms in the lower mudflat of Bodega Harbor, Bodega Bay, California. # 1483 1978 Life and death on Doran Beach. # 1484 1978 Faunal succession in the Purisima Formation of Capitola Beach, Santa Cruz County, California. # 1485 1978 The functional significance of divergence in claw morphology in three species of CANCER (Crustacea, Brachyura) with paleoecological applications. # 1486 1978 A paleoecological study through trophic analysis of the Merced Formation, Sonoma County. # 1487 Rates of skeletal growth in MACOMA NASUTA with applications to paleoenvironmental analysis. 1978 # 1488 1978 The interpretation of size-frequency distributions of three gastropod genera: recent and fossil. 1489 1978 A density study of Foraminifera on the SALICORNIA DISTYCLUS marsh, Bodega Harbor, California. # 1490 1978 Surface traces of a present-day sandflat # 1491 1978 PORPHYRA (The gem of the ocean) # 1606 Physical factors influencing species diversity in high intertidal pools # 1607 1978 1978 Distribution of species in an area protected from waves vs. distribution in an unprotected area # 1608 1978 **ODONTHALIA vs RHODOMELA** # 1609 Differentiation of cell walls in ENTEROMORPHA LINZA (L.) Ag. and ENTEROMORPHA INTESTINALIS (L.) Link, by staining # 1610 1978 Physical and biotic factors of tidepools # 1998 1978 Homing behavior in the Chitons KATHARINA TUNICATA and NUTTALLINA CALIFORNICA # 1999 Biology of two coexisting species of hermit crabs: PAGURUS HIRSUTIUSCULUS and PAGURUS **SAMUELIS** # 2000 1978 Behavioral food preference in the brachyuran crab, PUGETTIA PRODUCTA #2001 1978 Molting in the crab HEMIGRAPSUS OREGONENSIS with special reference to water uptake prior

to molting # 2002

1978 Movement and distribution of STRONGYLOCENTROTUS PURPURATUS # 2003 1978 Foraging behavior and food preference in HERMISSENDA CRASSICORNIS 1978 Intertidal level and size variation in NUCELLA EMARGINATA # 2005 1978 Responses to light in the polychaete CHONE MINUTA with an emphasis on the pygidial ocelli # 2006 A study of the orientation tendencies of ORCHESTOIDEA CORNICULATA Stout (Amphipoda) on 1978 a sloped surface, and of other related behavioral traits which the animal exhibits #2007 1978 Limb morphology and burrowing behavior in CALLIANASSA CALIFORNIENSIS (Arthropoda: **Anomura**) # 2008 Sound production in HEMIGRAPSUS NUDUS and PACHYGRAPSUS CRASSIPES as found in the "rip rap" area # 2009 Ecology and zonation of exposed MYTILUS CALIFORNIANUS (adaptations to a unique environment), south end, Horseshoe Cove, Bodega Bay, Sonoma County, California 1978 The effect of light, gravity, and tactile stimuli on the Nemertean AMPHIPORUS FORMIDABILIS # 2011 1978 High splash zone gazing patterns in COLLISELLA and LITTORINA # 2012 1978 Colour change and algal substrate selection by the Isopod IDOTEA UROTOMA # 2013 1978 Behavior of PECTINARIA CALIFORNIENSIS: burrowing, feeding, and tube adaptations # 2014 Comparative radular structure in three archeogastropods and notes on feeding behavior in 1978 CALLIOSTOMA LIGATUM # 2015 The biology of POLYCHERIA ANTARCTICA; a burrowing amphipod commensal on compound 1978 # 2016 tunicates 1978 A comparison oI jaw structure and diet for three polynoids, with notes on feeding behavior. #2017 1978 Birds observed at Bodega Bay, October 1978 # 2603 1977 The effects of human predation on abalone population structures # 959 1977 Population structure and dispersion of PHORONOPSIS VIRIDIS HILTON, 1930 # 960

Spatial competition between MACOMA SECTA and PHORONOPSIS VIRIDIS on the Bodega

Food competition between PISASTER OCHRACEUS and EVASTERIAS TROSCHELII #962

1977 Effects of Oman crude oil on the respiration of three species of algae # 963

Harbor mudflat # 961

1977

- 1977 Shell preference in the hermit crab, PAGURUS SAMUELIS, and predation by OCTOPUS DOFLEINI MARTINI # 964
- 1977 The symbiotic association between the polychaete ARCTONOE VITTATTA and its host DERMASTERIAS IMBRICATA (Echinodermata; Asteroidea) # 965
- 1977 Diurnal migrations of TEGULA FUNEBRALIS (A. Adams, 1855): a response to dissolved oxygen concentration #966
- 1977 The effects of clamming on the benthic macrofauna of Bodega Harbor #967
- 1977 $\,\,$ Feeding preference of the sea urchin STRONGYLOCENTROTUS PURPURATUS on fresh algae. $\#\,1013$
- 1977 The pedicellariae of STRONGYLOCENTROTUS PURPURATUS (Echinodermata: Echinoidea). # 1014
- 1977 Variability of gametogenesis and spawning in the common seastar PISASTER OCHRACEUS. # 1015
- 1977 Habitat preference in the purple sea urchin, STRONGYLOCENTROTUS PURPURATUS, in an intertidal area of Bodega Bay, California. # 1016
- 1977 The morphology and function of the globiferous pedicellariae in the sea urchin STRONGYLOCENTROTUS PURPURATUS (Echinodermata: Echinoidea). # 1017
- 1977 $\,$ The escape response of the sea anemone EPIACTIS PROLIFERA to the leather star DERMASTERIAS IMBRICATA. $\,$ $\#\,1018$
- 1977 Population characteristics and feeding behavior of the seastar, HENRICIA LEVIUSCULA, in the vicinity of Bodega Bay, California. #1019
- 1977 Larval development in the purple sea urchin, STRONGYLOCENTROTUS PURPURATUS, and the red sea urchin, STRONGYLOCENTROTUS FRANCISCANUS. # 1020
- 1977 Coelomocyte response to chronic bacterial infection in the commonsea-star PISASTER OCHRACEUS. $\#\,1021$
- 1977 Species of the genus LEPTASTERIAS in the Bodega Bay area, California. # 1022
- 1977 The behavioral response of two PAGURUS spp. toward the seastar PYCNOPODIA HELIANTHOIDES (Brandt). # 1023
- 1977 The effect of temperature, salinity, and zinc chloride on the early development of STRONGYLOCENTROTUS PURPURATUS. # 1024
- 1977 Interactions between PYCNOPODIA HELIANTHOIDES (Echinodermata: Asteroidea) and ten nudibranchs of the central Californian coast. # 1025
- 1977 Avoidance response of the purple sea urchin, STRONGYLOCENTROTUS PURPURATUS, to injured conspecifics. $\#\,1026$

- 1977 Diet and its effect on vitellogenesis in PATIRIA MINIATA (Brandt, 1835). # 1027
- 1977 The avoldance response of NASSARIUS FOSSATUS to predatory asteroids. # 1028
- 1977 The responses of STRONGYLOCENTROTUS PURPURATUS to predatory asteroids. # 1029
- 1977 $\,$ The avoidance response exhibited by the marine snail TEGULA FUNEBRALIS to predatory asteroids. $\,\#\,1030$
- 1977 The effects of light intensity on the covering response of the purple sea urchin STRONGYLOCENTROTUS PURPURATUS (Stimpson). # 1031
- 1977 Variations in densities, size distributions, and growth of three intertidal populations of STRONGYLOCENTROTUS PURPURATUS (Stimpson) in relation to differences in intertidal height, temperature, and food availability. $\#\,1033$
- 1977 Size limited predation of PISASTER OCHRACEUS upon MYTILUS CALIFORNIANUS. # 1034
- 1977 The population structure of PISASTER OCHRACEUS (Brandt) at five locations in the Bodega Bay area. # 1035
- 1977 The effects of two algal diets on the presence of intestinal bacteria in STRONGYLOCENTROTUS PURPURATUS. $\#\,1036$
- 1977 Resource partitioning by two coexisting species of intertidal sea stars. # 1037
- 1977 Sensory specialization in the terminal tube feet of the asteroid PATIRIA MINIATA. # 1038
- 1977 The role of chemical gradients in the attraction of OPHIODROMUS PUGETTENSIS (Annelida; Polychaeta) to its host PATIRIA MINIATA (Echinodermata; Asteroidea). # 1039
- 1977 Two new acephaline gregarines from the sea-cucumber CUCUMARIA MINIATA. # 1040
- ${\bf 1977} \quad {\bf Electrophoretic \ variation \ of \ isozymes \ in \ the \ sea \ cucumber \ CUCUMARIA \ PSEUDOCURATA} \quad \# \\ 1041$
- 1977 Arm dominance behavior in the asteroids PISASTER OCHRACEUS and PYCNOPODIA HELIANTHOIDES # 1042
- 1977 A comparison of the community size, structure, and diurnal ebb tide behavior of the asteroid, PISASTER OCHRACEUS (Brandt, 1835) on isolated rocks # 1043
- 1977 $\,$ The symbiotic association between the polychaete ARCTONOE VITTATA and its asteroid host DERMASTERIAS IMBRICATA $\,$ $\#\,1044$
- 1977 **Unknown** # 1045

1977	Foraminiferal transport in Horseshoe Cove # 1472
1977 Forma	A traophic group analysis of the late Pliocene bivalve-gastropod assemblage within the Merced tion # 1473
1977	Trace fossils of the German Rancho Formation, Salt Point State Park # 1474
1977	Sediments and capping shell deposit at Windmill Cove, Bodega Head # 1475
	Observations of the reproductive morphology of the red algal species ENDOCLADIA MURICATA & Rupr.) J. Ag. (Endocladiaceae, Cryptonemiales) and NEOAGARDHIELLA BAILEYI (Kutz.) & Tayl. (Solieriaceae, Gigartinales) # 1590
1977	A quantitative study of the marine algae on artificial substrates # 1591
1977	The effects of grazing by herbivorous invertebrates on EGREGIA MENZIESII # 1592
1977	Settling plate studies of Horseshoe Cove # 1593
1977	The effect of seaweed extracts on germination and growth of bean seeds # 1594
1977	Diurnal mitosis in three species of red algae from the family Rhodomelaceae # 1595
1977 TUBEI	Calcium-magnesium ratios and the determination of growth rate in CALLIARTHRON RCULOSUM # 1596
1977 1597	A survey of the endozoic and epizoic algae occurring on selected high intertidal invertebrates #
1977 CALL	Culture studies of spore and germling development on LAURENCIA SPECTABILIS and OPHYLLIS VIOLACEA # 1598
1977	Algal productivity of the Salmon Creek estuary # 1599
1977	Phenol concentrations in phaeophyta and their effects on grazing # 1600
	Observations on post-fertilization development in GLOIOPELTIS FURCATA J. Agardh onemiales, Endocladiaceae) and LAURENCIA SPECTABILIS Postels and Ruprecht (Ceramiales, melaceae) # 1601
1977 # 1602	Scuba diving studies of the distribution and abundance of benthic marine plants in Horseshoe Cove
1977	Crude oil effects on some algae # 1603
1977	The epizoic and endozoic algae associated with tunic of ASCIDIA CERATODES # 1604
1977 XANT	Culture and light microscopy studies of the symbiotic algae in the anemones ANTHOPLEURA HOGRAMMICA and ANTHOPLEURA ELEGANTISSIMA # 1605

1977 Relative abundance of dead mussels in variable energy environments # 1471

1977 CALIF	A study of respiration rates vs oxygen concentrations in NEPHTYS CAECOIDES and NEPHTYS CORNIENSIS # 1980
1977	Phototaxis in two anthopleuran anemones # 1981
1977 # 1982	A study of agonistic behavior in HERMISSENDA CRASSICORNIS (Gastropoda: Nudibranchia)
1977	Identification of Bodega Bay bivalves by their burrowing characteristics # 1983
1977	A population of the sea anemone HALIPLANELLA LUCIAE in Bodega Harbor # 1984
1977 the exp	Distribution and shell occupancy of PAGURUS HIRSUTIUSCULUS and PAGURUS SAMUELIS on losed rocky coast # 1985
1977	Color changes and color morphology in HEPTACARPUS PALUDICOLA # 1986
1977	Investigation of polymorphism in HYDRACTINIA (Hydrozoa: Cnidaria) # 1987
1977	Physical factors effecting distribution of EMERITA ANALOGA on a sandy beach # 1988
1977 feature	CALLIANASSA CALIFORNIENSIS (Crustacea: Thalassinidea) chloride relations and certain es of its natural history # 1989
1977	Zonation of sea anemones found on the south (outer) jetty of Bodega Bay, California # 1990
1977	Clumping behavior in the limpet COLLISELLA DIGITALIS # 1991
1977 of TEC	Tolerance levels and behavioral responses pertaining to distribution patterns - a comparative study GULA FUNEBRALIS and TEGULA BRUNNEA # 1992
1977	A comparative study of the faunal zonation of a cave and its exposed surroundings # 1993
1977	The macroscopic root fauna of PHYLLOSPADIX SCOULERI from two habitats # 1994
1977	The hydroids of the Schuster's Rocks area: a general study # 1995
1977 CALIF	Thixotropy and dilatancy in the burrowing behavior of NEPHTYS CAECOIDES and NEPHTYS CORNIENSIS # 1996
	The influence of substrate upon the importance of tentacular regeneration in the terebellid aete EUPOLYMNIA CRESCENTIS with reference to another terebellid polychaete MPHITRITE ROBUSTA in regard to its respiratory response #832
1976 substra	Effects of temperature and other factors on the distribution of LUMBRINERIS ZONATA in the atum (Annelida: polychaeta) #833

Reproduction in EXOGONE LOUREI, a syilid from the Bodega Harbor mudflats #834

Chloride preferences of NEREIS LIMNICOLA in the brackish-water environment of Cambell's

1976

1976

- Cove, California #835
- 1976 Some general morphological observations on PHRAGMATOPOMA CALIFORNICA with special emphasis on the blood system $\#\,836$
- 1976 Patterns and characteristics of PINNIXA LONGIPES (Lockington, 1877) (Brachyura, Pinnotheridae) infestation with AXIOTHELLA RUBROCINCTA (Johnson, 1901) (Polychaeta, Maldanidae) #837
- 1976-A study of operculum regenration and tube repair in SERPULA VERMICULARIS and five genera of the subfamily Spirorbinae $\#\,838$
- 1976 Observations of the keyhole limpet DIODORA ASPERA and its commensal polychaete ARCTONOE VITTATA in the presence of sea stars #839
- An ecological survey of operculum- and tube-incubating spirorbids (Annelida, Spirorbidae) with a fecundity study of a species of LEODORA in relation to physical factors #840
- ${\color{red} \textbf{1976}} \quad \textbf{Host specificity and conditioning in the symbiotic polynoid polychaete ARCTONOE\ VITTATA} \quad \# \\$
- 1976 Comparative studies of respiration patterns of CIRRIFORMIA LUXURIOSA (Moore, 1904) and CIRRIFORMIA SPIRABRANCHA (Moore, 1904) (Polychaeta, Cirratulidae) in response to oxygen depletion #842
- 1976 Anatomical and behavioral aspects of the burrowing and feeding of MAGELONA PITELKAI Hartman, 1944 # 843
- 1976 Some aspects of habituation in the sabellid polychaete EUDISTYLIA VANCOUVERI (Kinberg, 1867) # 844
- 1976 The effects of a fresh water inflow on the faunal zonation of Campbell Cove, Bodega Bay, California # 845
- 1976 Feeding preference and behavior in the polychaete LUMBRINERIS ZONATA #846
- 1976 Anatomy of the blood vascular system of EUPOLYMNIA CRESCENTIS (Polychaeta, Terebellidae) # 847
- 1976 Clearance rates in the sabellid polychaete, EUDISTYLIA VANCOUVERI (Kinberg, 1867) #848
- $1976 \qquad \textbf{The use of Steedman's polyester wax as an embedding medium for teaching standard microtechnique} \ \# \ 849$
- 1976 The tubes of CHONE ECAUDATA (Polychaeta: Sabellidae) and PECTINARIA CALIFORNIENSIS (Polychaeta: Pectinariidae) # 850
- 1976 Predation on mudflat invertebrates by marbled godwit (LIMOSA FEDOA) #851
- 1976 A study of aggressive behavior in the nereid polychaetes NEREIS LIMNICOLA and NEREIS VEXILLOSA #~852

- Reproduction, larval development, tube morphology, and a survey of the invertebrates living in close association with CHONE ECAUDATA (Polychaeta, Sabellidae) found in the vicinity of Bodega Bay, California #853
- 1976 A qualitative study of the food of the sabellariid polychaete PHRAGMATOPOMA CALIFORNICA $\#\,854$
- 1976 Sensitization in the sabellid polychaete, EUDISTYLIA VANCOUVERI #855
- 1976 The sex ratio and distribution of HESPERONOE ADVENTOR, Skogsberg (Polychaeta: Polynoidae) in the burrows of the echiuroid, URECHIS CAUPO, at Bodega Bay, California #856
- 1976 The settling behavior of a spirobid, DEXIOSPIRA SPIRILLUM (Polychaeta: Spirorbidae) #857
- 1976 Investigations into the two current patterns of PECTINARIA CALIFORNIENSIS #858
- 1976 Observations on the morphology of the brood pouches in STREBLOSPIO BENEDICTI Webster (Polychaeta: Spionidae) $\#\,859$
- 1976 Dietary behavior and chemical sense of NEREIS VEXILLOSA and PLATYNEREIS BICANALICULATA #860
- 1976 Homing behavior in four species of limpets at Bodega Bay # 946
- 1976 The association between CAPRELLA BREVIROSTRIS (Amphipoda) and OBELIA DICHOTOMA (Hydroida) at Mason's Marina, Bodega Bay, California #947
- 1976 Algal diversity on rocks of varying height in the mid-intertidal zone at Shell Beach, Sonoma Co., California #948
- 1976 Some factors controlling the vertical zonation of the blue-green alga, CALOTHRIX sp. on the south point of Horseshoe Cove #949
- 1976 Consideration of food as the upper limiting factor in BALANUS GLANDULA (Crustacea, Cirripedia) with notes on feeding behavior #950
- 1976 The aggregation behavior of ANTHOPLEURA ELEGANTISSIMA relative to color and distribution on the jetty at Bodega Bay, California $\,\,\#\,951$
- 1976 Adaptations for zonation of STRONGYLOCENTROTUS FRANCISCANUS and STRONGYLOCENTROTUS PURPURATUS (Echinodermata; Echinoidea) # 952
- 1976 The effect of transporting rocks from the lower mid-intertidal, 2.5 feet above datum to 1 foot below datum #953
- 1976 Vertical surface preference in ACMAEA DIGITALIS at Horseshoe Cove #954
- 1976 A reproductive potential study of MYTILUS CALIFORNIANUS on Doran Beach, California # 955
- 1976 Mechanisms for matching substrate color in IDOTEA (Idotea) UROTOMA #956

- 1976 Some notes on the biology of OEDOPARENA GLAUCA (Diptera, Dryomyzidae) at Mussel Point, Bodega Bay $\#\,957$
- 1976 A study of the effects of transplanting POLLICIPES POLYMERUS from their natural habitat to areas of decreased wave action in Bodega Harbor and Horseshoe Cove 19-Nov-1997 # 958
- 1976 Differential sorting as a function of the energy gradient on Doran Beach # 1457
- 1976 Post-mortem transportation of shells in Horseshoe Cove, Bodega Bay # 1458
- 1976 Foraminifera in the bioturbated layers of the Purisima formation, at Capitola Beach, Santa Cruz County, CA # 1459
- 1976 $\,$ Aspects in the former biological environment of the Merced Formation, Sonoma County, California $\#\ 1460$
- 1976 Hydrogen ion concentration and oxidation-reduction potential of the Bodega mudflats substrate # 1461
- 1976 Methods of shell transport and patterns of deposition of MACOMA shells on the mudflats of Bodega Harbor #~1462
- 1976 Chemical and physical weathering in selected species of corallinaceae: BESSIELLA CHILOENSIS, CALLIARTHRON TUBERCULOSUM, CORALLINA VANCOUVERENSIS, POLYPERELITHON RECLINATUM, Bodega Bay, California # 1463
- 1976 Paleocological significance of the Dendrasteridea Lambert (Echinodermata: Echinoidea) # 1464
- 1976 Escape structures formed by CLINOCARDIUM NUTTALLII, MACOMA SECTA, TRESUS NUTTALLI, and NASSARIUS FOSSATUS following anastrophic burial Bodega Bay, California # 1465
- 1976 The significance of foraminiferal occurence in the stratigraphic layers of the Purisima Formation at Capitola Beach, California # 1466
- 1976 Fossil diatoms of the Purisma Formation # 1467
- 1976 Comparison of MITRELLA populations in the Purisma, Horseshoe Cove drift, and a living Horseshoe Cove sample $\,\#\,1468$
- 1976 Interpretation of size frequency data of a MITRELLA species from a storm deposit in the Purisima (Pliocene) Formation of Capitola Beach, California # 1469
- 1976-A comparison of shell variation and environmental factors of the marine gastropod NUCELLA EMARGINATA ~#~1470
- 1976 Determination of the depositional environment based upon foraminiferal content of the Purisima formation at Capitola Beach, Santa Cruz County, California # 1510
- 1976 The effects of desiccation on the zonation of some species of intertidal algae # 1576
- 1976 An examination of the fluid contents of HALOSACCION GLANDIFORME (Gmelin) Ruprecht #

- 1976 Algal epiphytes on PHYLLOSPADIX: observations and brief survey of the Bodega and Monterey areas # 1578
- 1976 Copepods and other symbionts living within the bladder-like thalli of HALOSACCION GLANDIFORME # 1579
- 1976 Survey of invertebrate and algae populations at Mason's Marina, Bodega Harbor #1580
- 1976 $\,$ Validity of the classification system of IRIDAEA FLACCIDA, IRIDAEA SPLENDENS, and IRIDAEA HETEROCARPA $\,$ # 1581
- 1976 Microenvironment and flora of tidepools on Bodega Head # 1582
- 1976 Resistance to desiccation during emersion by some understory red algae # 1583
- 1976 The nutrient requirements of SPIRULINA GEITLERI J. De Toni in natural seawater #1584
- 1976 Photosynthetic efficiency as a thermosensitive function: a manometric thermogradient analysis of several small intertidal algae # 1585
- 1976 Chemotaxonomy of ODONTHALIA FLOCCOSA and RHODOMELA LARIX # 1586
- 1976 Algal composition of a site on the south jetty of Bodega Harbor #1587
- 1976 A search for antibiotics in some common marine red algae # 1588
- 1976 Ecology and reproduction of CALLITHAMNION PIKEANUM Harvey in relation to environment on the coast of California $\,\#\,1589$
- 1976 Cellulose determination in POSTELSIA PALMAEFORMIS Ruprecht #1611
- 1976 Effects of salinity variation on egg-carrying females of TIGRIOPUS CALIFORNICUS # 1956
- 1976 Tube building behavior and general observations of the polychaete worm, DIOPATRA ORNATA Moore, 1911 # 1957
- 1976 Correlations of food habits with feeding and digestive morphologies in four opisthobranch species $\#\,1958$
- 1976 A comparison of diversity between phoronid-free and phoronid-dense areas # 1959
- 1976 The effect of endosymbiotic algae on the respiration of its host ANTHOPLEURA XANTHOGRAMMICA # 1960
- 1976 The distribution of CARCINONEMERTES infestation of HEMIGRAPSUS OREGONENSIS within Campbell Cove and Bodega Harbor $\,\#\,1961$
- 1976 The effects of water currents of varying velocities and directions on the cirral activity of CHTHAMALUS DALLI, BALANUS GLANDULA, BALANUS CRENATUS and POLLICIPES

POLYMERUS # 1962

- 1976 The development of ONCHIDELLA BOREALIS, Dall 1871: blastula to juvenile # 1963
- 1976 Burrowing behavior of the beach hopper ORCHESTOIDEA CALIFORNIANA, at Salmon Creek beach # 1964
- 1976 Factors affecting the daily migration of TEGULA FUNEBRALIS # 1965
- 1976 Sun and slope orientation in the high beach isopod, ALLONISCUS PERCONVEXUS # 1966
- 1976 Survey of the epifauna present on wharf pilings in Bodega Harbor to determine whether subtidal zonation is apparent # 1967
- 1976 A study of specimens of ANTHOPLEURA ELEGANTISSIMA found living above and below the sand level at Mussel Head and Doran Beach rocks # 1968
- 1976 Halacaridae and other intertidal mites of the Bodega area # 1969
- 1976 A brief study of sex ratios of three species of the hermit crabs; PAGURUS HIRSUTIUSCULUS, PAGURUS SAMUELIS and PAGURUS GRANOSIMANUS # 1970
- 1976 Observations of the feeding biology of CAPRELLA EQUILIBRA Say, 1818 (Crustacea, Amphipoda) from Bodega Bay, California # 1971
- 1976 Feeding structures and diet in PUGETTIA PRODUCTA and two species of CANCER #1972
- 1976 Aesthete structure and behavioral responses due to light in TONICELLA LINEATA (Wood, 1815) and CYANOPLAX DENTIENS (Gould, 1846) # 1973
- 1976 Two factors affecting the distribution of MACOMA spp. of the Bodega Harbor mudflats #1974
- 1976 The interaction between ANTHOPLEURA ELEGANTISSIMA and PISASTER OCHRACEUS from Bodega Bay jetties #~1975
- 1976 The infauna of a MYTILUS CALIFORNIANUS bed and its surrounding areas # 1976
- 1976 The effect of light on the covering activity of STRONGYLOCENTROTUS PURPURATUS # 1977
- 1976 Tube building and sand grain size selectivity in the terebellid polychaete, NEOAMPHITRITE ROBUSTA (Johnson, 1901) # 1978
- 1976 Functional morphology of pedal locomotion in some prosobranch gastropods #1979
- 1975 Distribution of two salt marsh plants, DISTICHLIS SPICATA and SPARTINA FOLIOSA, in Bodega Harbor, California #799
- 1975 Behavior influencing host-specificity in commensal scaleworms of the genus HESPERONOE (Annelida: Polychaeta) # 800
- 1975 Byssal thread characteristics and placement behaviors in MYTILUS CALIFORNIANUS and

- MYTILUS EDULIS (Bivalvia: Mytilidae) #801
- 1975 Feeding behavior in BALANUS GLANDULA and BALANUS CRENATUS #802
- 1975 Nitrifying and denitrifying bacteria vs. oxygen concentration in intertidal pools at Bodega Bay, California #803
- 1975 A comparative study of disiccation of small and large barnacles, BALANUS GLANDULA (Darwin, 1954) # 804
- 1975 $\,$ Intertidal zonation and distribution of sea anemone, genus ANTHOPLEURA at Bodega Bay, California $\,$ $\#\,805$
- 1975 TIGRIOPUS CALIFORNICUS (Crustacea: Copepoda): some physical factors that influence egg clutch size and development $\#\,806$
- 1975 Habitat selection: settling behavior of the cyprid larvae of BALANUS GLANDULA and BALANUS CRENATUS (Arthropoda: Cirripedia) # 807
- 1975 The zonation of tidepools and their responses to added nutrients #808
- 1975 A quantitative survey of the meiofauna on Doran Beach, Bodega Bay, California #809
- 1975 Intertidal distribution of PISASTER OCHRACEUS (Echinodermata: asteroidea at Doran Beach, Sonoma County #810
- 1975 Ultraviolet light -- an environmental factor in the zonation of bacteria in the intertidal #811
- 1975 $\,$ The effect of bacterial colonization in promoting cyprid larval settlement of barnacles in Bodega Harbor $\,$ $\#\,812$
- 1975 Factors affecting the distrubution of the marine isopod IDOTEA MONTEREYENSIS #813
- 1975 Larval settling behavior of two barnacles, BALANUS GLANDULA Darwin and BALANUS CRENATUS #814
- 1975 DDT residues and polychlorinated biphenyls in the mussel, MYTILUS CALIFORNIANUS, from Royal Palms, California #815
- 1975 Feeding behavior in MACOMA ACOLASTA and three of its congeners (Bivalvia: Tellinacea) # 816
- 1975 Feeding behavior and distribution of AMPHIODIA OCCIDENTALIS and AMPHIPHOLIS SQUAMATA (Echinodermata: Ophiuroidea) on the Bodega Harbor North Jetty #817
- 1975 A survey of Tanaidecea (Crustacea) in the mudflat at Bodega Bay with an account of its sex ratio $\ \#$ 818
- 1975 Behavioral factors influencing the distribution of the arrow goby CLEVELANDIA IOS (Jordan and GIlbert, 1882) on the Bodega Bay mudflat $\#\,819$

- 1975 Variation in the amount of fat stored in the sea anemone, ANTHOPLEURA ELEGANTISSIMA # 820
- 1975 Comparison of the structure and functional anatomy in the genus MOPALIA (Grey, 1847) (Mollusca: Polyplacophora) #821
- 1975 Beetles on sandy beaches: zonation and niche differentation #822
- 1975 Prey responses to the predatory seastar PYCNOPODIA HELIANTHOIDES (Brandt, 1835) #823
- 1975 Chemotaxis and rheotaxis in the silver and white surfperch (Pisces: Embiotocidae) # 824
- 1975 Predatory behavior of NUCELLA (=THAIS) EMARGINATA: experiments on prey preference with respect to prey distribution #825
- 1975 LEPTOCHELIA DUBIA (Crustacea: Tanaidacea): the effect of sediment composition on its distribution in a sandflat #826
- 1975 The effects of bubbles on the distribution of phytoplankton and the penetration of light in the intertidal #827
- Some behavioral factors influencing the distribution of three species of intertidal hermit crabs at Bodega Bay, CA # 828
- 1975 Substrate selection and morphological development of LEODORA ABNORMIS Bush (Polychaeta: Spirorbidae) # 829
- 1975 $\,$ The influence of the tidal cycle on phytoplankton and bethic diatom populations in rock pools located in the supralittoral tide zone $\,$ # 830
- 1975 The zonation of polychaetes in Campbell Cove, Bodega Bay along a change in sediment from sand to mud #831
- 1975 Observations on the natural history and morphological variation of NOTOACMEA PALEACEA (Archeogastropoda: Acmaeidae) in Northern California #861
- 1975 Incidence of nematode infection in CYMATOGASTER AGGREGATA # 975
- 1975 An investigation of reflectivity in HYPERPROSOPON ARGENTEUM # 976
- 1975 Reproductive output and density dependent population regulation in TIGRIOPUS CALIFORNICUS # 977
- 1975 Species composition in a polluted environment # 978
- 1975 How PODARKE PUGETTENSIS recognizes it commensal host, PATIRIA MINIATA #979
- 1975 Shell preferences and interspecific competition for shells in the hermit crabs PAGURUS SAMUELIS and PAGURUS HIRSUTIUSCULUS # 980
- 1975 Spatial complexity and species diversity in POSTELSIA holdfasts #981

1975	Recruitment of scavengers to artificial baits on the mudflats of Bodega Habour # 982
1975	Sediment type and distribution of bivalve molluscs in the sandflats # 983
1975	Environmental stability on the open coast and the Harbor # 984
1975	Reproductive tactics in "stable" vs "fluctuating" environments # 985
1975	MYTILUS - FABIA interactions # 986
1975	Solar orientation in three marine gastropods # 987
1975	The affect of spatial diversity on species diversity in the Bodega Harbor mudflats #988
1975	Feeding types in the rocky intertidal # 989
1975	Spatial distribution of URECHIS burrows # 990
1975	Island biogeography of intertidal rocks # 991
1975	Substrate selection in the marine isopod IDOTEA # 992
1975	The vertical zonation of organisms as attributed to wave shock on a selected intertidal rock #993
1975	Observations of the shorebirds in Bodega Harbor # 994
1975	Vertical migration in plankton # 995
1975	The feeding of CYMATOGASTER AGGREGATA and its relation to age structure #996
1975	Amount of space opening in the intertidal from the predation of NUCELLA on BALANUS # 997
1975	Sequential hermaphrodism # 998
1975	Homing behavior in COLLISELLA SCABRA # 999
1975	Functional morphology and the planktonic community # 1000
1975	A mark - recapture study of a tidepool population of hermit crabs # 1001
1975	Substrate preference as shown by marine algae # 1002
1975 1003	Pilot project : study of microhabitats and microzonation of MYTILUS CALIFORNIANUS beds #
1975	Circatidal rhythms in some intertidal gastropods # 1004
1975 SEMI	An investigation into the population size, structure, and vagilities of the leopard shark, TRIAKIS FASCIATA, and the bat rat, MYLIOBATIS CALIFORNICA, in Bodega Harbor # 1005

- 1975 Daily migrations and feeding behavior of shorebirds in Bodega Harbor # 1006
- 1975 The feeding strategy of PATIRIA MINIATA # 1007
- 1975 Influences of tide, light, and endogenous factors on the activity rhythms of the limpet NOTOACMEA SCUTUM 19-Nov-1997 # 1008
- 1975 PHYLLOSPADIX populations in Horseshoe Cove, Bodega Head, California # 1009
- 1975 Interactions among two species of crabs of the genus HEMIGRAPSUS # 1010
- 1975 Feeding behavior of talitrid amphipods on Salmon Creek Beach # 1011
- 1975 Trematode infection in the Bodega Harbor mudflat clam, TRANSENNELLA spp. # 1012
- 1975 Bioerosion and substrate utilization of bivalves on Bodega Harbor sandflats # 1447
- 1975 $\,$ The preservability of the biogenic and inorganic surface structures found on a beach environment $\#\ 1448$
- 1975 Evidence of bioerosional activity in molluscan grazers with a calculated rate of granodioritic erosion by the limpet COLLISELLA DIGITALIS (Eschscholtz) # 1449
- 1975 Shell morphology of ostracods from high energy and low energy environments # 1450
- 1975 Bioerosion of MYTILUS CALIFORNIANUS, the California mussel # 1451
- 1975 The relationship of size and abundance of MACOMA shells to their location on the Bodega Harbor sandflat # 1452
- 1975 Study of the Pliocene "Merced" Formation, Sebastopol region # 1453
- 1975 A summer study of the bioerosional effects of the sea palm POSTELSIA PALMAEFORMIS on the intertidal substrates #1454
- 1975 Paleontology of Spud Point, Bodega Harbor # 1455
- 1975 Epizoic organisms found on collisellid limpets in three environments # 1456
- 1975 The effect of sea water salinity on IRIDAEA FLACCIDA growth # 1563
- 1975 Algal composition and zonation as related to wave action at three sites on Bodega Head # 1564
- 1975 A technique of isolating the fungal symbiont of the marine lichen ARTHROPYRENIA SUBLITORALIS # 1565
- 1975 A study of the floral component of various kelp holdfast communities on the central California coast $\#\ 1566$
- 1975 Antibacterial activity of nine marine macroalgal species on two icthyopathic pseudomonads # 1567

1975	Vertical migration patterns of PLEURASIGMA NORMANII # 1568
1975 1569	Grazing preference studies done with sea urchin, STRONGYLOCENTROTUS PURPURATUS #
1975	Species composition and intertidal zonation of the south jetty of Bodega Bay # 1570
1975 HALS	Effect of monochromatic light on the proportion of photosynthetic pigments in cultured ACCION GLANDIFORME (Gmelin) Ruprecht # 1571
1975	Iridescence in seaweeds: light microscopic morphology and ecology # 1572
1975	A description of the microenvironment within HALOSACCION GLANDIFORME # 1573
1975 # 1574	Testing for the presence of a toxic extracellular product in PHAEODACTYLUM TRICORNUTUM
1975 FLAC	Photosynthetic rates of PORPHYRA PERFORATA, IRIDAEA SPLENDENS, and IRIDAEA CIDA when subjected to varying salinities, temperatures and degrees of dehydration # 1575
1975	Pagurization of OLIVELLA BIPLICATA # 1929
1975 three s	Comparative ecology of PETROLISTHES CINCTIPES and PETROLISTHES ERIOMERUS at ites at Bodega Bay # 1930
1975	Color morphology of CANCER PRODUCTUS # 1931
1975	Spatial distribution of PENITELLA CONRADI on HALIOTIS RUFESCENS # 1932
	Intertidal height as a function of infestation of MYTILUS CALIFORNIANUS by FABIA UADRATA, and an examination of the molt cycle of FABIA SUBQUADRATA in the Bodega Bay , California # 1933
1975 nuclea	Entocommensal ciliates of STRONGYLOCENTROTUS PURPURATUS: host transmission, r reorganization, and species diversity with increased host size # 1934
1975	Substrate selection in IDOTEA WOSNESENSKII and IDOTEA STENOPS # 1935
1975 CERA	The effects of phototaxis and geotaxis on habitat selection behavior of larval ASCIDIA TODES # 1936
1975 at Sch	The bryozoa of the under-rock habitat: diversity, competition and distribution from samples taken uster's Rocks, Bodega Bay, CA # 1937
1975	On chemoreception in PYCNOGONUM STEARNSI (Ives, 1892) # 1938
1975 1939	The epifauna of PUGETTIA PRODUCTA: space partitioning Bodega Bay Jetty, California #
1975	The effect of locality on the shell selection of PAGURUS GRANOSIMANUS in the Bodega Bay

region	of California # 1940
1975 1941	A study of the relationship between OPHIODROMUS PUGETTENSIS and PATIRIA MINIATA
1975	Aspects of the distribution of EMERITA ANALOGA # 1942
1975 1943	Variation of color morphs in LITTORINA SCUTULATA, Gould (Gastropoda, Prosobranchia) #
1975 1944	An investigation of reproductive output in field populations of TIGRIOPUS CALIFORNICUS #
1975	The effects of wave action on MYTILUS CALIFORNIANUS # 1945
1975 Bodeg	Population distribution of the sea anemone, CORYNACTIS CALIFORNICA Carlgren, 1936, on the a Harbor jetty # 1946
1975 1947	A survey for homing behavior in the limpets, ACMAEA SCUTUM & ACMAEA PERSONA #
1975	Respiration in the sipunculid PHASCOLOSOMA AGASSIZII # 1948
1975	A study of the distribution of OBELIA sp. on ZOSTERA MARINA in Bodega Harbor # 1949
1975 1950	A survey of larval trematodes in two species of TRANSENNELLA in the Bodega Harbor mudflat
1975	Temperature efffects on sponge reaggregation of four sponge species from Shell Beach # 1951
1975 (Mollu	A survey of the epizoites found on KATHARINA TUNICATA and three species of MOPALIA isca: Polyplacophora) # 1952
1975 1953	A study comparing the major meiofauna in the sandy beaches at Salmon Creek and Doran Beach
1975 PROD	The morphology and systematics of the turbellarian found in the egg mass of PUGETTIA UCTA # 1954
1975	Crowding effects on asexual reproduction in ANTHOPLEURA ELEGANTISSIMA # 1955
1974 GIGA Gardn	Systematics, phenology and zonation of GIGARTINA AGARDHII Setchell and Gardner, RTINA PAPILLATA (C.A. Agardh) J.G. Agardh and PETROCELIS FRANCISCANA Setchell and er #764
1974	Thirteen species of Spirobidae (Polychaeta) from Bodega Head, California #765
1974 protru	The abrasive effects of sand on BALANUS GLANDULA (Darwin, 1854) growing on rocks ding from the sand # 766
1974	Population genetics and intertidal zonation. II. Electrophoretic analysis of genetic variation in

adult MYTILUS CALIFORNIANUS # 767

- 1974 Antibacterial action of selected marine intertidal algae on 13 well characterized species of marine bacteria # 768
- 1974 The importance of size on the intertidal distribution of LITTORINA SCUTULATA (Gastropoda: Prosobranchiata) # 769
- 1974 The effects of grazing by the chiton KATHARINA TUNICATA (Nood 1815) on intertidal algae # 770
- 1974 The effects of wave action and availability of drift materials on the covering response of the sea urchin STRONGYLOCENTROTUS PURPURATUS (Stimpson) # 771
- 1974 Barnacles and intertidal zonation: a comparative study of cirral activity, shadow reflex, and stomach contents #772
- 1974 Salt spray and species distributions in the coastal grassland of Bodega Head #773
- 1974 Population genetics and intertidal zonation. I. Electrophoretic analysis of genetic variation in juvenile MYTILUS CALIFORNIANUS #774
- 1974 Gene enzyme variation in COLLISELLA DIGITALIS # 775
- 1974 Settlement patterns of barnacle spat #776
- 1974 The attachment of gravel and shell particles to the sea anemone ANTHOPLEURA ELEGANTISSIMA, and their effect on its habitat distribution (Cnidaria: Anthozoa) #777
- 1974 Sex ratio as a function of habitat in PETROLISTHES CINCTIPES Randall, 1939 #778
- 1974 Succession and zonation of marine adhesive bacteria and the possible effects of wave action #779
- 1974 Pigment composition and adaptation in the red alga, IRIDAEA # 780
- 1974 The homing ability and distribution patterns in three common intertidal cottid fishes on Bodega Head, California #781
- 1974 A preliminary study on the distribution patterns of POSTELSIA PALMAEFORMIS Ruprecht # 782
- 1974 Intertidal Zonation of bacteria from ANTHOPLEURA ELEGANTISSIMA #783
- 1974 An examination of enzyme temperature-activity relationships as factors affecting intertidal zonation #784
- 1974 $\,$ Electrophoretic and biochemical examinations of GIGARTINA AGARDHII and GIGARTINA PAPILLATA $\,$ $\#\,785$
- 1974 The relation of linear shell measurements and the radula fraction to the environment in limpets (Gastropoda: Docoglossa) # 786

- 1974 Intertidal distribution of TYPOSYLLIS ADAMANTEUS (Annelida, Polychaeta) commensal with COLLISELLA DIGITALIS (Mollusca, Gastropoda) # 787
- 1974 Population dynamics of HERMISSENDA CRASSICORNIS (Eschscholtz, 1931) on the mudflats of Bodega Harbor (Gastropoda, Nudibranchia) #788
- 1974 Diet and distribution of an asteroid PISASTER BREVISPINUS (Stimpson) in Bodega Harbor, California # 789
- 1974 $\,$ Homing behavior in the chitons MOPALIA MUSCOSA Gould 1946 and KATHARINA TUNICATA Wood 1815 $\,$ # 790
- 1974 A tale of two morphs: behavioral and physiological polymorphisms in the variants of COLLISELLA DIGITALIS # 791
- 1974 Variation in polysaccharide content of limpets as a adaptation to the infrequent feeding and exposure in the high intertidal zones #792
- 1974 Filtration rates in relation to the intertidal height distribution of three species of clams: MYA ARENARIA (Linnaeus, 1758), TRESUS NUTTALLII (Conrad, 1837), SAXIDOMUS NUTTALLI (Conrad 1837) # 793
- 1974 Brief observations characterizing the epiphytic bacteria of some intertidal marine algae #794
- 1974 Wave shock effects on community composition in beds of MYTILUS CALIFORNIANUS (Mullusca: bivalvia) $\,\#\,795$
- 1974 Distribution of interstitial sand beach bacteria in the intertidal zone #796
- 1974 Pigmentation in marine intertidal bacteria as a defense mechanism against ultraviolet ratiation # 797
- 1974 The vertical distribution of epiphytic intertidal marine diatoms # 798
- 1974 Prey selection in PLEUROBRACHIA BACHEI A. Agassiz # 935
- 1974 Ecological observations on the distribution and orientation of BALANUS CRENATUS on the carapaces of CANCER ANTENNARIUS and CANCER PRODUCTUS as a method to determine the mechanisms of selection for cyprid settling behavior #936
- 1974 A study of the diversity of the subtidal benthic macrofauna of Bodega Harbor #937
- 1974 Distribution and microhabitat selection of benthic foraminifera in Bodega Harbor #938
- 1974 Heavy metals in the brown alga FUCUS DISTICHUS (Progress Report) #939
- 1974 Food resource partitioning in flatfish # 940
- 1974 The effects of dessiccation on two fucales FUCUS DISTICHUS Hollenberg and PELVETIOPSIS LIMITATA Gardner #941

1974 # 942	Resource partitioning by sea stars on the open coast off Bodega Head August 4 to August 29, 1974
1974 943	The breeding success and brood size of pelagic cormorants, PHALACROCORAX PELAGICUS #
1974 # 944	Prey size range and diversities for size classes of shiner perch, CYMATOGASTER AGGREGATA
1974 PALM	Physical and biotic factors affecting the zonation of the gametophytes of POSTELSIA AEFORMIS # 945
	A study of the association between the closely growing thalli of GIGARTINA AGARDHII (Setchell ardner), GIGARTINA PAPILLATA (C.A. Agardh) J.G. Agardh and PETROCELIS FRANCISCANA ll and Gardner # 1549
1974	A study of the epizoic coralline algae and its occurence in the intertidal $\#1550$
1974 LANC	A study of the dry weight % protein in PORPHYRA PERFORATA (J.G. Agardh), PORPHYRA EOLOTA (Setchell and Hus) G.M. Smith and PORPHYRA NEREOCYSTIS (Anderson) # 1551
1974	An ecological analysis of POSTELSIA PALMAEFORMIS Ruprecht # 1552
1974	Auxins, are they present in algae? # 1553
1974 # 1554	Electron microscope observations on the sporophyles of EGREGIA MENZIESII (Turner) Aeschoug
1974	The bacterial inhibiting ability of fucoidan in FUCUS DISTICHUS # 1555
1974	A study of temperature stress on choanoflagellates # 1556
1974	The effects of temperature and polychlorinated biphenyls on AMPHIDINIUM CARTERI # 1557
1974	A structural study of the lichen ARTHROPYRENIA SUBLITORALIS # 1558
1974 and F U	The effect of dessication on two intertidal fucales: PELVETIOPSIS LIMITATA (Setchell) Gardner UCUS DISTICHUS (De La-Pylaie) Powell # 1559
1974	Analysis of the pigment composition of intertidal alga ODONTHALIA FLOCCOSA (Esper) # 1560
1974	A study of the genus CALLITHAMNION # 1561
1974	The effect of unilateral monochromatic light on the red alga GRIFFITHSIA PACIFICA # 1562
1974	Distribution of sea anemones on the jetty at the entrance to Bodega Harbor # 1902
1974	Food preference in THAIS EMARGINATA (=NUCELLA EMARGINATA) # 1903
1974	Color pattern variation in TONICELLA LINEATA # 1904

- 1974 The daily growth lines in MACOMA SECTA # 1905 1974 Metachromatic patterns in two species of CRANGON as a response to variously coloured substrates # 1906 The hormonal control of somatic pigments in CRANGON NIGRICAUDA # 1907 1974 1974 Food preferences and feeding behavior of PYCNOPODIA HELIANTHOIDES # 1908 1974 Changes in respiration over time in different salinities in PACHYGRAPSUS CRASSIPES # 1909 Orientation and distribution of BALANUS CRENATUS on the carapaces of CANCER **ANTENNARIUS and CANCER PRODUCTUS** # 1910 1974 A study of host preference in the commensal polynoid annelid ARCTONOE PULCHRA #1911 1974 Correlation of mud flat cores (Bodega Bay, California) # 1912 1974 Behavioral interactions of four species of local anemones # 1913 1974 Distribution of MACOMA SECTA and the effects of doubling the population # 1914 1974 Anisometric growth in STRONGYLOCENTROTUS PURPURATUS # 1915 Implied energetics based on variation under IN SITU stress in the marine mussel, MYTILUS CALIFORNIANUS # 1916 1974 Rhythmic activity in the chiton, KATHARINA TUNICATA # 1917 **Salinity tolerance of PETROLISTHES CINCTIPES** # 1918 1974 1974 Tooth array and decay in four species of polyplacophora # 1919 1974 The lateral cilia of the ctenidia of MYTILUS EDULIS: effects of ionic environment on beat frequency # 1920 1974 An investigation of escape mechanisms in five species of ACMAEA # 1921 1974 Observations and study of fauna in three MYTILUS CALIFORNIANUS beds # 1922 Behavioral migration as a determining factor in the intertidal distribution of LITTORINA SCUTULATA (Gastropoda: Prosobranchiata)
- 1974 Variation in shell morphology of TEGULA FUNEBRALIS # 1924
- 1974 A census of PANCOLUS CALIFORNIENSIS on CLADOPHORA TRICHOTOMA and some observations on their nature # 1925
- 1974 Physical and chemical factors affecting the population dynamics of TIGRIOPUS CALIFORNICUS in tidepools adjacent to Horseshoe Cove # 1926

- 1974 Sand grain selectivity in the tube building of AXIOTHELLA RUBROCINCTA and PECTINARIA CALIFORNIENSIS # 1927
- 1974 Variation in THAIS EMARGINATA (=NUCELLA EMARGINATA) # 1997
- 1974 Investigation for homing in the chiton CYANOPLAX DENTIENS # 2372
- 1973 A behavioral study of the relationship between the echiuroid worm URECHIS CAUPO Fisher and MacGinitie and its symbiotes a pinnotherid crab, SCLEROPLAX GRANULATA Rathbun and a polychaete annelid, HESPERONOE ADVENTOR (Skogsberg) #724
- 1973 Distribution and dispersal of CREPIDULA ADUNCA (Mollusca: Gastropoda) #725
- 1973 Survey of epibiota on the valves of MYTILUS CALIFORNIANUS Conrad, 1837 (Mollusca: Bivalvia) at Bodega Head, Bodega Bay, California #726
- 1973 On the relationship between CRYPTOCHITON STELLERI (Middendorf, 1846) (Mollusca: Amphineura) and ARCTONOE VITTATA (Grube, 1855) (Annelida: Polychaeta) # 727
- 1973 The specificity of the limpet, COLLISELLA ASMI, for its host, TEGULA FUNEBRALIS (Castropoda: Molluscs) #728
- 1973 On the distribution and host specificity of the amphipod ALLOGAUSSIA RECONDITA Stasek, a commensal in the sea anemone ANTHOPLEURA ELEGANTISSIMA (Brandt) in Sonoma County, California #729
- 1973 Settlement and early growth of epizoites of two species of MYTILUS #730
- 1973 A survey of the gills of MACOMA NASUTA, MYTILUS CALIFORNIANUS, and ADULA DIEGENSIS (Mollusca: Bivalvia) for members of the class Ciliata (Protozoa) #731
- 1973 A survey of turbellarian infestation in the purple urchin, STRONGYLOCENTROTUS PURPURATUS on the Sonoma County Coast, with specific examination of the biology of the acoel flatworm # 732
- 1973 A study of the enzymatic and digestive activity in MEGATEBENNUS BIMACULATA (Dall, 1871) (Gastropoda: Fissurellidae) #733
- 1973 A study of the distribution of the Clionidae (boring sponges) at several locations on the central California coast $\#\,734$
- 1973 $\,$ The behavior of the hesionid polychaete OPHIODROMUS PUGETTENSIS toward the batstar PATIRIA MINIATA $\,$ # 735
- 1973 The description and biology of an undescribed harpacticoid copepod (Family Laophontidae) associated with the holothurian CUCUMARIA PSEUDOCURATA # 736
- 1973 The purple sea urchin STRONGYLOCENTROTUS PURPURATUS (Stimpson) as host to a purple morph of the gammarid amphipod EURYSTHEUS THOMPSONI (Walker) in the region of Bodega Head $\#\,737$

- 1973 The relationship between an amphipod CAPRELLA CALIFORNICA Stimpson and a colonial hydrozoan OBELIA COMMISSURALIS McCrady #738
- 1973 Salinity effects on the ectoparasitic copepod, LEPEOPHTHEIRUS KAREII, found on the starry flounder PLATICHTHYS STELLATUS $\#\,739$
- 1973 On the behavioral interactions of two crabs (PINNIXA LONGIPES and PINNIXA TUBICOLA) with two polychaetes (AXIOTHELLA RUBROCINCTA and EUPOLYMNIA CRESCENTIS) # 740
- 1973 Observations on three species of mites (Acari) associated with species of ORCHESTOIDEA and ORCHESTIA (Crustacea: Amphipoda) on some central California beaches #741
- 1973 Visual aposematic cues exhibited by the nudibranch HERMISSENDA CRASSICORNIS Eschscholtz (Gastropoda: Opisthobranchia) # 742
- 1973 Locomotory behavior and substrate preference of the ACMAEA DIGITALIS (Mollusca: Gastropoda) found on POLLICIPES POLYMERUS (Crustacea: Cirripedia) # 743
- 1973 An investigation into the repugnatory role of nematocysts in the cerata of AEOLIDIA PAPILLOSA and HERMISSENDA CRASSICORNIS (Opistobranchia: Nudibranchia) #744
- 1973 $\,$ The distribution and feeding habits of LACUNA MARMORATA (Mollusca: Gastropoda) on the red algae IRIDAEA SPLENDENS $\,$ # 745
- 1973 Investigation of two morphs of DORIOPSILLA ALBOPUNCTATA (Cooper, 1863) (Mollusca: Gastropoda) from the California coast # 746
- 1973 A survey of the external symbionts of the hermit crabs PAGURUS GRANOSIMANUS, PAGURUS SAMUELIS, and PAGURUS HIRSUTIUSCULUS of the Bodega Bay region of California, with special consideration to the symbiotic snail CREPIDULA ADUNCA #747
- 1973 Observations on the location, orientation, and feeding behavior of ACMAEA INSESSA (Gastropoda) on the alga EGREGIA MENZIESII (Phaeophyta) # 748
- 1973 Adaptive behavior of intertidal gastropods in response to predatory starfish #749
- 1973 A new species of GRAFFILLA (Turbellaria, Bivalvia) found in MACOMA NASUTA (Mollusca, Bivalvia) of the Bodega Harbor mudflats $\#\,750$
- 1973 Analysis of chitin-decomposing bacteria in association with CANCER ANTENNARIUS at Bodega Harbor, California #751
- 1973 A new species of LERNEOPODA (Crustacea: Copepod) ectoparasitic on leopard shark, TRIAKIS SEMIFASCIATUM from Bodega Bay, California #752
- 1973 The effect of wave action and tidal exposure on the distribution of commensals associated with three species of limpets from the Sonoma Coast, California #753
- 1973 The association of two species of hermit crab (Paguridae) with the sea anemone ANTHOPLEURA XANTHOGRAMMICA in central California #754
- 1973 The relationship of ROSTANGA PULCHRA MacFarland and ARCHIDORIS MONTEREYENSIS

- (Cooper) (Mollusca: Gastropoda) to uninjured and injured sponges #755
- 1973 The predatory relationship of HERMISSENDA CRASSICORNIS (Gastropoda: Opisthobranchia) upon several species of anthozoans with notes on their nematocysts #756
- 1973 Symbionts of the abalone shell, HALIOTIS RUFESCENS #757
- 1973 A survey of symbionts of common ascidians of the Bodega Bay area and a further evaluation of the symbiotic relationship between the gammaridean amphipod POLYCHERIA ANTARCTICA (Stebbing, 1875) and its host ascidians #758
- 1973 A survey of the epizoites on hydroids (Cnidaria: Hydroida) of Bodega Bay, California and vicinity # 759
- 1973 A survey of the associates of four species of marine sponges of the Bodega Head and surrounding areas $\#\,760$
- 1973 The relationship between NOTOACMEA PALEACEA (Mollusca: Gastropoda) and the surf grass PHYLLOSPADIX spp. #761
- 1973 A survey of central Californian species of IDOTEA (Malacostraca: Isopoda) associated with two species of PHYLLOSPADIX, with particular attention to substrate specificity #762
- 1973 The value of the NUCELLA EMARGINATA shell to the hermit crab PAGURUS HIRSUTIUSCULUS at Dillon Beach, California #763
- 1973 Homing, migration, and aspects of general behavior and distribution of several tidepool fishes at Bodega Bay Marine Laboratory $\#\,925$
- 1973 A survey on the abalone population in Horseshoe Cove # 926
- 1973 A toxicological investigation of the reacting substance in the Asteroidea, DERMASTERIAS IMBRICATA #927
- 1973 A study of the feeding strategies of migrant willets and black turnstones (Class: Aves) in Bodega Bay, California #928
- 1973 One step between: a study of interstitial life at Salmon Creek Beach and Horseshoe Cove #929
- 1973 The ecology of a small California estuary: the Estero de San Antonio #930
- 1973 The distribution of two arthropods (COROPHIUM INSIDIOSUM and LEPTOCHELIA DUBIA) in two sand-flats as a function of tidal height and sediment composition #931
- 1973 A survey of the red abalone HALIOTIS RUFESCENS in Horseshoe Cove, Bodega Bay, California # 932
- 1973 Various studies of the physiological and behavioral ecology of the limpets ACMAEA SCABRA, ACMAEA PELTA, and ACMAEA SCUTUM #933
- 1973 Aspects of the diel feeding activity of the rocky intertidal scavengers PACHYGRAPSUS CRASSIPES, PISASTER OCHRACEUS, and PAGURUS SAMUELIS in a high tide pool #934

1973 Reconstruction of the paleoecology of the Petaluma refuse site, or, down in the dumps again # 1432 1973 Byssal thread production in MYTILUS EDULIS and MYTILUS CALIFORNIANUS effects of current, proximity to neighbors and time. # 1433 1973 Sand movement and stabilization of the Salmon Creek dunes in Sonoma County. 1973 Characteristics of CALLIANASSA burrows in substrates of differing grain size. # 1435 1973 Aggressive behavior in two species of hermit crabs. # 1436 1973 The role of the ocellus in the phototatic behavior in five species of starfish. # 1437 1973 **Adaptive strategies: PHORONOPSIS VIRIDIS** # 1438 1973 The fauna and flora of the Doran Park sand flat # 1439 1973 Overpopulation of a tidepool # 1440 1973 Movement behavior of MACOMA SECTA on the Bodega Bay sandflat # 1441 1973 Distinctive characteristics of the chiton radula and its relationship to diet # 1442 1973 Comparison of valves in six species of chitons, or plate chitonics. # 1443 1973 On the species IRIDAEA FLACCIDA (Rhodophyta): clarification of its diverse habitat and observations of its variable form. # 1444 1973 On the predator-prey and competition models: their uses in the intertidal # 1445 1973 Reconstructing a paleoenvironment through sedimentary petrology techniques # 1446 1973 Recent sedimentation on Horseshoe Cove Beach. # 1509 1973 On the susceptibility of various laminarian and fucalian phaeophytes to net slime infection from eel grass # 1538 1973 Bodega salt marsh study: an algal survey of the Doran Beach salt marsh # 1539 1973 Microbial flora of marine sands # 1540 1973 A microscopic study of the endophyte ENDOPHYTON RAMOSUM in IRIDAEA #1541 A comparative spectrophotometric analysis of pigments in AGARDHIELLA COULTERI and GARDNERIELLA TUBERIFERA # 1542

A study of the effects CuSo4, salinity ranges, and light quality have on the growth and survival of

BRYOPSIS CORTICULANS, PERCURSARIA PERCURSA, and VAUCHERIA MARINA #1543

1973	Morphological adaptations to habitat in the genus PRIONITIS # 1544
1973	Internal symbionts of the red alga HALOSACCION GLANDIFORME # 1545
1973	Isolation of marine fungi # 1546
1973	Examination of tidepool flora in vicinity of Bodega Marine Laboratory # 1547
1973	Transplantation of IRIDAEA FLACCIDA in the intertidal zone # 1548
1973 1876	Study of incorporation of freshly dead TEGULA FUNEBRALIS into the hermit crab shell pool #
1973	An observational study of EPITONIUM TINCTUM # 1877
1973	Field and laboratory studies on the intertidal distribution of EPITONIUM TINCTUM # 1878
1973 Bodeg	Helminth parasites of LEPTOCOTTUS ARMATUS Girard, the northern staghorn sculpin, in the a Bay area # 1879
	Method of tube construction by EUPOLYMNIA CRESCENTIS, with ecological notes on OLYMNIA CRESCENTIS, THELEPUS CRISPUS, PISTA PACIFICA, NEOAMPHITRITE USTA and two unidentified terebellid species # 1880
1973	Natural history of the shell-less pulmonate (?) ONCHIDELLA BOREALIS Dall, 1971 # 1881
1973 1882	A study of metacercariae in HEMIGRAPSUS OREGONENSIS and HEMIGRAPSUS NUDUS #
1973	Parasitism in three species of PAGURUS # 1883
1973 1884	A study of the feeding behavior of CAPRELLA CALIFORNICA and CAPRELLA GRACILIOR #
1973 VAU (Observations on the biology of ALDERIA MODESTA and its relationship with the xanthophyte CHERIA # 1885
1973	The epifauna of the kelp crab, PUGETTIA PRODUCTA # 1886
1973	Feeding and reproduction in MEGATEBENNUS BIMACULATUS (Dall 1871) # 1887
1973 POST Bodeg	The infauna of the holdfasts of CLADOPHORA TRICHOTOMA, LEATHESIA DIFFORMIS, ELSIA PALMAEFORMIS, EGREGIA MENZIESII and MACROCYSTIS INTEGRIFOLIA at a Bay # 1888
1973	Growth of OBELIA in culture # 1889
1973	The epifauna of CANCER in the Bodega Bay region # 1890
1973	[none] # 1891

The distribution, infestation, and developmental stage of the pea crab FABIA SUBQUADRATA in **MYTILUS CALIFORNIANUS** 1973 Carapace morphology in HEMIGRAPSUS NUDUS # 1894 1973 Asteroid diversity and studies of the sea star PISASTER OCHRACEUS # 1895 1973 The distribution of barnacles on Doran Beach rocks # 1896 A comparison of the aggressive responses and cloning natures of ANTHOPLEURA ELEGANTISSIMA, ANTHOPLEURA ARTEMESIA and CORYNACTIS CALIFORNICA, three intertidal sea anemones # 1897 Resistance to water motion in the snails TEGULA and NUCELLA # 1898 1973 Cercarial infection in LITTORINA PLANAXIS and LITTORINA SCUTULATA in the Bodega 1973 Head area #1899 1973 Growth and molt in PACHYCHELES RUDIS pairs # 1900 1973 Tube building by the sabellid polychaete CHONE ECAUDATA # 1901 1973 Homing and migration in tidepool fishes at Bodega Marine Laboratory: a project proposal 1973 Diurnal movement and size diversity of a HALIOTIS colony: a proposed project #2662 1973 The feeding ecology of migrant willets and black turnstones in Bodega Bay, California: a project # 2663 proposal DERMASTERIAS IMBRICATA: an examination of a reacting substance: a project proposal # 1973 2664 1973 The ecology of a small California estuary: the Estero de San Antonio: a proposed research plan # 2665 The distribution of two arthropods (COROPHIUM INSIDIOSUM and LEPTOCHELIA DUBIA) in 1973 two mudflats as a function of tidal height and sediment composition: a project proposal #2666 1973 Aspects on the feeding biology of certain intertidal scavengers: a project proposal #2667 A quantitative study of the feeding behavior or limptes in relation to size and dispersal: a project proposal # 2668 Zonation and vertical distribution of meiofauna of Salmon Creek Beach: a project proposal 1972 Defense adaptations of HERMISSENDA CRASSICORNIS (Gastropoda: Opisthobranchia) #679 1972 Some effects of FABIA SUBQUADRATA (Arthropoda: Pinnotheridae) infestation on MYTILUS

1973 Parasitism in three species of procelain crabs: PETROLISTHES CINCTIPES, PETROLISTHES

ERIOMERUS and PACHYCHELES RUDIS # 1892

CALIFORNIANUS # 680

- 1972 Environmental effects on the growth of the symbiotic algal populations of the sea anemone ANTHOPLEURA XANTHOGRAMMICA (Brandt 1835) # 681
- 1972 Substrate specificity of Caprellidae (Amphipoda) of Bodega Head and Bodega Harbor, California # 682
- 1972 Functional capacity of symbiotic chloroplasts in PLACIDA DENDRITICA (Opisthobranchia: Sacoglossa) # 683
- 1972 Behavioral studies on the commensal shrimp, BETAEUS HARRIMANI (Decapoda, Carides) #684
- 1972 The dietary habits of PHYLLAPLYSIA TAYLORI of Bodega Bay, California #685
- 1972 On the growth and maintenance of green algae in symbiosis with ANTHOPLEURA XANTHOGRAMMICA $\#\,686$
- 1972 The relationship of SYNDESMIS FRANCISCANA (Turbellaria: Rhabdocoela) to the purple urchin, STRONGLYOCENTROTUS PURPURATUS, with observations on the endosymbiotic fauna of the Echinoidea of the Bodega Bay Region #687
- 1972 The relationship between ROSTANGA PULCHRA (Gastropoda: Nudibranchia) and the red sponges OPHLITASPONGIA PENNATA and PLOCAMIA KARYKINA, with reference to the selective advantage of ROSTANGA's red coloration # 688
- 1972 Carbohydrates from the intestinal microflora of the herbivorous gastropod TEGULA FUNEBRALIS $\#\,689$
- 1972 A qualitative survey and some ecological aspects of trematode infection in the prosobranch gastropod, LITTORINA SCUTULATA, in the Bodega Head area #690
- 1972 On the feeding mechanism and feeding preferences of the sacoglossan opisthobranch ALDERIA MODESTA (Loven 1844) # 691
- 1972 An examination of the distribution of the two symbiotic algae (Zooxanthellae, Zoochlorellae) found in the sea anemones, ANTHOPLEURA XANTHOGRAMMICA (Brandt, 1835) and ANTHOPLEURA ELEGANTISSIMA (Brandt, 1835) (Zooantharia, Coelenterata) collected along the northern California coast from Duxbury Reef to Point Arena #692
- 1972~ A survey of the common gut bacteria of PACHYGRAPSUS CRASSIPES and HEMIGRAPSUS NUDUS and the effect of diet on the bacterial flora $\,$ $\#\,693$
- 1972 $\,$ The distribution of LEUCOTHRIX and other filaments on certain algae of the Bodega Bay Region $\#\,694$
- 1972 $\,$ Studies on commensal and free-living populations of HALOSYDNA BREVISETOSA Kinberg in Bodega Harbor $\,$ $\#\,695$
- 1972 Mucous glands as a protective mechanism in DENDRONOTUS FRONDOSUS (Gastropoda: Opisthobranchia) $\#\,696$

- 1972 The distribution of BALANUS CRENATUS and BALANUS GLANDULA (Cirripedia: Thoracica) on the carapace of the brachvuran crab CANCER ANTENNARIUS #697
- 1972 A study of the larval trematode infections of the salt marsh snail, BATILLARIA ZONALIS, in Tomales Bay, California $\#\,698$
- 1972 An investigation of a bacterial source of cellulose in the digestive tract of the isopod, IDOTEA (PENTIDOTEA) RESECATA (Stimpson, 1857) # 699
- 1972 Factors influencing host recognition and the establishment of OPISTHOPUS TRANSVERSUS (Crustacea: Decapoda) as a commensal #700
- 1972 Distribution of the commensal limpet ACMAEA ASMI on the shell of its host TEGULA FUNEBRALIS # 701
- 1972 A survey of the substrate preference of CREPIDULA ADUNCA Sowerby (1825) (Gastropoda: Prosobranchia) $\#\,702$
- 1972 A study of the interrelations between a nudibranch, CORYPHELLA TRILINEATA O'Donoghue (1921), and a hydroid, HYDROCORYNE sp., taken from the Bodega Bay Region of the California Coast # 703
- 1972 Opisthobranchs as potential prey for other opisthobranchs, and for the sculpin, LEPTOCOTTUS ARMATUS $\#\,704$
- 1972 Attempts to culture BDELLOVIBRIO (genus) from seawater and brackish water in the Bodega Bay area #705
- 1972 Burrowing tests of the tunicates, EUDISTOMA RITTERI and EUDISTOMA MOLLE, by the amphipod, POLYCHERIA ANTARCTICA (Crustacea, Amphipoda) # 706
- 1972 Studies on the chemotactic response of ARCTONOE VITTATA to various hosts and non-hosts # 707
- 1972 The biology of LEPEOPHTHEIRUS KAREII, a parasitic copepod # 708
- 1972 Analysis of the chemical attractant produced by OPHLITASPONGIA PENNATA (Demospongiae) for ROSTANGA PULCHRA (Nudibranchia) # 709
- 1972 The infestation and burrowing activities of AXIOTHELLA RUBROCINCTA (Polychaete, Maldanidae) and its commensal, PINNIXA LONGIPES (Brachyura, Pinnotheridae) with distributional studies of EPISTYLIS ssp. on PINNIXA LONGIPES from the mudflats of Bodega Harbor, California #710
- 1972 A survey of bacterial populations at points along Bodega Harbor with emphasis on susceptibility to bacteriophage #711
- 1972 $\,$ An investigation of two nutritional groups of the marine isopod IDOTEA MONTEREYENSIS Maloney 1933 $\,$ # 712
- 1972 Relationships between size, frequency of infestations, and tidal level in a bivalve mollusk, MYTILUS CALIFORNIANUS, and a parasitic decapod crustacean, FABIA SUBQUADRATA, in the Bodega Bay

- region, California #713
- 1972 Alginic acid decomposing bacteria from MACROCYSTIS, EGREGIA, and LAMINARIA #714
- 1972 Host affinity, host specificity, and respiratory inhibition of LIRONECA VULGARIS and LIRONECA CALIFORNICA (Crustacea: Isopoda: Cymothoidae) located in the branchial region of HYPOMESUS PRETIOSUS (Pisces: Clupeiformes: Osmeridae) of Bodega Harbor, California #715
- 1972 Mutualism in two isopodon species: IAIS CALIFORNICA and SPHAEROMA PENTODON from Walker Creek, Tomales Bay, California #716
- 1972 The influence of the limpet DIODORA ASPERA on the aggressive behavior of a commensal polychaete worm ARCTONOE VITTATA in the presence of sea stars #717
- 1972 $\,$ Pycnogonids of Bodega Head and adjacent California Coast with notes on ecological associations and developmental stages $\,$ # 718
- 1972 Observations on Epicarid isopods found in mussels and crabs at Windmill Beach, Sonoma County, California. Part I. Epicarid larvae in MYTILUS CALIFORNIANUS. Part II. APOROBOPYRUS MUGUENSIS in PACHYCHELES RUDIS #719
- 1972 Preliminary description of a cyclopoid copepod from MYTILUS CALIFORNIANUS (Mollusca, Bivalvia) #720
- 1972 Three studies on the monogene UDONELLA CALIGORUM, ectocommensal with two copepods found on starry flounder (PLATICHTHYS STELLATUS) # 721
- 1972 Studies of the symbiotic association of zooxanthellae with ANTHOPLEURA ELEGANTISSIMA, ANTHOPLEURA XANTHOGRAMMICA, and zoochlorella with ANTHOPLEURA XANTHOGRAMMICA #722
- 1972 The nature of the interspecific association between CLAUSIDIUM VANCOUVERENSE Haddon (Copepoda, Cyclopoida) and CALLIANASSA CALIFORNIENSIS Dana (Decapoda, ThalassInldae) from Bodega Bay, California #723
- 1972 Species composition and abundance in the under rock habitat # 1405
- 1972 Sand, silt, and clay size particle distribution in some tidal flats of Bodega Bay, California #1406
- 1972 Niche selection in the marsh foraminifera MILIAMMINA FUSCA and TROCHAMMINA INFLATA, Bodega Bay, California # 1407
- 1972 Statistical analysis of beach sediments and the influence of the Russian River # 1408
- 1972 Soil and root differences in three plant communities of Bodega Head # 1409
- 1972 Effect of temperature on movement in two species of foraminifera # 1410
- 1972 $\,$ The influence exerted by physical parameters on the distribution of intertidal fauna in three diverse tide pools $\,$ $\#\,1411$
- 1972 Another look at the boring pholad, PENITELLA CONRADI in its primary host, HALIOTIS

RUFESCENS # 1412

- 1972 Laboratory studies to determine lethal temperatures and salinity tolerance on various species of inter-tidal and salt marsh foraminifera # 1413
- 1972 Current and sedimentation of the lower Russian River: a statistical approach # 1414
- 1972 Foraminiferal population relationships with common Bodega Bay and Salt Point hydrozoans # 1415
- 1972 Paleoecology of foraminifera of the Pleistocene Millerton formation at Millerton Point # 1416
- 1972 A sedimentary analysis of Walker Creek Estuary, Marin County, California, Marin County, California # 1417
- 1972 The effect of salinity, pH, and temperature on the process of metamorphosis in ASCIDIA CERATODES # 1418
- 1972 An ecological study of some intertidal rock-dwelling insects at Dillon Beach # 1419
- 1972 A paleoecological comparison of the upper Pliocene "Merced" formation and the recent Bodega Harbor sandflats, Sonoma County, California # 1420
- 1972 A comparative sediment analysis of a protected and an exposed beach # 1421
- Notes on parasitic mite distribution and behavior on genus ORCHESTOIDEA, a crustacean amphipod of central and coastal California beaches # 1422
- 1972 A comparison of textural parameters of beach, dune, and river sediments # 1423
- 1972 Changes in beach contours and sand distribution from low to high tide at Duncan's Landing Beach, Sonoma County, California # 1424
- 1972 Vertical migration and other behavioral patterns in TIGRIOPUS CALIFORNICUS as related to some physical parameters in the natural habitat # 1425
- 1972 The tolerance range of CAPRELLA CALIFORNICA to oxygen levels in sea water # 1426
- 1972 Beach bottom configurations and related wave phenomena # 1427
- 1972 Distribution of epiphytic foraminifera in the nearshore turbulent zone # 1428
- 1972 Four studies on the behavior and learning ability in the hermit crabs, PAGURUS SAMUELIS (Stimpson), PAGURUS GRANOSIMANUS (Stimpson), and PAGURUS HIRSUTIUSCULUS (Dana) # 1429
- 1972 Diatom distribution in tidepools at Horseshoe Cove # 1430
- 1972 Tidepool levels and macro-organism frequency in the Bodega Head region # 1431
- 1972 Time-sharing in the feeding of CRYPTOSULA PALLASIANA (?) # 1508

1972 A study of the short term consequences of a vertical clearcut on protected outer coast rock #1852 1972 A settling survey of Mason's Marina # 1853 1972 Diurnal and nocturnal migrations of TEGULA FUNEBRALIS # 1854 1972 The effects of temperature on feeding of OBELIA in culture # 1855 1972 Locomotion, burrowing, and tube formation in seven species of nereid polychaetes # 1856 1972 **Zonation of the Bodega Harbor mudflat** # 1857 1972 Sabellids of Mason's Marina # 1858 Responses of the hydroids OBELIA and CAMPANULARIA and the anemone ANTHOPLEURA ELEGANTISSIMA to the presence of reduced glutathione and selected amino acids #1859 1972 A comparison of responses to a change in environment by two anthozoa, ANTHOPLEURA ELEGANTISSIMA and CORYNACTIS CALIFORNICA at the Doran Beach jetty, Bodega Bay, California # 1860 1972 Nudibranchs of the {Bodega Bay} area # 1861 The distribution of fauna in a brackish water pond and the invertebrates found in the pond's runoff area in Bodega Harbor # 1862 A study of particle selection and tube construction of the terebellid polychaetes EUPOLYMNIA CRESCENTIS and NEOAMPHITRITE ROBUSTA # 1863 1972 The effects of vertical transplantation on the limpet ACMAEA DIGITALIS (Eschscholtz 1833) # 1864 1972 Survey of a Bodega Harbor MACROCYSTIS stand # 1865 1972 The embryological develoment of ASCIDIA CERATODES # 1866 Distribution of mites on species of ORCHESTOIDEA (Crustacea: Amphipoda), Salmon Creek Beach, Horseshoe Cove, and Windmill Beach, Sonoma County, California # 1867 Preliminary report on an unidentifiable hydromedusa collected near Bodega Bay, California (Limnomedusae: Olindiadidae) # 1868 1972 The epifauna of PTERYGOPHORA CALIFORNICA at Horseshoe Cove # 1869 1972 Caprellidae of the Bodega Bay Region # 1870 Spatial distribution and competition among COROPHIUM SPINICORNE # 1871 1972 Nemotocyst discharge in HERMISSENDA CRASSICORNIS (Mollusca: nudibranchia) #1872 1972

- 1972 The inter- and intra-colonal behavior of ANTHOPLEURA ELEGANTISSIMA # 1873
- 1972 External epifauna of PUGETTIA PRODUCTA # 1874
- 1972 A survey of the sponges in the Bodega Bay area # 1875
- 1972 Larval development of PHYLLAPLYSIA TAYLORI # 1928
- 1971 Mortality patterns of MACOMA NASUTA # 635
- 1971 The rearing and larval development of MACOMA NASUTA # 636
- 1971 Distribution of young MACOMA NASUTA and young MACOMA SECTA #637
- 1971 Primary production of the benthic microflora on the MACOMA sandflat #638
- 1971 $\,$ The role of bacteria in the nutrition and distribution of MACOMA SECTA in the Bodega Bay mudflat $\,$ $\#\,639$
- 1971 Effects of different physical parameters upon the distribution of diatom populations on the Bodega Harbor mudflat #640
- 1971 A general biological theory of diversity and stability # 641
- 1971 Distribution of particulate organic matter in sea water and factors affecting its accumulation in the substrate # 642
- 1971 A comparative study of the feeding mechanisms of MACOMA NASUTA and MACOMA SECTA # 643
- 1971 Uptake of C-14 in MACOMA NASUTA # 644
- 1971 $\,$ The migratory behavior and ecology of the marbled godwit and the western willet on the mudflats of Bodega Harbor $\,$ # 645
- 1971 PHORONOPSIS HARMERI tubes as a sediment retaining structure in the Bodega Bay mudflat # 646
- 1971 Feeding habits of the starry flounder PLATICHTHYS STELLATUS: Pisces #647
- 1971 Aspects of the prey preference and feeding biology of POLINICES LEWISII #648
- 1971 The larval development of CALLIANASSA CALIFORNIENSIS (Dana, 1854) # 649
- 1971 $\,$ The functional morphology of recent MACOMA SECTA and MACOMA NASUTA and the implications in Pleistocene MACOMA NASUTA $\,$ # 650
- 1971 A comparative study of the functional morphology and digestive enzymes of the crystalline style in MACOMA SECTA and MACOMA NASUTA $\#\,651$
- 1971 Storage of nematocysts and their role in the defense mechanisms of HERMISSENDA

CRASSICORNIS	(Eschscholtz.	1831) (Gastropoda	a: Opisthobranchia)	# 652

- 1971 Persistent, vertical migration rhythms in benthic diatoms #653
- 1971 A comparative study of bacteria and diatoms as food sources for MACOMA SECTA #654
- 1971 Distributional relationships between CALLIANASSA CALIFORNIENSIS and MACOMA SECTA on the Bodega Bay sandflat #655
- 1971 Taxonomy of TRANSENNELLA, family Veneridae (Eulamellibranchia), on the Bodega Harbor mudflat $\#\,656$
- 1971 Aspects of the feeding biology of the bat ray, MYLIOBATIS CALIFORNICUS, with notes on laboratory study $\#\,657$
- 1971 Assimilation of carbon and overall efficiency of MACOMA NASUTA using C14 labeled SKELETONEMA $\#\,658$
- 1971 A paleoecologic analysis of a late pleistocene fossil assemblage with comparisons to the present Bodega Bay sandflat assemblage $\#\,659$
- The food and feeding intensity of the leopard shark, TRIAKIS SEMIFASCIATA, in relation to its proposed role as predator of the Bodega Harbor mudflat community #660
- 1971 The feeding biology of the pile perch, RHACOCHILUS VACCA: Pisces #661
- 1971 A study in feeding behavior of the western sandpiper (EREUNETES MAURI: Aves) # 662
- 1971 The burrowing behavior and distribution of CRYPTOMYA CALIFORNICA in CALLIANASSA CALIFORNIENSIS and UPOGEBIA PUGETTENSIS habitats # 663
- 1971 Primary production of phytoplankton in the Bodega Harbor # 664
- 1971 Burrows, tracks, and markings on the surface of the mudflat #665
- 1971 Ammonia excretion in MACOMA SECTA and MACOMA NASUTA of the Bodega Bay mudflats # 666
- 1971 Oxygen debt in MACOMA SECTA and MACOMA NASUTA # 667
- 1971 Anaerobiosis in MACOMA SECTA and MACOMA NASUTA: effects and physiological adaptations # 668
- 1971 A community analysis of the Bodega Bay mudflat # 669
- 1971 Food habits of some Bodega Harbor fish # 670
- 1971 A qualitative analysis of parallel MACOMA communities with an introduction on the communities in the literature $\#\ 671$
- 1971 The determination of the calorific value of the foot, siphon and adductor muscle tissues of MACOMA

SECTA and MACOMA NASUTA # 672

1971	Horizontal and vertical distribution of ciliates with respect to ecological parameters # 673
1971 674	Feeding distribution and gut analysis data on some of the major shorebird species at Bodega Bay #
1971	Substrate preference of MACOMA SECTA and M. NASUTA # 675
1971	A survey of the salt marsh ecotone # 676
1971	Calorific values of MACOMA SECTA and MACOMA NASUTA # 677
1971 SECT A	Spatial competition in the burrowing animals: CALLIANASSA CALIFORNIENSIS and MACOMA # 678
1971	Observations on the natural history of LIGIA PALLASII # 1379
1971	A study of the tubes of PHORONOPSIS HARMERI as found in Bodega Harbor, California # 1380
1971 # 1381	The relationship of temperature to various physiological processes in the Caprellids in Bodega Bay
1971	Marine fossil assemblages of the anomalous Millerton Formation of California # 1382
1971	Clustering of LITTORINA SCUTULATA and variables inducing it # 1383
1971	Gastropod shell modification by hermit crab occupation # 1384
1971 # 1385	Comparative species composition and abundance in holdfast fauna of living and cast-up sea palms
1971 # 1386	Present-day surface traces of benthic marine organisms from the vicinity of Bodega Bay, California
1971 Carme	Minor relief features and swash zone sand movement of Wright's Beach, Sonoma Coast State Beach, t, Calif. # 1387
1971	Substrate selection behavior in PHYLLAPLYSIA ZOSTERICOLA # 1388
1971	Soils of Bodega Head, Sonoma County, California. # 1389
1971 # 1390	A comparison of experimental and theoretical longshore current velocities on a beach with sand bars.
1971	Camouflage differences of two potential subspecies of TECTICEPS CONVEXUS # 1391
1971	A study of the effects of Pacific Ocean salinity on the Russian River # 1392
1971	An observational study of rip currents associated with Mussel Point. # 1393

- 1971 Currents, ripples and sand movement in the Bodega Harbor jetty. # 1394
- 1971 Spatial arrangement of PAGURUS SAMUELIS. # 1395
- 1971 Theorization of flow and deposition of sediment in Tomales Bay, California, as illustrated by Tomasini Point Bar and Cliff. # 1396
- 1971 Russian River sediment distribution on the Pacific Coast by phi size. # 1397
- 1971 Relations of the San Andreas fault to the movement of Bodega Head. # 1398
- 1971 Siphoning technique in the white clam MACOMA SECTA. # 1399
- Wind, sand and dunes: an informal study of the wind currents and dune formation behind Salmon Creek Beach, Bodega Bay, California. #1400
- 1971 A study on urral beat frequency in BALANUS GLANDULA as related to current strength. # 1401
- 1971 Tolerance of the shore crab HEMIGRAPSUS OREGONENSIS to various concentrations of crude oil, diesel fuel and an oil collecting agent. $\,\#\,1402$
- 1971 Cusp formation on Salmon Creek beach. # 1403
- 1971 Aspects of behavior in POLINICES LEWISH Gould. # 1404
- 1971 Fossil Bryozoa from the Millterton Formation # 1507
- 1971 Oxygen content and primary productivity # 1525
- 1971 Antibiotics of common benthic marine algae # 1526
- 1971 Relation of standing crop to nitrates and phosphates during a phytoplankton bloom #1527
- 1971 Effects of 2,4-Dichlorophenoxyacetic acid on ANTITHAMNION DEFECTUM and BRYOPSIS HYPNOIDES # 1528
- 1971 Determination of reactive silicate # 1529
- 1971 A taxonomic summary of the benthic marine diatoms of the Bodega Head area #1530
- 1971 Survey of benthic diatoms at Campbell Cove # 1531
- 1971 Determination in inorganic nitrate concentrations in the surface seawater of the Bodega Head area # 1532
- 1971 The sea from a kettle: a methodical treatment of cooking with algae and algae extracts #1533
- 1971 Diatom survey of mud flat at tip of Bodega Harbor # 1534
- 1971 A taxomonic study of diatoms at Mason's Marina, Bodega Harbor # 1535

- 1971 Survey of diatom population at Bodega Head # 1536
- 1971 An observation of the osmotic effects of salinity changes of certain marine algae # 1537
- Notes on the polychaete worms of the family Cirratulidae from the Bodega Head region # 1831
- 1971 A survey of fauna along the rocks bording Bodega Harbor # 1832
- 1971 A faunal survey of Mason's Marina, Bodega Bay, California # 1833
- 1971 Comparison of ZOSTERA communities in Bodega Harbor and Limantour Bay #1834
- Sponges of the open coast represented by the Mussel Point and Windmill Beach areas and of the protected outer coast represented by the inner jetty and Schuster's Rock areas of Doran Park in Bodega Bay, Sonoma County, California #1835
- 1971 Distribution and ecology of sea anemones of Bodega Head # 1836
- 1971 Ecology and distribution of hermit crabs of the Bodega Head area # 1837
- 1971 Caprellids of the Bodega Bay area # 1838
- 1971 Sacoglossans I have known # 1839
- 1971 The distribution and burrowing techniques of NEPHTYS CALIFORNIENSIS and NEPHTYS CAECOIDES in and around Bodega Harbor # 1840
- 1971 A local distribution study of two beach hoppers of the genus ORCHESTOIDEA (Crustacea: Amphipoda), Bodega Bay, Sonoma County, California # 1841
- 1971 The distribution and dispersion of BALANUS GLANDULA on PUGETTIA PRODUCTA # 1842
- 1971 Chitons of the Bodega Head area, Sonoma County, California # 1843
- 1971 A comparison of the characteristic fauna of three local sandy beaches, Bodega Bay, Sonoma County, California # 1844
- 1971 Density counts of ZOSTERA root inhabitants # 1845
- 1971 An analysis of a transect across the southern jetty of Bodega Harbor in light of existing environmental conditions # 1846
- 1971 Limpet behavior: homing in ACMAEA SCABRA and clustering in ACMAEA DIGITALIS # 1847
- 1971 A study of five common species of Terebellidae of the Bodega Harbor and outlying areas # 1848
- 1971 A study of a conspicuous association of three polychaetes: CHONE MINUTA, PYGOSPIO ELEGANS, and PYGOSPIA CALIFORNICA # 1849
- 1971 Aspects of the natural history and morphology of ONCHIDELLA BOREALIS Dall, 1971 # 1850

- 1971 An ecological study of the fauna present in the holdfasts of PHYLLOSPADIX #1851
- 1970 Identification of bound amino acids in core samples taken from the Bodega Bay mudflats #479
- 1970 Toxic effects of AMPHIDINIUM OPERCULATUM and GONYAULAX CATENELLA on MACOMA spp. and its predators POLINICES LEWISII and MYLIOBATIS CALIFORNICUS. # 480
- 1970 Feeding, behavior and distribution of PISTA PACIFICA, and EUPOLYMNIA CRESCENTIS (Terrebellidae) from the Bodega Harbor mudflat #481
- 1970 Sediment analysis and paleoecologic evaluation of fossil communities found at Point Ano Nuevo, Thornton Beach State Park, Tom's Point, and the Petaluma Dump, California. #482
- 1970 Changes in phytoplankton production in Bodega Harbor, California #483
- 1970 Size, age, and growth in MACOMA NASUTA and MACOMA SECTA # 484
- 1970 Keeping MACOMA alive under laboratory conditions or closing the gap in MACOMA # 485
- 1970 Grain size-frequency distribution of MACOMA SECTA in the mudflat of Bodega Harbor # 486
- 1970 Growth and distribution of MACOMA SECTA in the mudflat of Bodega Harbor. #487
- 1970 A quantitative transect analysis of the Bodega Marine Lab mudflat preserve # 488
- 1970 A paleoecological analysis of four Pliocene-Pleistocene fossil assemblages of the Bodega Bay Region $\#\,489$
- 1970 $\,$ The effect of oxygen stress on the distribution of MACOMA SECTA and M. NASUTA in Bodega Harbor, California. $\,$ $\#\,490$
- 1970 The effect of varied salinities on MACOMA SECTA and MACOMA NASUTA of the Bodega Bay mudflat. #491
- 1970 Movements of MACOMA SECTA and M. NASUTA with notes on siphon activity. # 492
- 1970 Biomass determination from shell size of MACOMA # 493
- 1970 Photo effect on feeding behavior of MACOMA. # 494
- 1970 A study of the distribution of MACOMA SECTA and PHORONOPSIS HARMERI and the effects of the tubes of PHORONOPSIS HARMERI on the burrowing and distribution of MACOMA SECTA on the Bodega Bay mudflats. # 495
- 1970 Particle size preference and MACOMA distribution. # 496
- 1970 $\,$ A histological approach to localizing food bacteria an the digestive gland of MACOMA SECTA and M. NASUTA. $\,$ # 497
- 1970 Taxonomic account of benthic diatoms from a Bodega Bay mudflat. #498

1970 Comparative feeding efficiency of MACOMA NASUTA and M. SECTA. # 499 The anatomy and behavior of the siphons of MACOMA NASUTA and MACOMA SECTA. #500 1970 1970 Feeding and Assimilation of carbon in MACOMA NASUTA using C14-labelled SKELETONEMA. # 501 1970 A feeding and gut analysis study on PHORONOPSIS HARMERI Pixell. # 502 A size frequency distribution of Pleistocene MACOMA INQUINATA # 503 1970 1970 Rhythmic O2 consumption by MACOMA SECTA of the Bodega Bay mudflats. # 504 **Burrowing of MACOMA SECTA and MACOMA NASUTA.** # 505 1970 1970 Reproduction in MACOMA NASUTA and MACOMA SECTA. # 506 1970 The tidal ranges of PHORONOPSIS HARMERI, MACOMA SECTA, and MACOMA NASUTA. # 507 1970 The symbionts harbored by MACOMA. # 508 Comparative anatomy of MACOMA SECTA and MACOMA NASUTA: Its implications and shell analysis in MACOMA SECTA. # 509 1970 Distribution of C14 labelled products in the centric diatom, SKELETONEMA COSTATUM. #510 Net deposition of organic materials as related to energy flow and the distribution of MACOMA NASUTA and MACOMA SECTA (Bivalvia) in a Bodega Harbor mudflat Community. #511 1970 Particulate organic matter in the mudflat ecosystem. #512 Predation of MACOMA SECTA by the Naticid Clam Drill POLINICES LEWISII on the mudflats of Bodega Bay. #513 1970 Distribution of organic matter in the substrate of a Bodega Bay mudflat. #514 **Migration of PISASTER OCHRACEUS** # 1363 1970 Predator-prev size relationships of PISASTER OCHRACEUS and MYTILUS CALIFORNIANUS 1970 # 1364 1970 An investigation of the River Road fossil locality. # 1365 1970 Thermal effects on feeding foraminifera. 1970 Foraminifera and sediment analysis of the Estero Americano. # 1367 1970 BOCCARDIA PROBOSCIDEA (Hartman, 1940), the bioerosional agent. # 1369

An investigation of the nature of soils in the Merced Formation and of erosive forces characteristic to

1970

th	em.	# 1	137	0

- 1970 Niche selective foraminifera as paleocological indicators # 1371
- 1970 Burrowing in HEMIGRAPSUS OREGONENSIS, HEMIGRAPSUS NUDUS and PACHYGRAPSUS CRASSIPES # 1372
- 1970 Gradients of diversity in the ZOSTERA community # 1373
- 1970 Bottom and sub-bottom profiles of the Golden Gate and Richardson Bay areas, San Francisco, California # 1374
- 1970 Marine placer mining: present and future # 1375
- 1970 Planes of weakness in Bodega Head, Bodega Bay, California # 1376
- 1970 Effects of salinity changes on nudibranchs # 1377
- 1970 Tidepools of Bodega Head area # 1378
- 1970 Observations of homing tendencies of NUTTALLINA CALIFORNICA in a natural habitat # 1804
- 1970 Can shrimp of the species SPIRONTOCARIS PALUDICOLA (Hippolytidae) change body color and if so do they change it in relation to their environment? # 1805
- 1970 POLINICES LEWISII (Gastropoda) as a predator on the Lamellibranchs of the Bodega Bay mudflat: Some aspects of the feeding behavior # 1806
- 1970 A preliminary study of the mantle tentacle of OLIVELLA BIPLICATA (Sowerby, 1825) # 1807
- 1970 Shell size of ACMAEA DIGITALIS and its relation to desiccation tolerance # 1808
- 1970 Miscellaneous observations on MAGELONA PITELKAI, a common polychaete #1809
- 1970 Behavioral thermoregulation and thermoreception in two species of grapsoid crabs (PACHYGRAPSUS CRASSIPES and HEMIGRAPSUS NUDUS) # 1810
- 1970 The symbiotic relationship of DIODORA ASPERA with ARCTONOE VITTATA in defensive postures against starfish $\#\,1811$
- 1970~ A study of the macrofauna associated with MYTILUS CALIFORNIANUS at Windmill Beach, Bodega Bay, California $~\#\,1812$
- 1970 Feeding responses of three cirripedes over a range of temperatures # 1813
- 1970 A comparison of the holdfast communities found in intertidal and subtidal LAMINARIA ANDERSONII # 1814
- 1970 The effect of temperature change upon the heart rate of the Hippolytid shrimp SPIRONTOCARIS PALUDICOLA (Holmes) # 1815

- 1970 $\,$ The role of chemoreception in the attraction of the commensal hesionid worm PODARKE PUGETTENSIS to its host PATIRIA MINIATA $\,$ $\#\,1816$
- 1970 Zonation observations of a rock from Doran Beach # 1817
- 1970 Location and control of the defense reactions in the nudibranch HERMISSENDA CRASSICORNIS (Opisthobranchia: Mollusca) # 1818
- 1970 The antomy and behavior of the siphons of MACOMA NASUTA and MACOMA SECTA #1819
- 1970 $\,$ Observations of shell selections in the hermit crabs PAGURUS HIRSUTIUSCULUS and PAGURUS SAMUELIS $\,$ # 1820
- 1970 Salinity preference of HEMIGRAPSUS NUDUS and HEMIGRAPSUS OREGONENSIS # 1821
- 1970 Discrimination learning in PACHYGRAPSUS CRASSIPES Randall #1822
- 1970 The burrowing habits, behavior patterns, and external morphology of six species of Bodega Bay area clams: SILIQUA PATULA, MACOMA NASUTA, TRESUS NUTTALLII, CLINOCARDIUM NUTTALLII, PROTOTHACA STAMINEA, and MYA ARENARIA # 1823
- 1970 $\,$ A study in the relative abundance of MYTILUS CALIFORNIANUS at four different exposures to the ocean $\,$ $\#\,1824$
- 1970 $\,$ A preliminary study of some aspects of the ecology of the lophophorate PHORONOPSIS VIRIDIS $\#\,1825$
- 1970 Observations of the relationship between water current and tube building in PISTA PACIFICA (Terebellidae) # 1826
- 1970 A preliminary study of the effect of fresh water on a mussel bed association # 1827
- 1970 The effect of substrate upon biodiversity of benthic communities # 1828
- 1970 A description of the physical color components in TECTICEPS CONVEXUS (Flabellifera) # 1829
- 1970 Some aspects of the biology of TECTICEPS CONVEXUS (Isopoda) # 1830
- 1969 Geology of the Bodega Head Quadrangle and part of the Duncan's Mills Quadrangle # 1337
- 1969 Life and death size frequency distribution of MILIAMMINA on a marsh # 1338
- 1969 Migration of TEGULA BRUNNEA in a tidepool # 1339
- 1969 Shielding in STRONGYLOCENTROTUS PURPURATUS # 1340
- 1969 The constituent species and a brief paleoecological survey of the roadcut above the Petaluma Dump, Sonoma County, California # 1341
- 1969 Phi-size analysis and mineralogy of the worm tube of PHORONOPSIS HARMERI # 1342

1969 Distribution of planktonic diatoms in Tomales Bay, Tomales Bay, California #1343 1969 Measurement and analysis of various environmental parameters in tidepools and in Bodega Harbor # 1344 1969 **Growth rates of MACOMA NASUTA** # 1345 1969 An analysis of mineral content in the radular teeth of six species of chitons (Polyplacophora) # 1346 1969 Some aspects in the biology of the burrowing crustacean, CALLIANASSA CALIFORNIENSIS (Decopoda, Thalassinidea). # 1347 A size-frequency distribution analysis of LITTORINA PLANAXIS, Bodega Head, Northern 1969 California. # 1348 1969 The left-right valve phenomenon of Doran Beach and Horseshoe Cove, Sonoma County, Northern California # 1349 1969 Filtering and ingestion of bacteria in MYTILUS EDULIS # 1350 1969 **Movement of ACMAEA DIGITALIS** # 1351 1969 Calcium-magnesium ratios in the shells of some calcareous foraminifera # 1352 1969 Mineralogic observations on the weathering of the igneous rocks of Bodega Head to sediments # 1353 1969 A comparison of random, regular, and haphazard sampling 1969 Sand flow in Salmon Creek Beach dunes # 1355 1969 C14 studies in LAMINARIA SINCLAIRII # 1356 1969 Sediment and salinity distribution in Salmon Creek, Sonoma County, California # 1357 1969 **Respiration study of POLYORCHIS PENICILLATUS** # 1358 1969 Foraminiferal evidence for the depositional history of Millerton Point, Tomales Bay, California # 1359 1969 CLINOCARDIUM NUTTALLII: Studying the effectiveness of burrowing # 1360 1969 Substrate preferences in relation to color: ACMAEA DIGITALIS # 1361 The morphological adaptations of ACMAEA DIGITALIS in regard to the prevention of desiccation and niche occupation # 1362 1969 Algal recolonization of denuded rock surfaces # 1517

The effect of nitrogen concentration on growth rate in the diatom CHAETOCEROS

1969

LORENZIANUS Grunow # 1518

1969 XANT	A short study of the algal symbionts of the large green sea anemone ANTHOPLEURA THOGRAMMICA # 1519
1969	A field population study on ODONTHALIA FLOCCOSA (Esper) Falkenberg # 1520
1969 NICH	Early morphological development in the gametophytic conceptacles of HETERODERMA OLAII # 1521
1969	Algae growth on denuded rock in Horseshoe Cove, Sonoma County # 1522
1969	Low salinity experimentation on THALASSIOSIRA sp. # 1523
1969	Fucoidan content in PELVETIOPSIS LIMITATA # 1524
1969	Behavioral osmoregulation in a hermit crab PAGURUS SAMUELIS # 1772
1969	A study of urine production in the spider crab PUGETTIA PRODUCTA (Majidae) # 1773
1969 1774	Effects of various aggregations of one-half blastomeres on gastrulation in PATIRIA MINIATA #
1969	Induction of the feeding response by isoleucine in decapod crustaceans # 1775
1969	Ecology and distribution of ostracoda, Bodega Bay, California # 1776
1969 Bodeg	The morphology and feeding mechanism of the bivalve, PODODESMUS MACROSCHISMA from a Head, Sonoma County, California # 1777
1969	Natural history of the pseudoscorpion GARYPUS CALIFORNICUS (Banks) # 1778
1969 1779	The osmotic and ionic regulatory ability of ALDERIA MODESTA (Sacoglossa, Gastropoda) #
1969	Luminescence of the dorsal elytra in the Polynoid worm HESPERONOE ADVENTOR # 1780
1969	Response of the hermit crab, PAGURUS SAMUELIS, to different salinities # 1781
1969 opisth Dall.	A comparison of the food-getting apparatus and activity of a carnivorous and an herbivorous obranch mollusc: HERMISSENDA CRASSICORNIS (Eschscholtz) and PHYLLAPLYSIA TAYLORI # 1782
1969 Head	Study of a brackish-salt water ecotone located on the south rocky shore of Horseshoe Cove, Bodega # 1783
1969 and di	Tangential forces necessary to dislodge STRONGYLOCENTROTUS FRANCISCANUS naturally sturbed both in the laboratory and underwater near Bodega Rock # 1784
1969	Preliminary study of early settling on differently exposed surfaces and different materials #1785

- 1969 The distribution of ALLORCHESTES ANGUSTUS (Amphipoda) along a narrow beach in the Bodega Bay $\,\#\,1786$
- 1969 THINOPINUS PICTUS Le Conte 1852 (Coleoptera: Staphylinidae) a predator of beach hoppers (Crustacea: Amphipoda) occurring on sandy beaches. # 1787
- Some observations on a few forms of locomotion and functional morphology of the thoracic and abdominal appendages in the Gammaridean amphipod POLYCHERIA OSBORNI Calman # 1788
- 1969 Electrophysiological responses to changes in light in the lined shore crab PACHYGRAPSUS CRASSIPES # 1789
- 1969 Some observations of STRONGYLOCENTROTUS PURPURATUS defense reactions #1790
- 1969 A comparison of the holdfast communities of MACROCYSTIS PYRIFERA and PTERYGOPHORA CALIFORNICA: a preliminary study # 1791
- 1969 Some evidence of young ORCHESTOIDEA CALIFORNIANA feeding while still in marsupium # 1792
- 1969 Determination of the intermolt stages of IDOTEA (Pentidotea) WOSNESENSKII Brandt (Isopoda: Valvifera) # 1793
- 1969 A studey of organisms found on ASCIDIA CERATODES (Huntsman) at Mason's Marina, Bodega Bay # 1794
- Behavioral study of PACHYGRAPSUS CRASSIPES aimed at testing the hypothesis that "The optic ganglion is an essential link in a feeding reflex in which vision plays no part" # 1795
- 1969 A study of the working procedure of the radular membrane in CRYPTOCHITON STELLERI # 1796
- 1969 A preliminary study on the feeding of the gastropod, OLIVELLA BIPLICATA, at Doran Beach, Sonoma County, California #~1797
- 1969 An attempt at culturing dicyemid mesozoans and some behavioral research # 1798
- 1969 Observations of the feeding responses of the stalked barnacle POLLICIPES (MITELLA) POLYMERUS #~1799
- 1969 Sodium and chloride ion regulation in two caridean shrimp BETAEUS HARRIMANI (Alpheidae) and SPIRONTOCARIS PALUDICOLA (Hippolytidae) # 1800
- 1969 A comparison of endogenous rhythms in three species of sea anemones: METRIDIUM SENILE, ANTHOPLEURA XANTHOGRAMMICA, and ANTHOPLEURA ELEGANTISSIMA #1801
- 1969 The distribution of foraminifera in a mud flat of the Bodega Bay Region #1802
- 1969 A laboratory study of ecological preference of HALOSOMA VIRIDINTESTINALE and a preliminary analysis of its proboscis $\#\,1803$
- 1968 Cluster analyses of six Indian middens, near Bodega Bay, Sonoma County, California #1304

1968 Three behavioral studies on the hermit crab PAGURUS SAMUELIS # 1305 1968 Changes in configuration of cusps on Salmon Creek Beach # 1306 1968 Bacteriological examination of shellfish and sea water, Bodega Bay region, California #1307 1968 Erosion factors affecting the faunal distribution at Shell Beach and Bodega Head, Northern # 1308 California 1968 Behavioral study of ANTHOPLEURA XANTHOGRAMMICA at Bodega Head, California #1309 1968 Some ecological relationships between hermit crabs and gastropods of the Bodega rocky exposed coast # 1310 1968 Foraminifera distribution in a high discharge estuary, Russian River, Sonoma County, California: a study of the ecotone concept # 1311 The sediment distribution of the coast between Horseshoe Cove and Salmon Creek Beach, Sonoma County, California # 1312 1968 Water tables, Doran and Salmon Creek Beaches, Sonoma County, California #1313 1968 **Observations of homing behavior in TEGULA FUNEBRALIS** # 1314 Variations within the docoglossan dental pattern of ACMAEA PELTA, ACMAEA SCUTUM and ACMAEA SCABRA of Horseshoe Cove as a taxonomic character # 1315 1968 The accumulation of organic matter in the marine sediments of the Bodega area 1968 Comparative rates of entry, transit, and exit of the sand of the Salmon Creek sand dunes area, Bodega Head, California # 1317 1968 The Coast Miwok of Bodega Head, California: A historical and environmental survey # 1318 1968 Size analysis of Pleistocene terrace material at Horseshoe Cove, Bodega Head, California #1319 1968 Rendezvous at Campbell Cove # 1320 1968 Experimental cluster analysis of THANATOCOENOSIS, Bodega Head, California #1321 Shell morphology and its relationship to the behavior and internal organs for the bivalve genera CLINOCARDIUM and MACOMA # 1322 1968 Zonation of intertidal algae on the north shore of Horseshoe Cove, Bodega Head, California #1323 1968 Development and succession of pioneer plants and their effects on the south section of the Bodega

Changes in the salinity and level of the water table in beaches of the Bodega Bay area, California

Bay dunes, Sonoma County, California # 1324

1968

1325

- Diurnal temperature variations of beach sand, Bodega Bay region, California # 1326
 Distribution of foraminifera in the Estero Americano, Sonoma- Marin Counties, California # 1327
- 1968 Sand movement through two chutes at Salmon Creek Beach, Sonoma County, California # 1328
- 1968 **Don't make waves** # 1329
- 1968 Hunting and gathering subsistence potential and the Bodega Coast Miwok # 1330
- 1968 Analysis of a sand dune on Salmon Creek Beach, California, using Jaccard's coefficient #1331
- 1968 Intertidal ostracoda, a taxonomic and ecological study, Bodega Head, Sonoma, County #1332
- 1968 Intertidal foraminifera from rocky coast tidepools, Bodega Head, Bodega Bay, California #1333
- 1968 Submarine distribution and provenance of sediment in Horseshoe Cove # 1334
- 1968 An ecological consideration of foraminifera distribution in the lagoon of the Estero Americano, Sonoma and Marin counties, California # 1335
- Evaluative criteria of paleoecological significance deduced from the observation of recent bicoenoses and thanatocoenoses from three different environments near Bodega Bay, California # 1336
- 1968 A survey of marine phytoplankton of Bodega Bay # 1511
- 1968 Collect and identify a variety of blue-green algae from various habitats # 1512
- 1968 A comparison of phycobilin pigments in an algal parasite and its host GARDNERIELLA TUBERIFERA and AGARDHIELLA TENERA #1513
- 1968 The culture and study of a marine planktonic diatom, PHALLASSIOSIRA ROTULA #1514
- 1968 Nuclear staining of PRASINOCLADUS MARINUS # 1515
- 1968 An algal repopulation study of two intertidal rocks on Bodega Head #1516
- 1968 A laboratory investigation of the mechanism of egg hatching of LEPEOPTHEIRUS SALMONIS, a caligoid copepod parasitic on salmon of the genus ONCORHYNCHUS # 1742
- 1968 Some observations of the behavior of the isopod IAIS CALIFORNICA and its association with another isopod SPHAEROMA PENTODON # 1743
- 1968 $\,$ Destruction of styrofoam floats by the isopod SPHAEROMA PENTODON (Richardson), with notes on ecology and physiology $\,$ # 1744
- 1968 A preliminary comparison of feeding rates in PACHYCHELES RUDIS and PETROLISTHES CINCTIPES with some observations on feeding behavior $\,\#\,1745$
- 1968 A description of the tintinnids (Protozoa: Ciliatal Tintinnida) of Bodega Bay, with a comparison of

- some species common to Bodega Bay, California, and the St. Andrew Bay System, Florida. # 1746
- 1968 A 24-hour study of a climax community. # 1747
- 1968 The functional morphology of burrowing in LIMULUS POLYPHEMUS (Chelicerata: Merostomata) # 1748
- 1968 $\,$ The migrations of the members of the community living on CALLIARTHRON in tide pools on Bodega Head $\,$ # 1749
- 1968 $\,$ A field study of the dispersion pattern of the local tectibranch, HAMINOEA sp., on the Bodega Bay mudflat $\,$ # 1750
- 1968 Observations on the mouthparts and the functional morphology of feeding and respiratory mechanisms in three caridean shrimp of the genus SPIRONTOCARIS from Sonoma County, California (Crustacea: Decapoda: Natantia) #1751
- 1968 The interstitial fauna of the Bodega Bay area: ecology and tidal influence #1752
- 1968 Observations of aggressive and copulatory behavior in the eolid nudibranch, HERMISSENDA CRASSICORNIS # 1753
- 1968 Preliminary study of early marine settlements in the tide pools south of Horseshoe Cove, Bodega Bay, California # 1754
- 1968 Crab habits in the SALICORNIA marsh # 1755
- 1968 Reports for Zoology 157 field trips for summer 1968 # 1756
- 1968 Structural morphology of the mouthparts of PACHYCHELES RUDIS and PETROLISTHES CINCTIPES and their relationship to feeding. $\,\#\,1757$
- Substrate grain size distribution in the tube of PHORONOPSIS HARMERI of Bodega Bay and a preliminary study of an acid mucous component of the body wall and tube. #1758
- 1968 $\,$ The morphology, distribution and feeding habits of an unidentified rhabdocoel flatworm at Horseshoe Cove $\,$ # 1759
- 1968 **A comment** # 1760
- 1968 $\,$ An attempt to determine the chromosome number in related species of the limpet genus ACMAEA #~1761
- 1968 Embryonic development in EMERITA ANALOGA from the Bodega Bay area. # 1762
- 1968 $\,$ The function of ULVA in the tube construction of a species of gammarid amphipod in the "No-Hope" pool $\,$ # 1763
- 1968 A comparison of the gill size of MYTILUS CALIFORNIANUS and MYTILUS EDULIS in relation to their environment #1764

1968 A comparison of the entoniscid parasite, PORTUNION CONFORMIS, in two species of **HEMIGRAPSUS found in Bodega Bav** # 1765 1968 Sexual dimorphism and pairing in PACHYCHELES RUDIS # 1766 1968 Bioelectric potentials, laboratory light reactions, and field observations relating to the photokinetic responses in EPINEBALIA PUGETTENSIS # 1767 Taxonomy of certain tintinnids (Protozoa: Ciliata) using structural details revealed by scanning 1968 electromicroscopy # 1768 Structural morphology of the mouthparts of ten shrimp of the family Hippolytidae from the North 1968 American West Coast # 1769 1968 A histochemical and autoradiographic study of the epidermis and tube of PHORONOPSIS **HARMERI** # 1770 Preliminary behavioral study of two symbiotic amphipods and their hosts, ANTHOPLEURA XANTHOGRAMMICA and STRONGYLOCENTROTUS PURPURATUS from Shell Beach, Sonoma County, California. # 1771 1967 The ranging patterns of ACMAEA PELTA and ACMAEA TESTUDINALIS SCUTUM 1967 Spectrophotometric analysis of trace metals in sea water # 1290 1967 Foraminifera distribution in a limited environment in the Estero Americano # 1291 1967 Sand movement in the Estero Americano # 1292 1967 Sand around Bodega Head # 1293 An analysis and comparison of the sedimentary rocks of the Bodega Head area, dealing in particular with the Horseshoe Cove and fossiliferous marina deposits # 1294 1967 The effect of scouring and the faunal distribution on split rock # 1295 1967 The foraminifera of the lagoon of the Estero Americano, Sonoma and Marin Counties, California 1296 1967 A comparative study of foraminifera in the holdfast of several intertidal algaes # 1297 1967 Correlation of the sedimentary sequences of Bodega Head # 1298 1967 Sand problems at the Estero Americano # 1299 1967 Sand ripple, grain size and energy relations in Horseshoe Cove # 1300 1967 Animals and plants living on the shells of HALIOTIS RUFESCANS in Horseshoe Cove # 1301

An ecological study of an area in the Estero Americano # 1302

1967

- 1967 Foraminifera along a N 40 W profile in Horseshoe Cove, Bodega Bay, California (includes a map of Horseshoe Cove mapped by plane table alidade August 2, 1967, Geology 119) # 1303
- 1967 Osmoregulation in the shore isopod LIGIA PALLASII # 1712
- 1967 Salinity and oxygen tolerances and feeding habits in the Leptostracan EPINEBALIA PUGETTENSIS # 1713
- 1967 Studies on celestial navigation in PACHYGRAPSUS CRASSIPES # 1714
- 1967 On the effects of size of animal and suspension concentration on the filtration rate of MYTILUS EDULIS $\#\,1715$
- 1967 $\,$ Some physical factors associated with the dispersion of PHORONOPSIS HARMERI Pixel of Bodega Harbor $\,$ # 1716
- 1967 Preliminary notes on selected aspects of molting in the marine isopod, LIGIA PALLASII # 1717
- 1967 Defense reactions to starfish in two genera of fissurellids # 1718
- 1967 A comparative study of fauna associated with the holdfasts of the marine algae POSTELSIA and EGREGIA at Windmill Beach and Arch Rock, Bodega Bay, Sonoma County, California #1719
- 1967 $\,$ A qualitative comparison of the fauna of some large and small sandy beaches along the Sonoma coast $\#\ 1720$
- 1967 $\,$ A comparison of behavioral thermoregulation in PACHYGRAPSUS CRASSIPES and PUGETTIA PRODUCTA $\,$ # 1721
- 1967 A comparison of feeding in EUDISTYLIA POLYMORPHA and PECTINARIA CALIFORNIENSIS and its relationship to their specific habitat in Bodega Bay. $\,\#\,1722$
- 1967 Structure and function in the stomach of MYTILUS CALIFORNIANUS # 1723
- 1967 Learning behavior in PACHYGRAPSUS CRASSIPES # 1724
- 1967 Selection of tube building materials in terebellid THELEPUS of Bodega Bay # 1725
- 1967 Microdispersion of PHORONOPSIS VIRIDIS in Bodega Bay mudflats. # 1726
- 1967 Zonation of ORCHESTOIDEA CORNICULATA in Horseshoe Cove # 1727
- 1967 OEDOPARENA GLAUCA larvae (Diptera; Dryomyzidae), predators on CHTHAMALUS DALLI and BALANUS GLANDULA. # 1728
- 1967 The appendicularia larva and early metamorphosis of the colonial ascidian BOTRYLLOIDES # 1729
- 1967 —Observations on burrowing responses to environmental stresses in the polychaete worm CIRRIFORMIA SPIRABRANCHA $\,\,$ # 1730

1967	A description of the fauna of EGREGIA holdfasts at Shell Beach. # 1731
1967	Analysis of shell content of a coast Miwok shellmound on Bodega Head # 1732
1967	The response of a littorine snail to optical transients # 1733
1967 1734	A description of asexual development of zooids in the ectoproct EURYSTOMELLA BILABIATA
1967	Color variation in HEMIGRAPSUS NUDUS (Dana) # 1735
1967 CALI	Observations on the ecology of the crab FABIA SUBQUADRATA commensal in MYTILUS FORNIANUS # 1736
1967	Aggressive behavior and territoriality in the rock crab, PACHYGRAPSUS CRASSIPES # 1737
1967	The effects of desiccation on ACMAEA SCABRA at Horseshoe Cove # 1738
1967	Observations on the filter-feeding mechanism of LAQUEUS CALIFORNIANUS # 1739
1967 habitu	Response decrement in the polychaete HESPERONOE ADVENTOR: reactive inhibition and nation # 1740
1967	Habituation in the polychaete HESPERONOE ADVENTOR # 1741
1966	The feeding of the MACOMA NASUTA clam # 1275
1966	The paleontology of a Bodega Bay locality # 1276
1966	Heavy mineral analysis # 1277
1966 cut	Report on a paleontologic examination of the sedimentary outcrop as revealed by the Bayshore Road # 1278
1966	Supratial ostradoda of Bodega Head, Calif. # 1279
1966	Analysis of Salmon Creek drainage basin. # 1280
1966	A study of jointing on Bodega Head. # 1281
1966	The zonation of diatoms in a littoral mudflat environment. # 1282
1966 Califo	Stratigraphy and paleoneology of the Ohlson Ranch formation, Pliocene, Sonoma County, ornia. # 1283
1966	Miocene foraminifera of an area near San Felipe, Baja California. # 1284
1966	Minerals in DENDRASTER EXCENTRICUS # 1285
1966	Seismic interpretation of three beaches around Bodega Head # 1286

1966 Depth of sediment disturbance on Salmon Creek Beach # 1287 1966 Recent foraminifera from Bodega Bay. # 1288 1966 A comparative study of the pedicellariae of the intertidal asteroidea of the Bodega Bay area # 1659 A preliminary study on the functional morphology of SCHIZOTHAERUS NUTTALLII (Confad), 1966 1837 # 1660 1966 A comparative study of the macroscopic fauna of square foot samples of MYTILUS CALIFORNIANUS of the Bodega Head outer coast # 1661 Several aspects of the behavior of PHYLLAPLYSIA TAYLORI # 1662 1966 A preliminary study of the functional morphology of three brachyurous anomurans of the Bodega Bay region: OEDIGNATHUS INERMIS, PACHYCHELES PUBESCENS, and PETROLISTHES CINCTIPES # 1663 1966 The intertidal distribution of polychaetes and phoronids at the Doran Beach breakwater # 1664 1966 Regeneration of PARANEMERTES PEREGRINA found in the Bodega Harbor flats # 1665 1966 **Aspects of colonization of CUCUMARIA CURATA** # 1666 Observations on the develoment of the actinotroch larva of PHORONOPSIS VIRIDIS found in the **Bodega Harbor mud flats** # 1667 1966 Tube-building and feeding in BOCCARDIA PROBOSCIDEA of the Bodega Bay and Bolinas areas # 1668 1966 Substratum nature and the distribution of URECHIS CAUPO in Bodega Harbor # 1669 1966 Distribution of fauna due to tidal action and exposure on the rocky coast of Bodega Head # 1670 1966 Comparative physiology of respiration in Bodega Head polyplacophora # 1671 1966 The influence of food in color variations in HERMISSENDA CRASSICORNIS in the Bodega Harbor (Gastropoda: Opisthobranchia: Nudibranchia) # 1672 1966 Observations on feeding in KATHARINA TUNICATA (Amphineura: polyplacophora) # 1673 Bodega Bay ANTHOPLEURA ELEGANTISSIMA: an aggregate of inquiries and observations about the aggregations of an anemone # 1674 1966 Orientation toward the sea in PACHYGRAPSUS CRASSIPES # 1675 1966 A comparison of locomotion of shelled gastropods of mud flats # 1676

Behavioral response to light in the bivalves, TELLINA BUTTONI and MACOMA SECTA, and the

mud shrimp, CALLIANASSA CALIFORNIENSIS # 1677

- 1966 A comparative study of the most abundant fauna found on selected floats, pilings and walls at Mason's Marina, Bodega Bay # 1678
- 1966 Observations on feeding and growth patterns of the hydroid OBELIA COMMISSURALIS # 1679
- 1966 The behavior of AMPHIODIA OCCIDENTALIS from the Bodega Harbor and Bolinas # 1680
- 1966 A study of commensalism: the polynoid genus HESPERONOE # 1681
- 1966 Behavioral aspects of speciation in CIRRIFORMIA SPIRABRANCHA and CIRRIFORMIA LUXURIOSA $\#\ 1682$
- 1966 Foot behavioral studies in CALLIOSTOMA COSTATUM of the Bodega Harbor rock jetty # 1683
- 1966 A survey of the Caprellidea of the central California coast # 1684
- 1966 The relationship of the anomurous Anomuran, PAGURUS to the sea anemones of the Bodega Bay region especially in regard to the existence of a ritual used by the PAGURUS in approaching the anemones # 1685
- 1966 Feeding and rejection reactions of ANTHOPLEURA XANTHOGRAMMICA, ANTHOPLEURA ELEGANTISSIMA, and TEALIA CRASSICORNIS towards CUCUMARIA CURATA and CUCUMARIA MINIATA # 1686
- 1966 Investigations on the life cycle of the Rhabdocoel SYNDESMIS FRANCISCANA with special emphasis on determining its mode of removal from one sea urchin host, STRONGYLOCENTROTUS PURPURATUS to another # 1687
- 1966 Movement and distribution of a small THAIS population with respect to certain factors # 1688
- 1966 A comparative study of the effect of high temperature on cleavage and development in STRONGYLOCENTROTUS FRANCISCANUS # 1689
- 1966 Physiological color changes in IDOTEA UROTOMA of shell beach #1690
- 1966 Unidentified larval form found in STRONGYLOCENTROTUS PURPURATUS and its connection with SYNDESMIS FRANCISCANA $\#\,1691$
- 1966 Invertebrate distribution and population on a rocky coast at Bodega Head # 1692
- 1966 The feeding behavior and response of several sea anemones local to the Bodega Bay area: ANTHOPLEURA ELEGANTISSIMA, ANTHOPLEURA XANTHOGRAMMICA, CORYNACTIS CALIFORNICA, EPIACTIS PROLIFERA, METRIDIUM SENILE # 1694
- 1966 A comparison of two species of the protozoan VORTICELLA # 1695
- 1966 Description of a possible new species of the hydroid HYDROCORYNE # 1696

1966 Processes involved in the construction of the membranous tube in PECTINARIA CALIFORNIENSIS # 1697
1966 Colonial organization in MEMBRANIPORA MEMBRANACEA # 1698
1966 Feeding in HIPPONYX ANTIQUATUS # 1699
1966 A study of the function of rock particles attached to the anemone ANTHOPLEURA ELEGANTISSIMA # 1700
1966 The extent that salinity restricts the distribution of the Mysid population, NEOMYSIS MERCEDIS, in Salmon Creek during the Summer of 1966 $$ $\#$ 1701
1966 Mantle pigmentation of the green tectibranch PHYLLAPLYSIA TAYLORI and its possible role as protective coloration $#1702$
1966 Survey of the distribution and salinity tolerance studies on TIGRIOPUS CALIFORNICUS # 1703
1966 Environment, distribution, and salinity tolerance of COROPHIUM SPINICORNE in Salmon Creek, Sonoma County, California # 1704
1966 Absence of a functional anterior end of the sea anemone, ANTHOPLEURA ELEGANTISSIMA # 1705
1966 External respiration in the Terebellid EUPOLYMNIA CRESCENTIS # 1706
1966 Movements of PACHYGRAPSUS CRASSIPES # 1707
1966 Dehydration in three species of grapsoid crabs # 1708
1966 Behavioral observations on CUCUMARIA # 1709
1966 Evolutionary convergence in two families of bivalve molluscs # 1710
1966 Physiological and behavioral factors determining the intertidal zonation of LITTORINA PLANAXIS and LITTORINA SCUTULATA # 1711
1959 Notes on RHITHROPANOPEUS HARRISII # 59
1958 The genus NEPHTYS in the Bolinas area # 1635
1958 The invertebrate fauna of the SALICORNIA marshes of Bolinas Lagoon # 1636
1958 Preliminary notes on the orientation ability of ORCHESTOIDEA CALIFORNIANA # 1637
1958 A preliminary survey of commensal Polynoids of the Bodega-Bolinas area # 1638
1958 A brief survey of the rock boring molluscs of the Bolinas region # 1639
1958 Tide pool fauna and its relation to temperature, salinity, and other factors #1640

1958 Substrate control on the distribution of MACOMA NASUTA, MACOMA SECTA, and MACOMA IRUS in Bolinas Lagoon, California # 1642 Distribution and population structure of the mossy chiton, MOPALIA MUSCOSA, on shale reefs near Bolinas, California # 1643 Distribution, movements, and predator-prey relationships of the marine gastropod, ACANTHINA **SPIRATA** # 1644 1958 SPHAEROMA PENTODON and its commensal isopod in the Bolinas area # 1645 1958 Observations on invertebrate animal distribution in Bolinas Lagoon [survey] # 1646 1958 An annotated list of Pycnogonida of the Bolinas, California area # 1647 1958 **Movement of the hermit crab PAGURUS GRANOSIMANUS** # 1648 1958 A study of fecal pellets and commensals in seven families of pelecypods in the Bolinas Lagoon 1649 1958 The distribution and ecology of decapod crustaceans, tribes Anomura and Brachyura, of the Bolinas area # 1650 1958 Observations on and a guide to burrows and siphon tips found in the Bolinas Lagoon intertidal area # 1651 1958 Some observations of PECTINARIA CALIFORNIENSIS in the Bolinas Lagoon # 1652 1958 The macroscopic fauna of the PHYLLOSPADIX root masses # 1653 1958 Some behavioral studies on HEMIGRAPSUS OREGONENSIS # 1654 1958 **Intertidal zonation of the High Reef, Bolinas area** # 1655 A faunistic study of the MYTILUS CALIFORNIANUS - MITELLA POLYMERUS association of a shale reef and rocky coast in the Bolinas Bay area # 1656 1958 A survey of the general distribution of polychaetes in the Duxbury and its allied reefs # 1657 1958 Movement studies and zonation of ACMAEA sp. on the High Reef # 1658 1957 A comparison between the echinoderms of the subtidal and the intertidal zones at Bodega Bay. # 1612 1957 **Zonation studies on a rock located on a semiprotected sandy beach** # 1613 **Intertidal zonation of Doran Beach** # 1614 1957 1957 A survey of the chitons of the Bodega Bay area # 1615

1958

Hydroids of the Bolinas area [survey] # 1641

1957	Observations on the terebellid PISTA PACIFICA (polychaeta) # 1616
1957	A survey of the phylum Echinodermata of the midtidal of Bodega Bay and vicinity # 1617
1957	The Cirripedia of the Bodega Bay region and their distribution # 1618
1957 1619	A quantitative analysis [survey] of the macrofauna of two typical mudflats in Bodega Harbor #
1957	Shell variation in THAIS EMARGINATA # 1620
1957	A distributional study of some Nemerteans of the Bodega Bay region # 1621
1957	Color changes and chromatophors activities in Isopods # 1622
1957	Pinnotherid crabs of the Bodega Harbor region # 1623
1957	The radula fraction in ACMAEA referred to the substrate on which different species feed # 1624
1957	On Sabellidae in the Bodega Bay area # 1625
1957	Observations on marine Micropsammon at Bodega Bay, California # 1626
1957	Learning ability in Isopods # 1627
1957	Dynamics of Hermit crab populations # 1628
1957 beach	The study of the distribution and behavior of ORCHESTOIDEA of Bodega Bay and its neighboring # 1629
1957	The macroscopic fauna of the surf-swept eel grass, PHYLLOSPADIX SCOULERI # 1630
1957	Survey of the intertidally-occurring sponges of the Bodega Bay area # 1631
1957 1632	Anthozoan - Holothurian relationships with respect to irritating properties of the sea cucumbers #
1957 1904)	Observations of the spawning and early larval stages of CIRRIFORMIA SPIRABRANCHA (Moore $\#1633$
1957	Survey of the Polychaeta found on the outer coast around the area of Bodega Bay # 1634
1952 EXCI	A comparison of the behavior of two marine isopods, CIROLANA HARFORDI (Lockington) and ROLANA CHILTONI (Richardson) # 594
1952 PETR	Differential growth in the porcelain crabs, PETROLISTHES CINCTIPES (Randall) and OLISTHES ERIOMERUS (Stimpson) # 595
1952	Amphipods of the Monterey area # 596

Some morphological adaptations of the intertidal isopods # 59/
1952 A sample of the plankton of Monterey Bay (An attempt at a quantitative-comparative study) # 598
Some observations on marine and beach dwelling insects of the Monterey Bay and adjacent areas (with a preliminary, elementary key to the more common insects) # 599
1952 The Caprellids of the Monterey Peninsula # 600
1952-A comparative study of the effects of desiccation and salinity on TEGULA FUNEBRALIS and TEGULA BRUNNEA $#601$
1952 Localization of digestive enzymes in PHYSCOSOMA AGASSIZI # 602
1952 Survival values and environmental conditioning of some marine invertebrate aggregations # 603
1952 The photic responses of some chitons of Monterey Bay and vicinity # 604
1952 A key to common gastropod shells in Monterey Bay and vicinity # 605
The predatory influence of THAIS EMARGINATA Deshayes on the intertidal faunal association 606
1952 The ecology of the intertidal Ophiuroidea of the Monterey Peninsula # 607
1952 A study of the movements and behavor of PACHYGRAPSUS CRASSIPES # 608
1952 The intertidal distribution of LITTORINA SCUTULATA in relation to the age of the animal #60
1952 Observations on STRONGYLOCENTROTUS PURPURATUS in selected tide pools #610
1952 The functional anatomy of the odontophore mechanism of the pectinibranch snail, POLINICES LEWISII (Gould) (Naticidae) # 611
1952 Chemical and physical changes in an isolated tide pool # 612
1952 Notes on the polychaetes of Monterey Harbor # 613
1952 A brief settling study at Monterey Wharf #614
1952 A comparative faunal study of two higher tide pools # 615
1952 The invertebrate associates of some common Monterey intertidal sponges # 616
1952 Common commensals found with Monterey Bay ascidians # 617
Observations on the larval development of decasoda crustacea, first larval stage of EMERITA ANALOGA (Stimpson) II. First larval stage of CRAGO NIGRICAUDA (Stimpson) # 618
1952 Distribution and association of EUDISTYLIA POLYMORPHA of the Municipal Wharf in Montere

Harbo	r #619
1952	Chemo-reception in commensal host detection # 620
1952 1831	A study on the nematocysts of the nudibranch HERMISSENDA CRASSICORNIS (Eschscholtz) # 621
1952	A faunal survey of Monterey Wharf No. 1 # 622
1952	Breeding and early larval stages in the order Nudibranchiata # 623
1952 maturi	The effects of different salinities and temperatures on spawning in MYTILUS EDULIS. The ty of gametes of MYTILUS EDULIS in July, 1952 # 624
1951	A comparative study of the resistance to desiccation of several species of limpets #561
1951	A survey of PISASTER OCHRACEUS colors in separated regions # 562
1951 intertio	The heart frequency-temperature characteristics of three species of ACMAEA selected at different dal levels # 563
1951	Further plankton studies in Monterey Bay # 564
1951 CALIF	A preliminary report on some ecologic factors in a local distribution of MYTILUS EDULIS and M. FORNIANUS # 565
1951	Observations on the feeding and food relationships of some anemones of the Monterey region # 566
1951	Population dynamics of the gastropod LITTORINA # 567
1951 An experimental analysis of factors influencing the distribution of representative species of decapods in the intertidal area #~568	
1951	A burrowing barnacle # 569
1951	A new key to the chitons # 570
1951	Notes upon the ecology, coloration and animals living upon the Valvifera #571
1951 # 572	A preliminary comparative anatomical study of TEGULA FUNEBRALE and TEGULA BRUNNEA
1951 573	Notes on the summer food of intertidal fishes on the Monterey Peninsula and adjacent coastline #
1951	Notes on the tubes of some of the tubed worms of the Monterey region and a key to them # 574
1951 PAGU	An experimental study and analysis of some of the factors exercised in the selection of shells by RUS SAMUELIS # 575
1951	Some notes on DENDRASTER EXCENTRICUS # 576

1951	Tube formation in THELEPUS # 577
1951	Observations on the distribution and feeding habits of nudibranchs # 578
1951	Some aspects of color variation in a population of OLIVELLA BIPLICATA # 579
1951	A study of the masking crab LOXORHYNCHUS CRISPATUS # 580
1951	A comparison between the fauna of a float and of wooden wharf pilings in Monterey Harbor # 581
1951	An investigation of various aspects in the natural history of sea urchins # 582
1951	Three molluscan faunas of the Monterey Peninsula area # 583
1951	Observations on two apparently different types of ACMAEA DIGITALIS # 584
1951	Observations on the fauna of an offshore kelp bed # 585
1951 ELEG	An attempt to discover factors possibly affecting the littoral distribution of BALANOPHYLLIA ANS Verrill # 586
1951 Penins	An analysis of the factors affecting the distribution of ORCHESTOIDEA sp. on the Monterey sula # 587
1951	Life in a splash pool # 588
1951	An experimental study of environmental factors that affect the ecologic # 589
1951	A study and comparison of life on two breakwaters # 590
1951	Indoor behavior of LEPAS HILLI with comparative notes on other barnacle types # 591
1951	A study of fouling organisms in the Monterey Harbor # 592
1951	Group movements of OLIVELLA BIPLICATA at Monterey Harbor # 593
1950	A biological reconnaissance of the new Municipal Wharf, Monterey # 529
1950 ORC H	A study of the distribution of the amphipod species ORCHESTOIDEA CORNICULATA Stout and IESTOIDEA CALIFORNIANA Brandt on the Monterey Penninsula # 530
1950	A quantitative study of the homing behavior of the limpet ACMAEA SCABRA # 531
1950	Observations on physiological color changes in LIGIA OCCIDENTALIS # 532
1950 # 533	Notes on isopods and cheliferans collected in the Monterey Penninsula intertidal and adjacent areas
1950	Observations on the behavior of the lined shore crab, PACHYGRAPSUS CRASSIPES Randall #

534	
1950	Biology of the intertidal Asteroidea of Monterey Penninsula # 535
1950	OLIVELLA BIPLICATA: chemoreception and other aspects of its biology # 536
1950	Observations of isolated TETRACLITA in the Monterey Bay area # 537
1950	The relationship of size to distribution and sex in ACMAEA DIGITALIS # 538
1950	Amphipods of the Monterey Bay area # 539
1950	A study on the occurrence and physiology of a hesionid polychaete # 540
1950	A description of some anomuran larvae # 541
1950	The polychaete annelid community of PHYLLOSPADIX TORREYI root system # 542
1950	Salinity as an ecological factor in high tide pools # 543
1950	Observations on a copepod parasitic on the limpet ACMAEA # 544
1950	Movement and dispersal in LITTORINA PLANAXIS # 545
1950	Early development in the sand crab EMERITA ANALOGA # 546
1950	Reproduction in AGLAOPHENIA STRUTHIONIDES Murray # 547
1950	A preview of the development of an Ophiuran (AMPHIPHOLIS SQUAMATA) # 548
1950	The embryology of POLYCHOERUS CARMELENSIS # 549
1950 550	Observations on the development of the Cirratulid Polychaete AUDOUINIA SPIRABRANCHA #
1950	A study of the movements of the chiton, NUTTALLINA CALIFORNICA # 551
1950	A study of the small spired Gastropods of the Monterey area # 552
1950	A preliminary study on DODECACERIA PACIFICA (Fewkes) # 553
1950	ACANTHINA SPIRATA (Blainville): a study of its feeding and environmental movements # 554
1950	A comparative study of two beaches # 555
1950	The distribution of LITTORINA PLANAXIS and LITTORINA SCUTULATA # 556

1950 Field and experimental studies on TEGULA FUNEBRALE and TEGULA BRUNNEA with respect

 $1950 \quad \textbf{Holdfast macrofauna on a copper cable} \quad \#\,557$

to salinity # 558
1950 Population counts of square-foot areas of MYTILUS CALIFORNIANUS beds # 559
1950 Some notes on the habits of PACHYGRAPSUS CRASSIPES Randall # 560
1950 A study of the nauplius larvae of MITELLA POLYMERUS #631
1950 A survey of the plankton of Monterey Bay II # 634
1949 The holdfast fauna of MACROSYSTIS INTEGRIFOLIA # 286
1949 A study of the early development of BALANOPHYLLIA ELEGANS Verrill # 287
1949 Life zones of the rocky intertidal and their biological indicators # 288
1949 A quantitative study of the distribution of the sand crab, EMERITA ANALOGA in relation to tida movements on Asilomar Beach # 289
1949 An attempt at a quantitative analysis of the macrofauna of the upper layers of an intertidal mud fla # 290
1949 An annotated check-list of the Nemerteans of Monterey Bay # 291
1949 The distribution and taxonony of a species of PHORONIS from Monterey Bay # 292
The polyclad Turbellaria of Monterey Bay and adjacent areas, with a key to the known species # 293
1949 A key to the nudibranchs of Monterey Bay and vicinity with a species list #294
1949 Intertidal Coleoptera of Monterey Bay, with special reference to the family Staphylinidae #517
1949 Progress report on the study of the alimentary tract of HALIOTIS CRACHERODII # 518
1949 The zonation of the breakwater at Elkhorn Slough # 519
1949 A survey of the most common invertebrate forms in a protected rocky area # 520
1949 Notes on the distribution and feeding habits of the Polyclad flatworm, LEPTOPLANA ACTICOLA (Boone) # 521
1949 A general survey of the ecology, environmental factors, and more abundant animals in an area of sandy beach within the influence of the Coast Guard breakwater in Monterey Bay # 522
1949 A survey of life on the pilings of the Municipal Wharf, Monterey # 523
1949 Distribution and food habits of ACANTHINA SPIRATA on the Monterey Peninsula # 524
1949 Salinity tolerances in three species of Brachyurans # 525

1949	Populations of marine animals on a permanent transect at Mussel Point # 526
1949	Observations on size classes and related problems in TEGULA FUNEBRALIS Adams # 527
1949	A comparative study of tidepools in Zone 3 # 528
1949	Commensals associated with some Anomurans the Monterey Bay area # 625
1949	Faunal survey of offshore kelp beds in Monterey Bay # 626
1949 627	Some macroscopic inhabitants of three red sponges in the Balanoid zone of Monterey Peninsula #
1949 factor	The distribution of URECHIS CAUPO at Elkhorn Slough with some remarks on some limiting # 628
1949	Natural history of spider crabs in the Monterey Bay area # 629
1949 ELEG	Some aspects of size distribution and recolonization by the colonial anemone, BUNODACTIS ANTISSIMA # 630
1949	A survey of the plankton of Monterey Bay III # 632
1949	Certain ecological aspects of a small tide pool #633
1948	A survey of a fresh water stream, Strawberry Creek # 232
1948	Ecology of the invertebrates of a fresh water stream # 233
1948 234	Some light experiments and reactions of a terrestrial isopod, ARMADILLIDIUM VULGARE #
1948	Spot survey of the freshwater larvae of Strawberry Creek # 235
1948	Survey of the fauna of a Moss Beach rock # 236
1948	Aquatic arthropods # 237
1948	Anatomical structure of the common squid # 238
1948	Some of the more common aquatic arthropods of Strawberry Creek # 239
1948	Notes on some isopods of the Monterey Peninsula intertidal # 240
1948	A comparative study of some rocky shore marine communities # 241
1948	Survey and key of the Holothurians of Pacific Grove and vicinity # 242
1948	A study of two populations of Synaptid Holothurians # 243

1948 The intertidal ophiuroids of Monterey Bay # 244 1948 The common pelecypods of the Monterey Bay area # 245 1948 The biota of a PELVETIA bed # 246 1948 A study of the small, spired gastropods at four rocky beaches of the Monterey Peninsula #247 1948 The distribution of CHTHAMALUS DALLI Pilsbry at Cabrillo Point, Monterey Bay, California # 248 1948 Observations on the distribution of hydroids in the rocky intertidal area # 249 1948 The gastropods of the Monterey Bay region # 250 1948 The distribution of the limpets of Monterey Bay # 251 A report on the homing instincts and vertical distribution of the "black abalone" (HALIOTIS CRACHERODII) # 252 1948 The behavior of some intertidal molluscs in the presence of echinoderms #254 The comparative desiccation rates of the Zone I animals #255 1948 1948 HALIOTIS CRACHERODII - Its behaviour and relations to asteroid and other predators #256 Notes on the feeding and food habits of the gastropod OLIVELLA BIPLICATA (Sowerby) at **Monterey Harbor** # 257 1948 A study in the tidal fluctuation of TEGULA FUNEBRALIS # 258 Observations on the distribution of the common turbans, TEGULA FUNEBRALIS and TEGULA **BRUNNEA** # 259 1948 The animals, their activities and their distribution in a 3.5 foot tide pool # 260 1948 Effects of desiccation and salinity resistance in the Family Grapsidae of the decapod crustacea # 261 1948 A distributional study of PISASTER OCHRACEUS (Brandt) of the Monterey Bay area # 262 Some investigations of MYTILUS CALIFORNIANUS living under natural conditions, to determine 1948 some influences of tidal exposure upon its density and size # 263 1948 Some investigations of the animal life associated with the MYTILUS CALIFORNIANUS bed #264 1948 The distribution and ecological relationship of Brachyuran crabs of the Monterey Peninsula with observations of their general biology # 265

A brief study of the distribution and behavior of the asteroids of the Monterey Bay area

1948

1948	Observations on four Zone I tide pools # 267
1948	Notes on nematocysts in BALANOPHYLLIA ELEGANS # 268
1948 269	A preliminary study of various organ systems of GYNEMBIA TARSALIS Ross (Embioptera) #
1948	Comparative morphology of gastropod respiratory organs # 270
1948	A short survey of the cercariae San Francisco Bay region #271
1948	A report on the ecological distribution of PAGURUS at Moss Beach # 272
1948 habits	The distribution of the starfish, PISASTER, at Moss Beach with particular inquiry into feeding $\#273$
1948	The cardiology of NUTTALLINA CALIFORNICA and DENDRODORIS FULVA # 274
1948	The general ecology of a cave # 275
1948	Gametogenesis in HELIX # 276
1948	The burrowing of earthworms # 277
1948	Cercaria # 278
1948	Anatomy of MITELLA POLYMERUS (Sowerby) # 279
1948	Salinity tolerance of MERCIERELLA ENIGMATICA Fauvel # 280
1948	Salinity tolerance of SPHAEROMA PENTODON # 281
1948	Gross anatomy of CRYPTOCHITON STELLERI # 282
1948	Some observations on animal inhabitants of sponges # 283
1948	Early metamorphosis externally in ARTEMIA SALINA Linnaeus # 284
1948	Zone Two tidepool # 285
1948 # 298	The contents and distribution of the larger (Non-microscopic) invertebrates in a fresh water pond
1948 behavi	A study of distribution of the pagurids of Point Cabrillo with observations on certain types of or # 299
1948	A survey of the plankton of Monterey Bay, June-July 1948 # 2402
1947	The geology of the Moss Beach coast #79

1947	A study of the population of a newly-formed tidepool #80
1947	The feeding habits of TIGRIOPUS # 88
1947 enviro	The structural and behavioristic adaptations of HEMIGRAPSUS OREGONENSIS (Dana) to its onment # 105
1947	The littoral ascidians of Monterey Bay and vicinity # 179
1947	The hydroids of the Monterey Bay region # 180
1947	Notes on some isopods of the Monterey Pennisula intertidal # 181
1947	Some factors which influence the distribution of chitons in the Monterey area # 182
1947	Distribution of the common sessile barnacles in the Monterey region # 183
1947	A study of the intertidal sea anemones of the Monterey Bay Region # 184
1947	The fishes of the intertidal zone of Monterey Peninsula and vicinity # 185
1947	A report of polychaetous annelids of Monterey peninsula # 186
1947 Monte	Key to the intertidal Anomura and Brachyura of central California from Tomales Bay to the erey peninsula # 187
1947 # 188	The ecological distribution of the intertidal Anomurans and Brachyurans of the Monterey Peninsula
1947 189	Tabular summary of the ecological distribution of the intertidal crabs of the Monterey Peninsula #
1947	A survey of the plankton of Monterey Bay # 190
1947 ORCI	The comparative ecology of the beach fleas, ORCHESTOIDEA CALIFORNIANA Brandt and HESTOIDEA CORNICULATA Stout # 191
1947 Califo	A survey of the gastropda of MYTILUS CALIFORNIANUS communities on Mussel Point, rnia # 192
1947	Macrofauna in PELVETIA beds # 193
1947	The biology of a high isolated tide pool # 194
1947 and s p	The distribution of cirripeds and gastropods on plain vertical rock surfaces in the upper intertidal plash zones # 195
1947	A comparison of the fauna of the exposed and protected faces of a rock # 196
1947	A comparative study of the PHYLLOSPADIX community # 197

1947	The faunal survey of a Zone 3 tide pool # 198
1947	A faunistic report of a float # 199
1947	The MYTILUS CALIFORNIANUS community in the Monterey area # 200
1947	PELVETIA, a community study # 201
1947 202	A comparison of the invertebrate macrofauna of exposed versus sheltered sand beach habitats #
1947	Night versus day activity in tide pools and the faunal composition thereof $\#\ 203$
1947	Studies on the distribution and habits of the asteriods # 204
1947	Studies on the behavior of PAGURUS SAMUELIS # 205
1947	Studies on LITTORINA PLANAXIS # 206
1947	Studies in the natural history of STRONGYLOCENTROTUS PURPURATUS # 207
1947 A survey of the intertidal fauna and flora of a rocky gulch on Mussel Point, Monterey Bay, California # 208	
1947 The distribution of MITELLA POLYMERUS in relation to its geographical and biological limitations on Cabrillo Point, Monterey Bay, California # 209	
1947 zone	The relation between gill number and size and respiratory requirements of crabs of the intertidal $\#210$
1947 Califor	A few facts on the biology and association of the genus LITTORINA on Mussel Point, Monterey Bay, rnia #211
1947	Some factors in the biology of THAIS EMARGINATA # 212
1947	Faunal and biological study of a Zone 2 tide pool #213
1947	Examination of gravel of the four zones in the rocky intertidal # 214
1947	The fauna of a Zone 2 tide pool and the surrounding rocks # 215
1947	Two aspects of movement in a population of ACMAEA DIGITALIS # 216
1947	A study of byssum formation and placement #217
1947 # 218	Methods of attachment employed by the sessile marine Pelecypod, MYTILUS CALIFORNIANUS
1947 SCUT	A comparison of the range and movements of ACMAEA DIGITALIS Eschscholtz, ACMAEA UM Eschscholtz, ACMAEA LIMATULA Carpenter and LOTTIA GIGANTEA Sowerby # 219

1947	Movements and pairing benavior of LH TORINA PLANAXIS # 220
1947 221	Comparative feeding behavior in four genera of barnacles common at Pacific Grove, California #
1947 on the	The influence of external factors on movements of PISASTER OCHRACEUS with additional notes natural history of this species # 222
1947	Freshwater tolerance in the four species of PAGURUS common to the Pacific Grove area # 223
1947	Biological observations on HERMISSENDA CRASSICORNIS # 224
1947	Comments on asteroids of Monterey Peninsula # 225
1947	Some observations on tentacular action in THELEPUS SETOSUS # 226
1947	Some taxes and tolerances of LITTORINA PLANAXIS # 227
1947	The distribution of a population of EMERITA ANALOGA in a low tide zone # 228
1947 # 229	A study of the tendency of PACHYGRAPSUS CRASSIPES individuals to remain in a given locality
1947	Distribution of the hermit crabs of the genus PAGURUS in the intertidal area #230
1947	The relationship of sainity to distribution of animals in the Salinas River, California $\# 231$
1947	A survey of the common chitons and their intertidal distribution at Pacific Grove #295
1947 on the	A preliminary analysis of the major plant and sessile animal communities of the rocky intertidal zone Monterey Peninsula, California #296
1947	A study of the macro-fauna of a MYTILUS CALIFORNIANUS community # 297
1947	Some factors in the biology of THAIS EMARGINATA # 2418
1947	Studies on a sabellid polychaete found at the Berkeley Yacht Harbour # 2430
1946 1	Distribution of hydroids at Berkeley Yacht Harbor # 43
1946	The marine invertebrate fauna of the Berkeley Yacht Harbor # 54
1946	A field guide to the marine invertebrate fauna of Moss Beach, San Mateo County, California #81
1946	A comparison of two differently protected regions of the Berkeley Yacht Harbor # 170
1946	Special report on the classification of HESPERONE COMPLANATA # 2432
1942	Aquatic fauna of Strawberry Canyon: a nature study #1

1942	A comparison of the invertebrate fauna of two freshwater ponds #2
1942	Some ecological observations of some of the fauna of a freshwater pond #5
1942 inhabi	Ecological survey of an intertidal flat Tomales Bay, California: including a list of animal forms ting mud flats in the Bodega Bay Region, California #9
1942	Notes on the natural history of the HELIX ASPERSA # 15
1942	Observations on the HELIX ASPERSA # 16
1942 # 17	A comprehensive study of the garden snail (HELIX ASPERSA) with special reference to anatomy
1942	A study of the freshwater snails in Strawberry Creek # 26
1942	The natural history of the freshwater Pelecypod PISIDIUM OCCIDENTALE Newcomb # 32
1942	Fleming Point # 39
1942	Faunal and ecological aspects of a brackish water pond #46
1942	The fauna of Aquatic Park and its ecologic distribution # 52
1942 # 90	Correlation between BOCCARDIA PROBOSCIDEA and TIGRIOPUS FULVUS in high tide pools
1942	HEMIGRAPSUS OREGONENSIS (Mud-Crab) # 98
1942	Woolsey Pond # 2198
1941	Animals of the oyster beds #7
1941	Invertebrate life of Stempell Creek #8
1941	A preliminary survey of the animals of Sandy Beach, Dillon Beach, California # 12
1941 POLY	A preliminary study of the ecology of the MYTILUS CALIFORNIANUS - MITELLA MERUS association in Bodega Bay, California #60
1941 Second	The fauna of a selected rocky shore : a qualitative and quantitative study of the fauna of the rocks of Sled Road Point, Dillon Beach, Marin County, California #61
1941	PETROLISTHES CINCTIPES as seen at Dillon Beach and surrounding territory # 99
1941	Habits of the lined shore crab, PACHYGRAPSUS CRASSIPES Randall # 101
1941	Notes on ecology and distribution of the Caridea and Anomura in the area of Dillon Beach # 102

1941 Califor	Distributional and ecological notes on the Pycnogonids of the Dillon Beach region, Marin County, rnia # 116	
1941	Distribution of Isopoda in Dillon Beach area, Marin County, California # 122	
1941 123	A cytological study on reproductive seasons of limpets of Dillon Beach, Marin County, California	
1941	Experimental study of limpets in relation to substrate # 124	
1941	The height of ACMAEA PELTA in relation to its distribution # 129	
1941	Key for the identification of chitons taken at Dillon Beach, Marin County, California # 139	
1941 Beach	A statistical investigation of the size groups of TEGULA FUNEBRALIS (Adams), found at Dillon $\#\ 141$	
1941	The distribution and key of the hydroids of the Dillon Beach Area # 161	
1941	Distribution of PECTINOPHELIA etc at Dillon Beach # 2426	
1941	Polychaetes collected during Intersession, 1941 # 2429	
1941 Califor	The distribution of two polychaete worms of the genus PECTINOPHELIA on Dillon Beach, nia #2431	
1941 Some adaptations of the nereid worm, NEANTHES LIGHTI, to an estuarine existence : a preliminary report # 2433		
1940's	On the evolutionary significance of the Pycnogonida # 115	
1940	Ecology of Fleming Point #41	
1940	Summary of progress of work on life cycle of CLAUSIDIUM KOSSMANN # 95	
1940	The identification of a Siphonophore # 163	
1939	The biology of Drake's Cave # 64	
1939	Fauna of the roots of matting algae of the Moss Beach Region, San Mateo County, California #72	
1939	Study of a Montara tide pool #73	
1939	Summer fauna of a high, rocky tide-pool at Montara # 76	
1939	Some factors influencing the distribution of TIGRIOPUS FULVUS near North Point #83	
1939 tide-p o	Observations pertinent to the structure and function of the grasping appendages of TIGRIOPUS, the col Copepod #85	

1939 89	Factors limiting the distribution of diaptomid copepods : master's thesis, University of California #
1939	On the distribution of TIGRIOPUS ACULIATUS, the red tidepool copepod #94
1939	Ecologic distribution of the Porcellanid crabs # 100
1939	The Pagurid crabs of Moss Beach with notes on several phases of their life history # 110
1939	Some notes on LIGIA # 119
1939	Barnacles of the Moss Beach region # 120
1939	On the preparation of the skeletons of small vertebrates by the marine isopods # 121
1939	The food habits of ACMAEA INSESSA (Hinds) # 127
1939	The movements of limpets with particular reference to the homing instinct # 135
1939	Factors determining the life of intertidal LITTORINA # 146
1939	Botula, a borer? If so, how? # 151
1939 and S.	On the occurrence of SYNDESMUS ECHINORUM in STRONGYLOCENTROTUS PURPURATUS FRANCISCANUS # 164
1939	Study on TIGRIOPUS ACULIATUS # 172
1939 interti	An experimental study of factors responsible for distribution of the species of PAGURUS in the dal area $$ $$ $$ $$ $$ $$ $$ $$ $$ $$
1939	The Sipunculids of the Moss Beach, California area # 2421
1939	A study of rock dwelling polychaetes # 2424
1938	The biology of a seasonal pond #3
1938	The land slugs of Berkeley, California #19
1938	The life cycle of a Cladoceran # 20
1938	An introduction to the study of the Rotatoria #28
1938	Rate of predatation of Hydra on Cladocera #34
1938	Planorbids of Thornhill Pond # 35
1938	A study on the nudibranchs of the Fruitvale Bridge #55
1938	Habitats and habits of some seashore animals #75

A contribution to the description of CLAUSIDIUN VANCOUVERENSE (Haddon) 1938 1938 Some aspects of the activity patterns of the genus PAGURUS of Central California 1938 Behavior and adaptations of the Mud Crab (HEMIGRAPSUS OREGONENSIS) # 108 1938 The behavior of BALANUS GLANDULA # 114 1938 Notes on LIGIA # 117 1938 On the distribution of ILYANASSA OBSOLETA (Say) # 138 **THAIS LAMELLOSA of Point Richmond** # 143 1938 1938 Phoronidea from Marin County # 156 1938 A spot study of the biology of a freshwater pond # 2200 1937 Fauna of the tidepools of a large rock #62 1937 Study of the fauna of a high tide pool #70 A study of the distribution of TIGRIOPUS FULVUS (Fischer) in the high tide pools north of Sand 1937 Rocks # 86 1937 A study of the ecologic distribution of certain California Brachyura 1937 Observations on the distribution, behavior, and conditions of life of two species of LIGIA at Moss Beach, California # 118 1937 Selected excerpts from a doctoral thesis entitled, A Systematic Revision of the Genus ACMAEA 126 A study of some phases of the behavior of ACMAEA ASMI (Middendorf) # 134 1937 A brief statistical survey of TEGULA FUNEBRALIS (Adams) with special consideration of shell sculpturing and age grouping # 144 1937 A note on the breeding behavior of CIRRIFORMIA LUXURIOSA (Moore) # 2423 1936 Bank fauna, Alameda Estuary # 13 1936 The behavior of the HELIX ASPERSA # 18 1936 The Rotifera of Thornhill Pond in the month of April 1936 1936 Studies on culture media and the ecology of entomostraca # 27

A study of a freshwater snail PHYSA HETEROSTROPHA # 29

1936

1936 Distribution of VOLSELLA DEMISSA in Lake Merritt, Oakland #44 1936 Plankton of Lake Merritt: comparison between north and south portion 1936 Common invertebrate animals of Lake Merritt, a guide for visitors #49 1936 A study of the brine shrimp, ARTEMIA # 56 1936 Preliminary study of the fauna of Fisherman's Rock, Stinson Beach, Marin County, California #63 1936 Some ecological aspects of invertebrate paleontology #71 1936 A harpacticoid, ATTHEYELLA NORTHUMBRICA Americana, of a freshwater pond at Richmond, California #91 1936 Habits and behavior of limpets at Pt. Richmond A study of the factors controlling the distribution and behavior of the California horn shell, CERITHIDEA CALIFORNICA, with 3 maps and 3 plates accompanying # 142 1936 Some observations of the growing, phototropism, and staining of ARTEMA SALINA # 168 Some physical and behavior factors influencing the distribution and ecology of LIGIDIUM GRACILIS in Strawberry Canyon, with the description of one key character used by M.A Miller #177 1936 **Ecological aspects of Lake Merced** # 2197 1936 Animal life in a freshwater pool: An ecological study of Woolsey Pond # 2201 1935 Fauna of a small tidepool 1935 Distribution of CALLIANASSA CALIFORNIENSIS (Dana) (1854) at Sand Point, Marin County, California # 107 1935 **Biology of the Littorines** # 148 1935 Identification of the tunicates of Dillon Beach, together with their animal associations #155 1935 1936 Report on the fauna of freshwater pond on Cutting Boulevard, Richmond, California #2199 1934 Freshwater Cladocera of the San Francisco Bay region Distribution of some of the marine invertebrates between Richmond Point and Bull's Head Point, San Francisco Bay 1934 Fauna of Muir Beach rocks # 74 1934 An adventure among the rock dwellers of Moss Beach, California, 1934 # 78

1934	ILLYANASSA OBSOLETA # 154
1934	LITTORINA SCUTULATA # 176
1934	Aquatic life Research Reserve plot 6 (Yosemite National Park) # 2196
1933	Tide pool study # 66
1933	General classification of animals found in the Dillon Beach area #67
1933	Ecologic factors at Frenchman's Reef # 68
1932 1932	A cursory ecological study of the invertebrate fauna of a beach in West Berkeley, California, in July, # 10
1932	A study of the invertebrate fauna of Horseshoe Bend, Sonoma County, California #11
1932	ARTEMIA SALINA: some of its actions and reactions #57
1932 # 65	Preliminary report on the fauna of a certain unnamed cove on the coast of Marin County, California
1932	On the classification of ACMAEAs of Moss Beach # 125
1932	On the use of the radula in the classification of the Moss Beach ACMAEA # 131
1932 relatio	Spawning habits of the mussel, MYTILUS CALIFORNIANUS (Conrad) with notes on the possible on to mussel poisoning, I. # 153
1932 169	A glimpse at the invertebrate ecology of the Oakland estuary at Fruitvale Bridge in July, 1932 #
1932 Alvara	A salt-pan as an ecological niche, a preliminary study of the invertebrate fauna of a salt pan at ado, California # 171
	Contributions to the biology of the tube-building Amphipod, COROPHIUM BONELLII (Milnerds): MA thesis, University of California, Berkeley # 175
1932	Luminosity and its origin in a West Berkeley Cirratulid # 2422
1931	Community life of a pool #6
1931	The gastropods of Moss Beach # 147
1930's	? The general behavior of the COROPHIUM BONELLII (Milne-Edwards) of Lake Merritt # 112
1930's	Remarks on the Acmidae of Moss Beach - a study in ecology # 128
1930's # 103	? 1940's ? Study of Frank Spenger Co. shrimp fishery

1930's ? The salinity and temperature ranges of the red tidepool copepod found at Moss Beach #82		
1930's Difficulties encountered in an effort to preserve Rotifers # 33		
1930's The development of ARTEMIA SALINA # 51		
1930's The behavior of the ARTEMIA SALINA # 58		
1930 Ecological studies on BRACHIONUS sp. # 23		
1930 Classification and distribution of the freshwater gastropods of the San Francisco Bay region, California #36		
1930 Hydroids: A special problem devoted to collection, classification, and distribution # 162		
$193? Report on a preliminary study of variation in shell proportions of ACMAEA PELTA in relation to its vertical distribution \#\ 132$		
1929 MICROHYDRA # 21		
1929 The freshwater sponges in the lakes of Golden Gate Park #31		
1929 Pelycepods of Lake Merritt # 50		
1929 Some experiments on homing and the general movements of crustaceans and mollusks in the spray zone # 133		
1929 Marine Platyhelminthes # 157		
1929 $$ The topography of Lake Merritt, including its relation to drainage and sewage, and its effect on the general fauna $$ $#$ 167		
1929 The Bryozoa of Lake Merritt # 178		
1928 CRYPTOCHITON STELLERI : the nervous system # 145		
1928 TUBULARIA, the classification, oecology, and actinulae # 158		
1928 Luminous annelids from the littoral region of San Francisco Bay at West Berekely, California # 2428		
1920's The specific ionic requirement of ARTEMIA SALINA # 53		
1920's A key to the more common littoral ascidians of the Moss Beach area # 159		
1920's DOLICHOGLOSSUS PUSILLUS # 160		